

DEMO SETS

Part No.	Description	Includes
5025-AE1	26 pieces set	Digital caliper, depth gauge, chamfer gauge, inside groove caliper, outside neck caliper, outside micrometer, internal micrometer, digital indicator, bore gauge, thickness gage, internal chamfer gage, digital level, plug gauge and ring gauge
5025-BE1	2 pieces set	Comparison gauge
5025-C1	7 pieces set	Digital measuring tape, torque wrench, roughness tester, thickness gauge, hardness tester and videoscope
5025-D	1 piece set	Microscope



5025-AE1/5025-C1/5025-D set box,
dimension: 25.0"x18.7"x9.84"



5025-BE1 set box,
dimension: 20.3"x13.3"x4.65"

DETAILS

Part No.	Includes	Description	Specification	Picture
5025-AE1	1108-150	Digital caliper	1. Range: 0-6"/0-150mm 2. Resolution: .0005"/0.01mm	
	6144	Accessory set or digital calipers	1. Suitable for 0-6"/0-150mm and 0-8"/0-200mm digital calipers(thickness of lower jaws≤.146")	
	6147-A1	Groove Points for digital calipers	1. Suitable for 0-6"/0-150mm and 0-8"/0-200mm digital calipers(thickness of lower jaws≤.146")	
	1113-150	Built-in wireless digital caliper	1. Range: 0-6"/0-150mm 2. Resolution: .0005"/0.01mm	
	1140-25WL	Built-in wireless mini digital depth gauge with round bar	1. Range: 0-1"/0-25mm 2. Resolution: .0005"/0.01mm	
	1141-150AWL	Built-in wireless digital depth gauge	1. Range: 0-6"/0-150mm 2. Resolution: .0005"/0.01mm	
	1148-200EWL	Built-in wireless digital depth gauge with round depth bar	1. Range: 0-8"/0-200mm 2. Resolution: .0005"/0.01mm	
	1180-6WL	Built-in wireless digital chamfer gauge	1. Range: 0-0.39"/0-10mm 2. Resolution: .0005"/0.01mm	
	1176-150WL	Built-in wireless digital inside groove caliper	1. Range: 0.35-6"/9-150mm 2. Resolution: .0005"/0.01mm	
	1187-150AWL	Built-in wireless digital outside neck caliper	1. Range: 0-6"/0-150mm 2. Resolution: .0005"/0.01mm	
	1526-200WL	Built-in wireless digital caliper with interchangeable points	1. Range: 0-8.8"/0-224mm 2. Resolution: .0005"/0.01mm	
	3112-25EWL	Built-in wireless waterproof digital outside micrometer	1. Range: 0-1"/0-25mm 2. Resolution: .00005"/0.001mm	

Part No.	Includes	Description	Specification	Picture
5025-AE1	3113-E08WL	Built-in wireless digital three points internal micrometer	1. Range: .65-.8"/17-20mm 2. Resolution: .00005"/0.001mm	
	3540-50EWL	Built-in wireless digital depth micrometer	1. Range: 0-2"/0-50mm 2. Resolution: .00005"/0.001mm	
	3507-25E	Bluetooth digital indicating micrometer	1. Range: 0-1" 2. Resolution: .000005"	
	3358-25AWL	Built-in wireless digital micrometers/snap gauge	1. Range: 0-1"/0-25mm 2. Resolution: .00005"/0.001mm	
	2124-E1+ 2508-10FEWL	Pistol grip three points bore gauge	1. Range: .8-1" 2. Resolution: .00005"/0.001mm	
	2508-10FEWL	Built-in wireless digital indicator	1. Range: 0-.5"/0-12.7mm 2. Resolution: .00005"/0.001mm	
	2510-101F	Built-in wireless high precision digital indicator	1. Range: 0-0.5"/0-12.7mm 2. Resolution: 0.00005"/0.001mm	
	2123-15A	Digital bore gauge	1. Range: .7-1.5" 2. Resolution: .0001"/0.002mm or switch to .0005"/0.01mm	
	2871-101	Digital thickness gauge	1. Range: 0-.4"/0-10mm 2. Resolution: .00005"/.001mm	
	2937-101	Digital internal chamfer gauge	1. Range: .039-.787" DIA 2. Resolution: 0.0005"/0.01mm	
	2932-451	Digital internal measuring gauge	1. Range: 0.95-2"/24-50mm 2. Resolution: .00005"/0.001mm	
	2199-1	Dual axis digital level and gyro angle meter	1. Range: single axis level: 4x90°, dual axis level: +40°, gyro angle meter: 360° 2. Resolution: single axis level 0.01°, dual axis level 0.01° gyro angle meter 0.1°	
	4120-10-DLC	Metric thread ring gauge	1. Nominal diameter: M10 2. Pitch: 1.5	
	4130-10-DLC	Metric thread plug gauge	1. Nominal diameter: M10 2. Pitch: 1.5	
5025-BE1	2252-102E+ 2508-10FEWL	Comparison gauge	1. Range: 0-3.54"/0-90mm 2. Resolution: 0.00005"/0.001mm	
	2927-M200+ 2508-10FEWL+ 2927-H+ 2927-S101+ 2927-S102+ 2927-S103+ 2927-S104+ 2927-J50+ 2927-D+ 2927-S201+ 2927-S201	Universal comparison gauge	1. Range: 0-8"/0-200mm(external diameter), 1.2-10"/30-250mm(internal diameter) 2. Resolution: .00005"/0.001mm	

Part No.	Includes	Description	Specification	Picture
5025-C1	9570-A5	Built-in wireless digital measuring tape	1. Range: 16ft/5m 2. Resolution: .001ft/0.001m	
	IST-42W20A	Built-in wireless digital torque wrench	1. Range: 35.4-177.0in.lb 2. Resolution (Ra): 0.1in.lb	
	ISR-C300WL	Built-in wireless Roughness tester	1. Range: X axis: .689", Z axis: 15748uin (-7874uin-7874uin) 2. Resolution (Ra): .01uin	
	9501-1200WL	Built-in wireless coating thickness gauge	1. Range: 0-50mils 2. Resolution: .01mils (range≤10mils), .1mils (range>10mils)	
	ISU-800DWL	Built-in wireless ultrasonic thickness gauge	1. Range: I-E .04-1.10"/E-E .01-.55" 2. Resolution: .001"/.0001"	
	HDT-LP200WL	Built-in wireless Portable leeb hardness tester	1. Range: HL170-960/HRC 17-70/HRB 13-109/HRA 7-89/ HB 20-655/HV 80-940/HSD 32-99.5/σb(rm) 255-2639N/mm ² 2. Resolution: 1HLD/1HV/1HB/0.1HRC/0.1HRB/0.1HRA/ 0.1HSD/1σb	
	ISV-K6015	Videoscope	1. Diameter: .236" DIA 2. Pixel: 0.92M	
5025-D	5325-VM100	Motorized zoom microscope	1. Magnification: 10-68.5X 2. Resolution: 1920x1080	