

PARTS CLEANLINESS TESTING CABINET PART NO. OPP-GZ01-U

CUSTOMIZABLE TESTING CABINET SIZES



- According to VDA19.1, ISO 16232, ISO 4406 and NAS 1638
- High-efficiency air filtration system at the top, effectively improving the reliability of environmental testing and eliminating cross-contamination
- 10" color touch screen operation, easy to operate, can store the test process, more automated
- An exhaust port is located at the top of the wash tank to remove aerosol emissions from the inspection process, improving product and user safety
- Three-layer membrane holder for three different membrane sizes

SPECIFICATION

OI LOII IOATION	SPECIFICATION		
Control panel	10" touch screen (can store cleaning programs)		
Analysis area	304 mirror stainless steel		
Temperature monitoring	liquid temperature monitoring		
Flushing pressure	0~6bar		
Airbrush flow rate	0~6L/min		
Flow setting range	0~999L		
Control method	airbrush + footswitch control		
System filters	multi-stage precision filtration system, accuracy 0.2µm		
Hepa purification	high efficiency filtration precision 0.3µm, 99.995% filtration efficiency		
U l trasound	28kHz/40kHz		
Cleaning tank size	27.55×23.62×31.50"		
Power supply	AC 110V, 60Hz, 1.5kW		
Dimensions (W×H×D)	51.18×35.43×78.74"		
Weight	771.62lb		

STANDARD DELIVERY

Main unit	1pc	
Rack	1pc	
Membranes	1box	
Air filter	1set	
Cleaning cartridges	1set	
Maintenance tools	1set	
Danier Bar	4	

OPTIONAL DELIVERY

Perfusion module	OPP-GZ01-PERFUSION
Shakers	OPP-GZ01-SHAKERS
Heating module	OPP-GZ01-HEATING