

PART NUMBER	DESCRIPTION	List price 2024	Category
2183	DIGITAL RADIUS GAGE, .2-35.83"/5-910mm	698.00	A
2197	LARGE RANGE DIGITAL RADIUS GAGE, R1(4-590"/100-1500mm), R2(4-590"/100-1500mm)	4485.00	A
4807	ANGLE GAGE SET	70.00	A
4808	WIRE GAGE, 0-36(.3249~.0050")	35.90	A
4809	U.S. STAND SHEET METAL GAGE, 0-36(.3125~.0070")	38.00	A
5022	2-PIECE MEASURING TOOL SET	223.00	A
6140	DEPTH BASE ATTACHMENT, suitable for calipers with beam width (w) .630"	26.80	A
6143	DEPTH STOP FOR CALIPERS	20.10	A
6144	ACCESSORY SET FOR DIGITAL CALIPERS	90.70	A
6300	MICROMETER STAND	55.20	A
6301	MICROMETER STAND	42.10	A
6315	MICROMETER MEASURING FORCE DETECTOR	125.00	A
6318	CALIPER/MICROMETER GRINDING MACHINE (caliper grinding blocks are included)	4049.00	A
7230	SCRIBER	7.12	A
7231	SCRIBER	7.12	A
7232	SCRIBER	7.58	A
7332	SPINDLE LIFT KNOB	4.97	A
0010-A35	SOUND LEVEL METER, 35dB~130dB	165.00	B
0020-A199	VIBRATION PEN (THREE PARAMETERS)	1008.00	B
0110-1125	ANEMOMETER	172.00	B
0120-IM24	INDUCTIVE MOISTURE METER, 0~100%	200.00	B
0130-L110	LIGHT METER (BASIC TYPE)	63.40	B
0131-A120	LIGHT METER, 0.01~19.99FC, 0.1~199.9FC, 1~1999FC, 10~19990FC, 0.1~199.9Lux, 1~1999Lux, 10~19990Lux, 100~199900Lux	107.00	B
0210-G260	INFRARED THERMOMETER (BASIC TYPE), -22 °F~500°F/-30°C~260°C	64.50	B
0213-A500	INFRARED THERMOMETER, -58°F~716°F/-50°C~380°C	76.50	B
0310-H26	THERMOHYGROMETER, 32°F~122°F/0°C~50°C	183.00	B
0311-3070	DATA LOGGER FOR TEMPERATURE AND HUMIDITY (BUILT-IN SENSOR), -22°F~158°F/ -30°C~70°C	514.00	B
0311-3070-ADAPTER	POWER ADAPTER	34.80	B
0312-TH50	THERMOHYGROMETER, 32°F~122°F/0°C~50°C	42.50	B
0313-TH48	THERMOHYGROMETER (EXTERNAL SENSOR), -40°F~176°F/-40°C~80°C	94.00	B
0320-K230	K-TYPE THERMOCOUPLE THERMOMETER, -58°F~392°F-50°C~200°C	64.00	B
0411-0200	PORTABLE CONDUCTIVITY/TDS METER, 0.00µS/cm~200mS/cm	817.00	B
0431-0018	PORTABLE pH METER, -2.00~18.00pH	701.00	B
0501-MA01	TESLAMETER (GAUSSMETER), 2000mT, accuracy ±1.0%	592.00	B
0501-MA05	TESLAMETER (GAUSSMETER), 2000mT, accuracy ±2.0%(≤1000mT), ±5.0%(1000mT~2000mT)	246.00	B
0501-PA	AXIAL PROBE	159.00	B
0501-PR	RADIAL PROBE	93.90	B
1102-150	DIGITAL CALIPER (FRACTION READING), 0-6"/0-150mm	108.00	A
1102-200	DIGITAL CALIPER (FRACTION READING), 0-8"/0-200mm	152.00	A
1102-300	DIGITAL CALIPER (FRACTION READING), 0-12"/0-300mm	197.00	A
1103-150	DIGITAL CALIPERS (ABSOLUTE SYSTEM), 0-6"/0-150mm	86.80	A
1103-200	DIGITAL CALIPERS (ABSOLUTE SYSTEM), 0-8"/0-200mm	131.00	A
1103-300	DIGITAL CALIPERS (ABSOLUTE SYSTEM), 0-12"/0-300mm	232.00	A
1106-1002	DIGITAL CALIPER, 0-1000mm/0-40"	1578.00	A
1106-601	DIGITAL CALIPER, 0-600mm/0-24"	486.00	A
1108-150	DIGITAL CALIPER (STANDARD TYPE), 0-6"/0-150mm	69.70	A
1108-150CAL	0-6" DIGITAL Caliper with ISO17025 Calibration Cert	119.00	A
1108-200	DIGITAL CALIPER(STANDARD TYPE), 0-8"/0-200mm	103.00	A
1108-200CAL	0-8" DIGITAL Caliper with ISO17025 Calibration Cert	143.00	A
1108-300	DIGITAL CALIPER(STANDARD TYPE), 0-12"/0-300mm	155.00	A
1108-300CAL	0-12" DIGITAL Caliper with ISO17025 Calibration Cert	204.00	A
1110-150A	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-6"/0-150mm	252.00	A
1110-200A	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-8"/0-200mm	307.00	A
1110-300A	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-12"/0-300mm	422.00	A
1110-150B	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-6"/0-150mm	162.00	A
1110-200B	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-8"/0-200mm	202.00	A
1110-300B	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-12"/0-300mm	307.00	A
1110-150AWL	WIRELESS DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-6"/0-150mm	312.00	A
1110-200AWL	WIRELESS DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-8"/0-200mm	361.00	A
1110-300AWL	WIRELESS DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-12"/0-300mm	480.00	A
1110-150BWL	WIRELESS DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-6"/0-150mm	241.00	A
1110-200BWL	WIRELESS DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-8"/0-200mm	282.00	A
1110-300BWL	WIRELESS DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, 0-12"/0-300mm	388.00	A
1110-150C	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, IP67 dust/waterproof (no data output), 0-6"/0-150mm	288.00	A

1110-150D	DIGITAL CALIPER WITH CARBIDE TIPPED JAWS, IP67 dust/waterproof (no data output), 0-6"/0-150mm	256.00	A
1111-100A	MINI DIGITAL CALIPER, 0-4"/0-100mm	72.80	A
1111-75A	MINI DIGITAL CALIPER, 0-3"/0-75mm	76.80	A
1113-150	WIRELESS DIGITAL CALIPERS, 0-6"/0-150mm	158.00	A
1113-200	WIRELESS DIGITAL CALIPERS, 0-8"/0-200mm	189.00	A
1113-300	WIRELESS DIGITAL CALIPERS, 0-12"/0-300mm	268.00	A
1114-150A	DIGITAL CALIPER, 0-6"/0-150mm	99.70	A
1114-200A	DIGITAL CALIPER, 0-8"/0-200mm	136.00	A
1114-300A	DIGITAL CALIPER, 0-12"/0-300mm	205.00	A
1118-150B	IP67 WATERPROOF DIGITAL CALIPER, 0-6"/0-150mm, with rectangular depth bar	219.00	A
1118-200B	IP67 WATERPROOF DIGITAL CALIPER, 0-8"/0-200mm, with rectangular depth bar	336.00	A
1118-300B	IP67 WATERPROOF DIGITAL CALIPER, 0-12"/0-300mm, with rectangular depth bar	401.00	A
1118-150R	IP67 WATERPROOF DIGITAL CALIPER, 0-6"/0-150mm, with round depth bar	224.00	A
1119-150	DIGITAL CALIPER WITH ROUND DEPTH BAR, 0-6"/0-150mm	79.40	A
1120-150AE	DIGITAL INSIDE GROOVE CALIPER, 1-6"/25.4-150mm	255.00	A
1120-200A	DIGITAL INSIDE GROOVE CALIPER, .98-8"/25-200mm	306.00	A
1120-300A	DIGITAL INSIDE GROOVE CALIPER, 1.18-12"/30-300mm	404.00	A
1120-500	DIGITAL INSIDE GROOVE CALIPER, 1.57-20"/40-500mm	942.00	A
1120-150P	DIGITAL INSIDE GROOVE CALIPER, .87-6"/22-150mm, IP67 dust/waterproof	628.00	A
1120-150AWL	DIGITAL INSIDE GROOVE CALIPER, 1-6"/25.4-150mm, built-in wireless	254.00	A
1120-1501	DIGITAL INSIDE GROOVE CALIPER, 1.38-6"/35-150mm	323.00	A
1120-1501WL	DIGITAL INSIDE GROOVE CALIPER, 1.38-6"/35-150mm, built-in wireless	402.00	A
1120-200AWL	DIGITAL INSIDE GROOVE CALIPER, .98-8"/25-200mm, built-in wireless	371.00	A
1120-2001	DIGITAL INSIDE GROOVE CALIPER, 1.57-8"/40-200mm	337.00	A
1120-2001WL	DIGITAL INSIDE GROOVE CALIPER, 1.57-8"/40-200mm, built-in wireless	413.00	A
1120-300AWL	DIGITAL INSIDE GROOVE CALIPER, 1.18-12"/30-300mm, built-in wireless	463.00	A
1120-3001	DIGITAL INSIDE GROOVE CALIPER, 1.97-12"/50-300mm	420.00	A
1120-3001WL	DIGITAL INSIDE GROOVE CALIPER, 1.97-12"/50-300mm, built-in wireless	497.00	A
1120-5001	DIGITAL INSIDE GROOVE CALIPER, 2.36-20"/60-500mm	968.00	A
1120-5002	DIGITAL INSIDE GROOVE CALIPER, 3.15-20"/80-500mm	1053.00	A
1121-1501	DIGITAL INSIDE POINT C, 35-150mm/1.38-6"	342.00	A
1121-150A	DIGITAL INSIDE POINT CALIPER, .9-6"/24-150mm	273.00	A
1121-200A	DIGITAL INSIDE POINT CALIPER, 1-8"/25-200mm	320.00	A
1121-300A	DIGITAL INSIDE POINT CALIPER, 1.18-12"/30-300mm	491.00	A
1121-150B	DIGITAL INSIDE POINT CALIPER, 50-150mm/1.97-6", type B	401.00	A
1121-2001	DIGITAL INSIDE POINT CALIPER, 40-200mm/1.57-8"	462.00	A
1121-200B	DIGITAL INSIDE POINT CALIPER, 60-200mm/2.36-8", type B	550.00	A
1121-3001A	DIGITAL INSIDE POINT CALIPER, 2-12"/50-300mm	580.00	A
1121-300B	DIGITAL INSIDE POINT CALIPER, 60-300mm/2.36-12", type B	623.00	A
1121-5001	DIGITAL INSIDE POINT CALIPER, 60-500mm/2.36-20"	846.00	A
1121-5002	DIGITAL INSIDE POINT CALIPER, 80-500mm/3.15-20"	912.00	A
1121-500A	DIGITAL INSIDE POINT CALIPER, 40-500mm/1.57-20"	822.00	A
1122-300	DIGITAL HOOK CALIPER, .16-12"/4-300mm	525.00	A
1122-300WL	DIGITAL HOOK CALIPER, .16-12"/4-300mm, built-in wireless	597.00	A
1123-150A	DIGITAL INSIDE KNIFE-EDGE CALIPER, .6-6"/15-150mm	277.00	A
1123-150AWL	DIGITAL INSIDE KNIFE-EDGE CALIPER, 15-150mm/0.6-6", built-in wireless	345.00	A
1123-200A	DIGITAL INSIDE KNIFE-EDGE CALIPER, .8-8"/20-200mm	401.00	A
1123-200AWL	DIGITAL INSIDE KNIFE-EDGE CALIPER, .8-8"/20-200mm, built-in wireless	472.00	A
1123-300A	DIGITAL INSIDE KNIFE-EDGE CALIPER, .9-12"/24-300mm	670.00	A
1124-300A	DIGITAL CALIPER WITH INTERCHANGEABLE POINTS	660.00	A
1125-600	UNIVERSAL CALIPER, 0-24"/0-600mm	1269.00	A
1125-600WL	UNIVERSAL CALIPER, 0-600mm/0-24", built-in wireless	1498.00	A
1125-1000	UNIVERSAL CALIPER, 0-40"/0-1000mm	2023.00	A
1125-1000WL	UNIVERSAL CALIPER, 0-40"/0-1000mm, built-in wireless	2129.00	A
1125-T101	CONICAL POINTS	80.80	A
1125-T101-1	Conical points (optional)	108.00	A
1125-T102	ROUND SHOULDER POINTS	70.30	A
1125-T103	FLAT SHOULDER POINTS	101.00	A
1125-T104	POINT SLEEVES	46.70	A
1128-200	DIGITAL INSIDE GROOVE CALIPER, .39-8"/10-200mm	532.00	A
1128-200WL	DIGITAL INSIDE GROOVE CALIPER, .39-8"/10-200mm, built-in wireless	593.00	A
1129-300	DIGITAL DEEP HOLE INSIDE GROOVE CALIPER, 0-12"/0-300mm	628.00	A
1129-300WL	DIGITAL DEEP HOLE INSIDE GROOVE CALIPER, 0-12"/0-300mm, built-in wireless	701.00	A
1130-150	LEFT HAND DIGITAL CALIPER, 0-6"/0-150mm	168.00	A
1130-200	LEFT HAND DIGITAL CALIPER, 0-8"/0-200mm	198.00	A
1130-300	LEFT HAND DIGITAL CALIPER, 0-12"/0-300mm	286.00	A
1131-24	DIGITAL CALIPER, 0-24"/0-600mm	812.00	A

1131-24WL	WIRELESS ELECTRONIC CALIPER (with jaw length 3.937"), 0-24"/0-600mm, built-in wireless	717.00	A
1131-40	DIGITAL CALIPER, 0-40"/0-1000mm	1824.00	A
1131-60	DIGITAL CALIPER, 0-60"/0-1500mm	2441.00	A
1131-80	DIGITAL CALIPER, 0-80"/0-2000mm	3598.00	A
1133-24	DIGITAL CALIPER, 0-24"/0-600mm	866.00	A
1133-24WL	WIRELESS ELECTRONIC CALIPER (with jaw length 3.937"), 0-24"/0-600mm, built-in wireless	793.00	A
1133-40	DIGITAL CALIPER, 0-40"/0-1000mm	1845.00	A
1135-1002	DIGITAL CALIPER, 0-40"/0-1000mm	1566.00	A
1135-451	DIGITAL CALIPER, 0-18"/0-450mm	649.00	A
1135-451WL	WIRELESS DIGITAL CALIPER (jaw length 100mm), 0-18"/0-450mm, built-in wireless	791.00	A
1135-601WL	WIRELESS DIGITAL CALIPER (jaw length 100mm), 0-24"/0-600mm, built-in wireless	799.00	A
1135-601	DIGITAL CALIPER, 0-24"/0-600mm	839.00	A
1136-301	ELECTRONIC CALIPER (jaw length 100mm), 0-300mm/0-12"	517.00	A
1136-301WL	WIRELESS DIGITAL CALIPER (jaw length 100mm), 0-300mm/0-12", 0.01mm/0.0005"	656.00	A
1136-451WL	WIRELESS DIGITAL CALIPER (jaw length 100mm), 0-450mm/0-18", 0.01mm/0.0005"	802.00	A
1136-601	ELECTRONIC CALIPER (jaw length 100mm), 0-600mm/0-24"	622.00	A
1136-501	ELECTRONIC CALIPER, 0-500mm/0-20"	640.00	A
1136-502	ELECTRONIC CALIPER, 0-500mm/0-20"	763.00	A
1136-1002	DIGITAL CALIPER, 0-1000mm/0-40"	1899	A
1136-1502	DIGITAL CALIPER, 0-1500mm/0-60"	3329	A
1136-2002	DIGITAL CALIPER, 0-2000mm/0-80"	4939	A
1138-200	DIGITAL CALIPER WITH LONG UPPER JAWS, 0-8"/0-200mm	492.00	A
1138-200WL	DIGITAL CALIPER WITH LONG UPPER JAWS, 0-8"/0-200mm, built-in wireless	563.00	A
1139-150	DIGITAL PLASTIC CALIPER, 0-6"/0-150mm	31.20	A
1140-25	MINI DIGITAL DEPTH GAGES WITH ROUND BAR, 0-1"/0-25mm	189.00	A
1140-50	MINI DIGITAL DEPTH GAGES WITH ROUND BAR, 0-2"/0-50mm	214.00	A
1140-100	MINI DIGITAL DEPTH GAGE WITH ROUND BAR, 0-4"/0-100mm	271.00	A
1140-150	MINI DIGITAL DEPTH GAGE WITH ROUND BAR, 0-6"/0-150mm	319.00	A
1140-100WL	MINI DIGITAL DEPTH GAGE WITH ROUND BAR, 0-4"/0-100mm, built-in	368.00	A
1140-150WL	MINI DIGITAL DEPTH GAGE WITH ROUND BAR, 0-6"/0-150mm, built-in wireless	415.00	A
1141-10001A	DIGITAL DEPTH GAGE, 0-40"/0-1000mm	1792.00	A
1141-10002A	DIGITAL DEPTH GAGE, 0-40"/0-1000mm	2177.00	A
1141-10003A	DIGITAL DEPTH GAGE, 0-40"/0-1000mm	2374.00	A
1141-1000A	DIGITAL DEPTH GAGE, 0-40"/0-1000mm	1493.00	A
1141-150A	DIGITAL DEPTH GAGE, 0-6"/0-150mm	108.00	A
1141-150AWL	DIGITAL DEPTH GAGE, 0-6"/0-150mm, built-in wireless	185.00	A
1141-200A	DIGITAL DEPTH GAGE, 0-8"/0-200mm	135.00	A
1141-200AWL	DIGITAL DEPTH GAGE, 0-8"/0-200mm, built-in wireless	206.00	A
1141-300A	DIGITAL DEPTH GAGE, 0-12"/0-300mm	314.00	A
1141-300AWL	DIGITAL DEPTH GAGE, 0-12"/0-300mm, built-in wireless	368.00	A
1141-5001A	DIGITAL DEPTH GAGE, 0-20"/0-500mm	750.00	A
1141-5001AWL	DIGITAL DEPTH GAGE, 0-20"/0-500mm, built-in wireless	858.00	A
1141-500A	DIGITAL DEPTH GAGE, 0-20"/0-500mm	526.00	A
1141-500AWL	DIGITAL DEPTH GAGE, 0-20"/0-500mm, built-in wireless	644.00	A
1142-10001A	DIGITAL HOOK DEPTH GAGE, 0-40"/0-1000mm	1982.00	A
1142-10002A	DIGITAL HOOK DEPTH GAGE, 0-40"/0-1000mm	3413.00	A
1142-1000A	DIGITAL HOOK DEPTH GAGE, 0-40"/0-1000mm	1714.00	A
1142-150A	DIGITAL HOOK DEPTH GAGE, 0-6"/0-150mm	153.00	A
1142-150AWL	DIGITAL HOOK DEPTH GAGE, 0-6"/0-150mm, built-in wireless	239.00	A
1142-200A	DIGITAL HOOK DEPTH GAGE, 0-8"/0-200mm	188.00	A
1142-200AWL	DIGITAL HOOK DEPTH GAGE, 0-8"/0-200mm, built-in wireless	273.00	A
1142-300A	DIGITAL HOOK DEPTH GAGE, 0-12"/0-300mm	380.00	A
1142-300AWL	DIGITAL HOOK DEPTH GAGE, 0-12"/0-300mm, built-in wireless	492.00	A
1142-5001A	DIGITAL HOOK DEPTH GAGE, 0-20"/0-500mm	905.00	A
1142-500A	DIGITAL HOOK DEPTH GAGE, 0-20"/0-500mm	776.00	A
1142-500AWL	DIGITAL HOOK DEPTH GAGE, 0-20"/0-500mm, built-in wireless	868.00	A
1143-200A	DIGITAL POINT DEPTH GAGE, 0-8"/0-200mm	238.00	A
1144-10001A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-40"/0-1000mm	2149.00	A
1144-10002A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-40"/0-1000mm	2740.00	A
1144-1000A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-40"/0-1000mm	1854.00	A
1144-150A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-6"/0-150mm	154.00	A
1144-150AWL	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-6"/0-150mm, wireless	249.00	A
1144-200A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-8"/0-200mm	185.00	A
1144-200AWL	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-8"/0-200mm, wireless	279.00	A
1144-300A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-12"/0-300mm	394.00	A
1144-300AWL	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-12"/0-300mm, wireless	503.00	A
1144-5001A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-20"/0-500mm	965.00	A

1144-5001AWL	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-20"/0-500mm, wireless	1072.00	A
1144-500A	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-20"/0-500mm	840.00	A
1144-500AWL	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-20"/0-500mm, wireless	931.00	A
1145-25A	MINI DIGITAL DEPTH GAGE, 0-1"/0-25mm	115.00	A
1146-20A	MINI DIGITAL HEIGHT GAGE, 0-0.8"/0-20mm	172.00	A
1146-20B	MINI DIGITAL HEIGHT GAGE, 0-0.8"/0-20mm	196.00	A
1147-150	DIGITAL DEPTH GAGE WITH MOUNTING HOLES FOR EXTENSION BASE, 0-6"/0-150mm	163.00	A
1147-200	DIGITAL DEPTH GAGE WITH MOUNTING HOLES FOR EXTENSION BASE, 0-8"/0-200mm	204.00	A
1147-300	DIGITAL DEPTH GAGE WITH MOUNTING HOLES FOR EXTENSION BASE, 0-12"/0-300mm	435.00	A
1147-500	DIGITAL DEPTH GAGE WITH MOUNTING HOLES FOR EXTENSION BASE, 0-20"/0-500mm	597.00	A
1147-700	DIGITAL DEPTH GAGE WITH MOUNTING HOLES FOR EXTENSION BASE, 0-28"/0-700mm	929.00	A
1147-150WL	WIRELESS ELECTRONIC DEPTH GAGES WITH MOUNTING HOLES FOR EXTENSION BASE, 0-150mm/0-6"	222.00	A
1147-200WL	WIRELESS ELECTRONIC DEPTH GAGES WITH MOUNTING HOLES FOR EXTENSION BASE, 0-200mm/0-8"	258.00	A
1147-300WL	WIRELESS ELECTRONIC DEPTH GAGES WITH MOUNTING HOLES FOR EXTENSION BASE, 0-300mm/0-12"	393.00	A
1147-500WL	WIRELESS ELECTRONIC DEPTH GAGES WITH MOUNTING HOLES FOR EXTENSION BASE, 0-500mm/0-20"	649.00	A
1147-700WL	WIRELESS DIGITAL DEPTH GAGES WITH MOUNTING (HOLES FOR EXTENSION BASE),0-700mm/0-28", 0.01mm/0.0005"	990.00	A
1148-100E	DIGITAL DEPTH GAGE WITH ROUND DEPTH BAR, 0-4"/0-100mm	374.00	A
1148-100SE	DIGITAL DEPTH GAGE WITH ROUND DEPTH BAR, 0-4"/0-100mm	369.00	A
1148-100SWL	DIGITAL DEPTH GAGE WITH ROUND DEPTH BAR, 0-4"/0-100mm, built-in wireless	450.00	A
1148-120E	DIGITAL DEPTH GAGES WITH ROUND DEPTH BAR, 0-4.7"/0-120mm	443.00	A
1148-200E	DIGITAL DEPTH GAGES WITH ROUND DEPTH BAR, 0-8"/0-200mm	457.00	A
1148-300E	DIGITAL DEPTH GAGES WITH ROUND DEPTH BAR, 0-12"/0-300mm	560.00	A
1148-P103E	.04" DISK POINT	34.60	A
1149-150	DIGITAL WATERPROOF DEPTH GAGE, 0-6"/0-150mm	311.00	A
1149-200	DIGITAL WATERPROOF DEPTH GAGE, 0-8"/0-200mm	426.00	A
1149-300	DIGITAL WATERPROOF DEPTH GAGE, 0-12"/0-300mm	547.00	A
1150-1000E	DIGITAL HEIGHT GAGE, 0-40"/0-1000mm	2058.00	A
1150-1500E	DIGITAL HEIGHT GAGE, 0-60"/0-1500mm	3343.00	A
1150-2000E	DIGITAL HEIGHT GAGE, 0-80"/0-2000mm	4946.00	A
1150-300E	DIGITAL HEIGHT GAGE, 0-12"/0-300mm	566.00	A
1150-500E	DIGITAL HEIGHT GAGE, 0-20"/0-500mm	791.00	A
1150-600E	DIGITAL HEIGHT GAGE, 0-24"/0-600mm	1030.00	A
1151-300	DIGITAL HEIGHT GAGE, 0-12"/0-300mm	964.00	A
1151-600	DIGITAL HEIGHT GAGE, 0-24"/0-600mm	1559.00	A
1151-300A	DIGITAL HEIGHT GAGE, 0-300mm/0-12"	934.00	A
1151-300AE	DIGITAL HEIGHT GAGE, 0-12"/0-300mm	921.00	A
1151-450A	DIGITAL HEIGHT GAGE, 0-450mm/0-18"	1295.00	A
1151-450AE	DIGITAL HEIGHT GAGE, 0-18"/0-450mm	1278.00	A
1151-600A	DIGITAL HEIGHT GAGE, 0-600mm/0-24"	1494.00	A
1151-600AE	DIGITAL HEIGHT GAGE, 0-24"/0-600mm	1478.00	A
1154-150	DIGITAL HEIGHT GAGE, 0-6"/0-150mm	260.00	A
1154-150WL	DIGITAL HEIGHT GAGE, 0-6"/0-150mm, built-in wireless	334.00	A
1155-505	DIGITAL HIGH PRECISION HEIGHT GAUGES, 0-2"	4583.00	A
1155-510	DIGITAL HIGH PRECISION HEIGHT GAUGES, 0-2"	6127.00	A
1155-5-FOS	Data output cables(including foot switch)	394.00	A
1155-5-POB	Charge pal	46.50	A
1156-1000	DIGITAL HEIGHT GAGES WITH DRIVING WHEEL, 0-40"/0-1000mm	3693.00	A
1156-300	DIGITAL HEIGHT GAGES WITH DRIVING WHEEL, 0-12"/0-300mm	699.00	A
1156-600	DIGITAL HEIGHT GAGES WITH DRIVING WHEEL, 0-24"/0-600mm	1037.00	A
1157-501	DIGITAL HEIGHT GAGES, 0-2", granite base	2903.00	A
1157-502	DIGITAL HEIGHT GAGES, 0-2", ceramic base	3551.00	A
1158-100	LARGE RANGE DIGITALAL HEIGHT GAGE, 0~4"	9776.00	A
1160-10	DIGITAL TAPER GAGE, .01-.39"/0.2-10mm	541.00	A
1160-20	DIGITAL TAPER GAGE, .39-.79"/10-20mm	626.00	A
1160-30	DIGITAL TAPER GAGE, .79-1.18"/20-30mm	656.00	A
1160-40	DIGITAL TAPER GAGE, 1.18-1.58"/30-40mm	657.00	A
1161-150A	DIGITAL TUBE THICKNESS CALIPER, 0-6"/0-150mm	285.00	A
1161-150AWL	DIGITAL TUBE THICKNESS CALIPER, 0-6"/0-150mm, built-in wireless	328.00	A
1162-125A	DIGITAL DISK BRAKE CALIPER, 0-5"/0-125mm	238.00	A
1163-50A	DIGITAL SNAP GAGE, 0-2"/0-50mm	255.00	A
1165-150A	DIGITAL CRIMP HEIGHT CALIPER, 0-6"/0-150mm	245.00	A
1166-150A	DIGITAL SCRIBING CALIPER, 0-6"/0-150mm	268.00	A

1166-150AWL	DIGITAL SCRIBING CALIPER, 0-6"/0-150mm,built-in wireless	346.00	A
1167-150A	DIGITAL DISK BRAKE AND PAD CALIPER, 0-6"/0-150mm	271.00	A
1168-300A	DIGITAL DRUM BRAKE CALIPER, 0-12"/0-300mm	389.00	A
1169-150	DIGITAL SMALL POINT CALIPER, 0-6"/0-150mm	160.00	A
1171-200	DIGITAL CALIPER (NON-WATERPROOF), 0-8"/0-200mm	208.00	A
1171-200WL	DIGITAL CALIPER (NON-WATERPROOF), 0-8"/0-200mm, built-in wireless	319.00	A
1171-250	DIGITAL CALIPER (NON-WATERPROOF), 0-10"/0-250mm	313.00	A
1171-300	DIGITAL CALIPER (NON-WATERPROOF), 0-12"/0-300mm	326.00	A
1171-306	DIGITAL CALIPER (NON-WATERPROOF), 0-12"/0-300mm	279.00	A
1172-200	DIGITAL CALIPER WITH LARGE MEASURING FACES, 0-8"/0-200mm	521.00	A
1173-24	IP65 WATERPROOF DIGITAL CALIPER,0-24"/0-600mm	621.00	A
1173-24WL	IP65 WATERPROOF DIGITAL CALIPER,0-24"/0-600mm, built-in bluetooth	656.00	A
1176-150	DIGITAL INSIDE GROOVE CALIPER, upper jaw .35-6"/9-150mm, lower jaw .70-6"/17-150mm	365.00	A
1176-200	DIGITAL INSIDE GROOVE CALIPER, upper jaw .35-8"/9-200mm, lower jaw .70-8"/17-200mm	432.00	A
1176-150P	DIGITAL INSIDE GROOVE CALIPER, upper jaw .35-6"/9-150mm, lower jaw .70-6"/17-150mm, IP67 dust/waterproof	591.00	A
1176-150WL	DIGITAL INSIDE GROOVE CALIPER, upper jaw .35-6"/9-150mm, lower jaw .70-6"/17-150mm	413.00	A
1176-200WL	DIGITAL INSIDE GROOVE CALIPER, upper jaw .35-8"/9-200mm, lower jaw .70-8"/17-200mm	470.00	A
1177-1000E	DIGITAL BACK-JAW CENTERLINE CALIPER, 1.2-40"/30.5-1000mm	1989.00	A
1177-1500E	DIGITAL BACK-JAW CENTERLINE CALIPER, 1.2-60"/30.5-1500mm	3445.00	A
1177-300EWL	WIRELESS ELECTRONIC BACK-JAW CENTERLINE CALIPER, .4-12"/10.5-300mm, built-in wireless	714.00	A
1177-300E	DIGITAL BACK-JAW CENTERLINE CALIPER, .4-12"/10.5-300mm	615.00	A
1177-500E	DIGITAL BACK-JAW CENTERLINE CALIPER, .8-20"/20.5-500mm	1162.00	A
1177-500EWL	WIRELESS ELECTRONIC BACK-JAW CENTERLINE CALIPER, .8-20"/20.5-500mm, built-in wireless	1322.00	A
1178-300	DIGITAL INSIDE GROOVE CALIPER, 1.18-12"/25-300mm	522.00	A
1178-300P	DIGITAL INSIDE GROOVE CALIPER, 1.30-12"/33-300mm, (IP67 DUST/WATERPROOF, NO DATA OUTPUT)	1034.00	A
1178-300WL	DIGITAL INSIDE GROOVE CALIPER, 1.18-12"/25-300mm, built-in wireless	610.00	A
1179-300	DIGITAL RTJ RING GROOVE CALIPER, inside diameter of RTJ ring groove .4-12"/10-300mm, outside diameter of RTJ ring groove 1-12"/25-300mm	617.00	A
1179-300WL	WIRELESS DIGITAL RTJ RING GROOVE CALIPER, 10-300mm/0.4-12", 0.01mm/0.0005"	670.00	A
1179-600	DIGITAL RTJ RING GROOVE CALIPER, inside diameter of RTJ ring groove .4-24"/10-600mm, outside diameter of RTJ ring groove 1-24"/25-600mm	977.00	A
1179-1000	DIGITAL RTJ RING GROOVE CALIPER, inside diameter of RTJ ring groove .6-40"/15-1000mm, outside diameter of RTJ ring groove 1.2-40"/30-1000mm	2380.00	A
1180-6	DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 45°	199.00	A
1180-61	DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 15°	399.00	A
1180-62	DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 20°	371.00	A
1180-63	DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 30°	267.00	A
1180-66	DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 60°	267.00	A
1180-6WL	WIRELESS DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 45°	286.00	A
1180-61WL	WIRELESS DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 15°	470.00	A
1180-62WL	WIRELESS DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 20°	444.00	A
1180-63WL	WIRELESS DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 30°	338.00	A
1180-66WL	WIRELESS DIGITAL CHAMFER GAGE, 0-.39"/0-10mm, chamfer 60°	319.00	A
1181-M25A	DIGITAL GEAR TOOTH CALIPER, P1-P24	512.00	A
1181-M50A	DIGITAL GEAR TOOTH CALIPER, P1/2-P5	604.00	A
1183-150A	DIGITAL POINT CALIPER, 0-6"/0-150mm	162.00	A
1183-150AWL	DIGITAL POINT CALIPER, 0-6"/0-150mm, built-in wireless	233.00	A
1183-200A	DIGITAL POINT CALIPER, 0-8"/0-200mm	235.00	A
1183-200AWL	DIGITAL POINT CALIPER, 0-8"/0-200mm, built-in wireless	307.00	A
1183-300A	DIGITAL POINT CALIPER, 0-12"/0-300mm	333.00	A
1183-300AWL	DIGITAL POINT CALIPER, 0-12"/0-300mm, built-in wireless	403.00	A
1184-150	DIGITAL CALIPERS WITH ONE DIRECTION UPPER JAWS, 0-6"/0-50mm, jaw with same height	191.00	A
1184-200	DIGITAL CALIPERS WITH ONE DIRECTION UPPER JAWS, 0-8"/0-200mm, jaw with same height	251.00	A
1184-300	DIGITAL CALIPERS WITH ONE DIRECTION UPPER JAWS, 0-12"/0-300mm, jaw with same height	366.00	A
1184-150A	DIGITAL CALIPERS WITH ONE DIRECTION UPPER JAWS, 0-6"/0-50mm, jaw with different height	223.00	A
1184-200A	DIGITAL CALIPERS WITH ONE DIRECTION UPPER JAWS, 0-8"/0-200mm, jaw with different height	308.00	A
1184-300A	DIGITAL CALIPERS WITH ONE DIRECTION UPPER JAWS, 0-12"/0-300mm, jaw with different height	405.00	A
1185-150A	DIGITAL OUTSIDE POINT CALIPER, 0-6"/0-150mm	193.00	A

1185-150AWL	DIGITAL OUTSIDE POINT CALIPER, 0-6"/0-150mm, built-in wireless	286.00	A
1185-200A	DIGITAL OUTSIDE POINT CALIPER, 0-8"/0-200mm	426.00	A
1185-200AWL	DIGITAL OUTSIDE POINT CALIPER, 0-8"/0-200mm, built-in wireless	489.00	A
1185-300A	DIGITAL OUTSIDE POINT CALIPER, 0-12"/0-300mm	639.00	A
1186-150A	DIGITAL OFFSET CALIPER, 0-6"/0-150mm	297.00	A
1186-150AWL	DIGITAL OFFSET CALIPER, 0-6"/0-150mm, built-in wireless	412.00	A
1186-200A	DIGITAL OFFSET CALIPER, 0-8"/0-200mm	461.00	A
1186-200AWL	DIGITAL OFFSET CALIPER, 0-8"/0-200mm, built-in wireless	529.00	A
1186-300A	DIGITAL OFFSET CALIPER, 0-12"/0-300mm	542.00	A
1186-300AWL	DIGITAL OFFSET CALIPER, 0-12"/0-300mm, built-in wireless	669.00	A
1186-500A	DIGITAL OFFSET CALIPER, 0-20"/0-500mm	779.00	A
1187-150A	DIGITAL OUTSIDE NECK CALIPER, 0-6"/0-150mm	196.00	A
1187-200A	DIGITAL OUTSIDE NECK CALIPER, 0-8"/0-200mm	440.00	A
1187-300A	DIGITAL OUTSIDE NECK CALIPER, 0-12"/0-300mm	556.00	A
1187-150AWL	DIGITAL OUTSIDE NECK CALIPER, 0-6"/0-150mm, built-in wireless	268.00	A
1187-200AWL	DIGITAL OUTSIDE NECK CALIPER, 0-8"/0-200mm, built-in wireless	501.00	A
1188-150A	DIGITAL BLADE CALIPER, 0-6"/0-150mm	168.00	A
1188-150AWL	DIGITAL BLADE CALIPER, 0-6"/0-150mm, built-in wireless	239.00	A
1188-200A	DIGITAL BLADE CALIPER, 0-8"/0-200mm	218.00	A
1188-200AWL	DIGITAL BLADE CALIPER, 0-8"/0-200mm, built-in wireless	291.00	A
1188-300A	DIGITAL BLADE CALIPER, 0-12"/0-300mm	347.00	A
1188-300AWL	DIGITAL BLADE CALIPER, 0-12"/0-300mm, built-in wireless	416.00	A
1189-150B	DIGITAL ARC RADIUS CALIPER, .2-6"/5-150mm	431.00	A
1189-200B	DIGITAL ARC RADIUS CALIPER, .2-8"/5-200mm	530.00	A
1191-150	DIGITAL INSIDE GROOVE CALIPER, .3-6"/8-150mm	446.00	A
1191-150WL	DIGITAL INSIDE GROOVE CALIPER, .3-6"/8-150mm, built-in wireless	516.00	A
1192-150AE	DIGITAL OFFSET CENTERLINE CALIPER, .4-6"/10-150mm	407.00	A
1192-150AEWL	DIGITAL OFFSET CENTERLINE CALIPER, .4-6"/10-150mm, built-in wireless	468.00	A
1192-200AE	DIGITAL OFFSET CENTERLINE CALIPER, .4-8"/10-200mm	498.00	A
1192-200AEWL	DIGITAL OFFSET CENTERLINE CALIPER, .4-8"/10-200mm, built-in wireless	570.00	A
1192-300AE	DIGITAL OFFSET CENTERLINE CALIPER, .4"-12"/10.5-300mm	605.00	A
1192-300AEWL	DIGITAL OFFSET CENTERLINE CALIPER, .4-12"/10.5-300mm, built-in wireless	638.00	A
1192-500AE	DIGITAL OFFSET CENTERLINE CALIPER, .8-20"/20.5-500mm	1112.00	A
1192-1000AE	DIGITAL OFFSET CENTERLINE CALIPER, 1.2-40"/30.5-1000mm	1951.00	A
1192-1500AE	DIGITAL OFFSET CENTERLINE CALIPER, 1.2"-60"/30.5-1500mm	3324.00	A
1193-150	DIGITAL CALIPER WITH CERAMIC TIPPED JAWS, 0-6"/0-150mm	151.00	A
1193-200	DIGITAL CALIPER WITH CERAMIC TIPPED JAWS, 0-8"/0-200mm	185.00	A
1193-300	DIGITAL CALIPER WITH CERAMIC TIPPED JAWS, 0-12"/0-300mm	254.00	A
1196-300	HEAVY DUTY 12" DIGITAL CALIPER, 0-12"/0-300mm	212.00	A
1205-1502E	VERNIER CALIPER, 0-6"/0-150mm	52.50	A
1205-1502S	VERNIER CALIPER, 0-150mm/0-6"	50.50	A
1205-150S	VERNIER CALIPER, 0-150mm/0-6"	46.30	A
1205-2002E	VERNIER CALIPER, 0-8"/0-200mm	87.90	A
1205-3002E	VERNIER CALIPER, 0-12"/0-300mm	159.00	A
1211-12	VERNIER CALIPER, 0-12"/0-600mm	245.00	A
1211-24	VERNIER CALIPER, 0-24"/0-600mm	331.00	A
1211-40	VERNIER CALIPER, 0-40"/0-1000mm	864.00	A
1250-300	VERNIER HEIGHT GAGE, 0-12"/0-300mm	404.00	A
1250-450	VERNIER HEIGHT GAGE, 0-18"/0-450mm	515.00	A
1250-600	VERNIER HEIGHT GAGE, 0-24"/0-600mm	555.00	A
1251-200E	VERNIER HEIGHT GAGE, 0-8"/0-200mm	272.00	A
1251-300E	VERNIER HEIGHT GAGE, 0-12"/0-300mm	353.00	A
1251-500E	VERNIER HEIGHT GAGE, 0-20"/0-500mm	485.00	A
1251-1000E	VERNIER HEIGHT GAGE, 0-40"/0-1000mm	1399.00	A
1251-1500E	VERNIER HEIGHT GAGE, 0-60"/0-1500mm	2239.00	A
1251-2000E	VERNIER HEIGHT GAGE, 0-80"/0-2000mm	4129.00	A
1253-150	VERNIER HEIGHT GAGE, 0-6"/0-150mm	205.00	A
1253-200	VERNIER HEIGHT GAGE, 0-8"/0-200mm	306.00	A
1267-02	CHAMFER GAGE, 0 - .2"	172.00	A
1311-12	DIAL CALIPER, 0-12"	162.00	A
1311-12CAL	0-12" Dial Caliper with ISO17025 Calibration Cert	197.00	A
1311-150A	DIAL CALIPER, 0-150mm	101.00	A
1311-200A	DIAL CALIPER, 0-200mm	138.00	A
1311-300A	DIAL CALIPER, 0-300mm	209.00	A
1311-4	DIAL CALIPER, 0-4"	88.00	A
1311-6	DIAL CALIPER, 0-6"	72.80	A
1311-6CAL	0-6" Dial Caliper with ISO17025 Calibration Cert	121.00	A
1311-8	DIAL CALIPER, 0-8"	96.70	A
1311-8CAL	0-8" Dial Caliper with ISO17025 Calibration Cert	143.00	A
1312-150A	DIAL CALIPER, 0-150mm	82.50	A
1312-200A	DIAL CALIPER, 0-200mm	111.00	A
1312-300A	DIAL CALIPER, 0-300mm	185.00	A
1316-18	DIAL CALIPER, 0-18"	413.00	A

1316-24	DIAL CALIPER, 0-24"	543.00	A
1316-40	DIAL CALIPER, 0-40"	1161.00	A
1351-12	DIAL HEIGHT GAGE, 0-12"	538.00	A
1351-18	DIAL HEIGHT GAGE, 0-18"	804.00	A
1351-24	DIAL HEIGHT GAGE, 0-24"	1043.00	A
1441-300	IP67 WATERPROOF DIGITAL DEPTH GAGES WITH INTERCHANGEABLE POINTS, 0-12"/0-300mm	1037.00	A
1441-400	IP67 WATERPROOF DIGITAL DEPTH GAGES WITH INTERCHANGEABLE POINTS, 0-16"/0-400mm	1260.00	A
1441-500	IP67 WATERPROOF DIGITAL DEPTH GAGES WITH INTERCHANGEABLE POINTS, 0-20"/0-500mm	1474.00	A
1441-600	IP67 WATERPROOF DIGITAL DEPTH GAGES WITH INTERCHANGEABLE POINTS, 0-24"/0-600mm	1600.00	A
1441-P1	Side type ball point (optional)	211.00	A
1441-P2	Ball point (optional)	211.00	A
1441-P3	Needle point (optional)	211.00	A
1501-25	DIGITAL RADIUS CALIPER, .079-1"/2-25mm, .0005"/0.01mm	278.00	A
1501-10	DIGITAL RADIUS CALIPER, .079-0.394"/2-10mm, 0.0005"/0.01mm	278.00	A
1520-150	DIGITAL INSIDE GROOVE CALIPER, .43-6"/11-150mm	244.00	A
1520-150P	DIGITAL INSIDE GROOVE CALIPER, .56-6"/14-150mm, IP67 dust/waterproof, no data output	636.00	A
1520-1501P	DIGITAL INSIDE GROOVE CALIPER, .31-6"/8-150mm, IP67 dust/waterproof, no data output	648.00	A
1520-150WL	DIGITAL INSIDE GROOVE CALIPER, .43-6"/11-150mm, built-in wireless	321.00	A
1522-127	DIGITAL CALIPER, 0-12"/0-300mm	299.00	A
1522-127WL	WIRELESS ELECTRONIC CALIPER, 0-12"/0-300mm, .0005"/0.01mm	408.00	A
1523-127	DIGITAL CALIPER, 0-12"/0-300mm	422.00	A
1523-127WL	WIRELESS ELECTRONIC CALIPER, 0-12"/0-300mm, .0005"/0.01mm	548.00	A
1524-300E	DIGITAL BACK-JAW EDGE TO CENTER CALIPER, .2-12"/5.5-300mm	640.00	A
1524-300EWL	WIRELESS DIGITAL BACK-JAW EDGE TO CENTER CALIPER, .2-12"/5.5-300mm, .0005"/0.01mm	717.00	A
1525-3001	DIGITAL CENTERLINE/EDGE TO CENTER CALIPER, 10-300mm/.4-12"	710.00	A
1525-300E	DIGITAL CENTERLINE/EDGE TO CENTER CALIPER, Range of upper jaw (edge to center): .2-12"/5.5-300mm, Range of lower jaw (center to center): .4-12"/10.5-300mm	644.00	A
1525-500E	DIGITAL CENTERLINE/EDGE TO CENTER CALIPER, Range of upper jaw (edge to center): .4-20"/10.5-500mm, Range of lower jaw (center to center): .8-20"/20.5-500mm	1550.00	A
1525-300EWL	WIRELESS ELECTRONIC CENTERLINE/EDGE TO CENTER CALIPER, .2-12"/5.5-300mm, .0005"/0.01mm	753.00	A
1525-500EWL	WIRELESS ELECTRONIC CENTERLINE/EDGE TO CENTER CALIPER, .4-20"/10.5-500mm, .0005"/0.01mm	1702.00	A
1525-1000E	DIGITAL CENTERLINE/EDGE TO CENTER CALIPER, Range of upper jaw (edge to center): .6-40"/15.5-1000mm, Range of lower jaw (center to center): 1.2-40"/30.5-1000mm	2345.00	A
1525-1500E	DIGITAL CENTERLINE/EDGE TO CENTER CALIPER, Range of upper jaw (edge to center): .6-60"/15.5-1500mm, Range of lower jaw (center to center): 1.2-60"/30.5-1500mm	3797.00	A
1526-200	DIGITAL CALIPER WITH INTERCHANGEABLE POINTS	485.00	A
1526-T101	POINT SLEEVE, pair	61.80	A
1527-300	DIGITAL CALIPER WITH INTERCHANGEABLE BALL TIPS, (7/8"+D)~12", (with ball 1/16", 3/16", 1/8", 1/4", 3/8", 1/2")	551.00	A
1527-3001	DIGITAL CALIPER WITH INTERCHANGEABLE BALL TIPS, (7/8"+D)~12", ball tips are optional	397.00	A
1527-T101	Ball points 1/16"DIA (supplied in pair)	30.80	A
1527-T102	Ball points 1/8"DIA (supplied in pair)	34.80	A
1527-T103	Ball points 3/16"DIA (supplied in pair)	34.80	A
1527-T104	Ball points 1/4"DIA (supplied in pair)	34.90	A
1527-T105	Ball points 3/8"DIA (supplied in pair)	35.00	A
1527-T106	Ball points 1/2"DIA (supplied in pair)	35.00	A
1528-300	DIGITAL CALIPER WITH INTERCHANGEABLE BALL TIPS, (.5"+D)~12", (with ball 1/16", 3/16", 1/8", 1/4", 3/8", 1/2")	607.00	A
1528-3001	DIGITAL CALIPER WITH INTERCHANGEABLE BALL TIPS, (.5"+D)~12", ball tips are optional	396.00	A
1529-19	DIGITAL V TYPE CALIPER, 2-8"/50-200mm, 19 flutes	1190.00	A
1529-23	DIGITAL V TYPE CALIPER, 2-8"/50-200mm, 23 flutes	1193.00	A
1529-31	DIGITAL V TYPE CALIPER, 2-8"/50-200mm, 31 flutes	1190.00	A
1529-5	DIGITAL V TYPE CALIPER, 2-8"/50-200mm, 5 flutes	1186.00	A
1530-300	DIGITAL CALIPER WITH INTERCHANGEABLE POINTS, 0-12"/0-300mm	667.00	A
1532-200	DIGITAL CALIPER WITH KNIFE EDGE LOWER JAWS, 0-8"/0-200mm	509.00	A
1532-200WL	DIGITAL CALIPER WITH KNIFE EDGE LOWER JAWS, 0-8"/0-200mm, built-in wireless	580.00	A
1533-150	DIGITAL CALIPER WITH DISK FACES, 0-6"/0-150mm	361.00	A

1533-200	DIGITAL CALIPER WITH DISK FACES, 0-8"/0-200mm	407.00	A
1533-500	DIGITAL CALIPER WITH DISK FACES, 0-20"/0-500mm	1496.00	A
1533-150WL	DIGITAL CALIPER WITH DISK FACES, 0-6"/0-150mm, built-in wireless	432.00	A
1533-200WL	DIGITAL CALIPER WITH DISK FACES, 0-8"/0-200mm, built-in wireless	476.00	A
1534-200	DIGITAL CALIPER WITH POSITIONING SURFACES, 0-8"/0-200mm	430.00	A
1535-100	DIGITAL OUTSIDE GROOVE CALIPER, 0-4"/0-100mm	303.00	A
1535-100WL	DIGITAL OUTSIDE GROOVE CALIPER, 0-4"/0-100mm, built-in wireless	379.00	A
1536-300	DIGITAL WALL THICKNESS CALIPER, 0-12"/0-300mm	726.00	A
1536-300WL	DIGITAL WALL THICKNESS CALIPER, 0-12"/0-300mm, built-in wireless	830.00	A
1537-20	DIGITAL CHAMFER GAGE, 0-20mm/0-.787"	237.00	A
1537-8	DIGITAL CHAMFER GAGE, 0-8mm/0-.315"	237.00	A
1538-300	DIGITAL DRUM BRAKE CALIPER, 1.2-12"/30-300mm	572.00	A
1540-300	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-300mm/0-12", 0.01mm/.0005"	920.00	A
1540-300E	DIGITAL DOUBLE HOOK DEPTH GAGE, 0-12"/0-300mm, .0005"/0.01mm	896.00	A
1540-L300	EXTENSION BASE, 11.811"	159	A
1540-L400	EXTENSION BASE, 15.748"	221	A
1540-L500	EXTENSION BASE, 19.685"	272	A
1540-L600	EXTENSION BASE, 23.622"	349	A
1540-L800	EXTENSION BASE, 31.496"	424	A
2103-10FE	DIGITAL INDICATOR (advanced model), .5"/12.7mm, flat back	361.00	A
2103-10E	DIGITAL INDICATOR (advanced model), .5"/12.7mm, lug back	431.00	A
2103-25E	DIGITAL INDICATOR (advanced model), 1"/25.4mm, lug back	495.00	A
2103-50E	DIGITAL INDICATOR (advanced model), 2"/50.8mm, lug back	796.00	A
2103-25PE	DIGITAL INDICATOR (advanced model), 1"/25.4mm, flat back, with lift cap	456.00	A
2103-50PE	DIGITAL INDICATOR (advanced model), 2"/50.8mm, flat back, with lift cap	706.00	A
2104-10E	DIGITAL INDICATOR (advanced model), .5"/12.7mm, lug back	189.00	A
2104-25E	DIGITAL INDICATOR (advanced model), 1"/25.4mm, lug back	247.00	A
2104-50E	DIGITAL INDICATOR (advanced model), 2"/50.8mm, lug back	544.00	A
2104-25PE	DIGITAL INDICATOR (advanced model), 1"/25.4mm, flat back, with lift cap	250.00	A
2104-50PE	DIGITAL INDICATOR (advanced model), 2"/50.8mm, flat back, with lift cap	493.00	A
2108-101EF	DIGITAL INDICATOR FOR BORE GAGES, 0.5"/12.7mm, flat back	465.00	A
2108-10EF	DIGITAL INDICATOR FOR BORE GAGES, 0.5"/12.7mm, flat back	242.00	A
2109-101E	DIGITAL INDICATOR WITH LIFTING LEVER, .4"/10mm, flat back	456.00	A
2109-10E	DIGITAL INDICATOR WITH LIFTING LEVER, .4"/10mm, flat back	240.00	A
2112-10	DIGITAL INDICATOR, 12.7mm/0.5", lug back	119.00	A
2112-101	DIGITAL INDICATOR, 12.7mm/0.5", lug back	292.00	A
2112-101E	DIGITAL INDICATOR (standard model), .5"/12.7mm, lug back	359.00	A
2112-251E	DIGITAL INDICATOR (standard model), 1"/25.4mm, lug back	340.00	A
2112-501E	DIGITAL INDICATOR (standard model), 2"/50.8mm, lug back	613.00	A
2112-251PE	DIGITAL INDICATOR (standard model), 1"/25.4mm, flat back, with lift cap	365.00	A
2112-501PE	DIGITAL INDICATOR (standard model), 2"/50.8mm, flat back, with lift cap	632.00	A
2112-10E	DIGITAL INDICATOR (standard model), .5"/12.7mm, lug back	152.00	A
2112-25E	DIGITAL INDICATOR (standard model), 1"/25.4mm, lug back	166.00	A
2112-50E	DIGITAL INDICATOR (standard model), 2"/50.8mm, lug back	411.00	A
2112-25PE	DIGITAL INDICATOR (standard model), 1"/25.4mm, flat back, with lift cap	192.00	A
2112-50PE	DIGITAL INDICATOR (standard model), 2"/50.8mm, flat back, with lift cap	436.00	A
2112-101F	DIGITAL INDICATOR, 12.7mm/0.5", flat back	281.00	A
2112-10F	DIGITAL INDICATOR, 12.7mm/0.5", flat back	116.00	A
2113-101E	NO AUTO POWER OFF DIGITAL INDICATOR, .5"/12.7mm,	351.00	A
2113-10E	NO AUTO POWER OFF DIGITAL INDICATOR, .5"/12.7mm,	153.00	A
2113-251E	NO AUTO POWER OFF DIGITAL INDICATOR, 1"/25.4mm	421.00	A
2114-51FE	COMPACT DIGITAL INDICATOR, .2"/5mm, flat back	334.00	A
2114-5FE	COMPACT DIGITAL INDICATOR, .2"/5mm, flat back	132.00	A
2115-101E	WATERPROOF DIGITAL INDICATOR, .5"/12.7mm, lug back	364.00	A
2115-10E	WATERPROOF DIGITAL INDICATOR, .5"/12.7mm, lug back	163.00	A
2115-251E	WATERPROOF DIGITAL INDICATOR, 1"/25.4mm, lug back	493.00	A
2115-25E	WATERPROOF DIGITAL INDICATOR, 1"/25.4mm, lug back	225.00	A
2115-501E	WATERPROOF DIGITAL INDICATOR, 2"/50.8mm, lug back	758.00	A
2115-50E	WATERPROOF DIGITAL INDICATOR, 2"/50.8mm, lug back	553.00	A
2117-1001E	LARGE STROKE DIGITAL INDICATOR, 4"/100mm, lug back	1730.00	A
2117-100PE	LARGE STROKE DIGITAL INDICATOR, 4"/100mm, flat back, with lift cap	941.00	A
2117-100E	LARGE STROKE DIGITAL INDICATOR, 4"/100mm, lug back	953.00	A
2117-1001PE	LARGE STROKE DIGITAL INDICATOR, 4"/100mm, flat back, with lift cap	1690.00	A
2118-101E	BACK PLUNGER TYPE DIGITAL INDICATOR, .5"/12.7mm, flat back	448.00	A
2118-10E	BACK PLUNGER TYPE DIGITAL INDICATOR, .5"/12.7mm, flat back	239.00	A
2121-15	DIGITAL INTERNAL CALIPER GAGES, .2-.6"/5-15mm	313.00	A
2121-25	DIGITAL INTERNAL CALIPER GAGES, .2-1.0"/5-25mm	340.00	A
2121-31	DIGITAL INTERNAL CALIPER GAGES, .4-1.2"/10-30mm	371.00	A
2121-41	DIGITAL INTERNAL CALIPER GAGES, .8-1.6"/20-40mm	377.00	A
2121-51	DIGITAL INTERNAL CALIPER GAGES, 1.2-2.0"/30-50mm	372.00	A
2121-61	DIGITAL INTERNAL CALIPER GAGES, 1.6-2.4"/40-60mm	388.00	A
2123-04A	BORE GAGE FOR SMALL HOLES, .24-.4"	500.00	A
2123-07A	BORE GAGE FOR SMALL HOLES, .4-.7"	479.00	A

2123-10A	BORE GAGE, 6-10"	510.00	A
2123-15A	BORE GAGE, .7-1.5"	456.00	A
2123-16A	BORE GAGE, 10-16"	550.00	A
2123-24A	BORE GAGE, 1.4-2.4"	448.00	A
2123-6A	BORE GAGE, 2-6"	530.00	A
2124-E035	PISTOL GRIP THREE POINTS BORE GAGE, .275-.35"	639.00	A
2124-E0425	PISTOL GRIP THREE POINTS BORE GAGE, .35-.425"	625.00	A
2124-E05	PISTOL GRIP THREE POINTS BORE GAGE, .425-.5"	664.00	A
2124-E053	PISTOL GRIP THREE POINTS BORE GAGE SET, .275-.5"	1629.00	A
2124-E065	PISTOL GRIP THREE POINTS BORE GAGE, .5-.65"	670.00	A
2124-E08	PISTOL GRIP THREE POINTS BORE GAGE, .65-.8"	711.00	A
2124-E082	PISTOL GRIP THREE POINTS BORE GAGE SET, .5-.8"	1208.00	A
2124-E1	PISTOL GRIP THREE POINTS BORE GAGE, .8-1"	758.00	A
2124-E10	PISTOL GRIP THREE POINTS BORE GAGE, 9-10"	2756.00	A
2124-E11	PISTOL GRIP THREE POINTS BORE GAGE, 10-11"	3246.00	A
2124-E112	PISTOL GRIP THREE POINTS BORE GAGE, 1-1.2"	808.00	A
2124-E12	PISTOL GRIP THREE POINTS BORE GAGE, 11-12"	3843.00	A
2124-E16	PISTOL GRIP THREE POINTS BORE GAGE, 1.2-1.6"	868.00	A
2124-E2	PISTOL GRIP THREE POINTS BORE GAGE, 1.6-2"	924.00	A
2124-E24	PISTOL GRIP THREE POINTS BORE GAGE SET, .8-2"	2951.00	A
2124-E25	PISTOL GRIP THREE POINTS BORE GAGE, 2-2.5"	1002.00	A
2124-E3	PISTOL GRIP THREE POINTS BORE GAGE, 2.5-3"	1067.00	A
2124-E35	PISTOL GRIP THREE POINTS BORE GAGE, 3-3.5"	1134.00	A
2124-E4	PISTOL GRIP THREE POINTS BORE GAGE, 3.5-4"	1208.00	A
2124-E44	PISTOL GRIP THREE POINTS BORE GAGE SET, 2-4"	3682.00	A
2124-E5	PISTOL GRIP THREE POINTS BORE GAGE, 4-5"	1272.00	A
2124-E6	PISTOL GRIP THREE POINTS BORE GAGE, 5-6"	1465.00	A
2124-E7	PISTOL GRIP THREE POINTS BORE GAGE, 6-7"	1695.00	A
2124-E8	PISTOL GRIP THREE POINTS BORE GAGE, 7-8"	1991.00	A
2124-E9	PISTOL GRIP THREE POINTS BORE GAGE, 8-9"	2352.00	A
2127-24	DIGITAL BORE GAGE (setting ring is not included), 1.4-2.4"	624.00	A
2127-6	DIGITAL BORE GAGE (setting ring is not included), 2-6"	522.00	A
2127-10	DIGITAL BORE GAGE (setting ring is not included), 6-10"	595.00	A
2127-16	DIGITAL BORE GAGE (setting ring is not included), 10-16"	635.00	A
2128-32	BORE GAGE, 16-32"	624.00	A
2131-21	DIGITAL EXTERNAL CALIPER GAGES, 0-.8"/0-20mm	343.00	A
2131-31	DIGITAL EXTERNAL CALIPER GAGES, .4-1.2"/10-30mm	377.00	A
2131-41	DIGITAL EXTERNAL CALIPER GAGES, .8-1.6"/20-40mm	377.00	A
2131-51	DIGITAL EXTERNAL CALIPER GAGES, 1.2-2.0"/30-50mm	377.00	A
2131-61	DIGITAL EXTERNAL CALIPER GAGES, 1.6-2.4"/40-60mm	391.00	A
2132-100	DIGITAL EXTERNAL CALIPER GAGE, 3.2-4"/80-100mm	351.00	A
2132-20	DIGITAL EXTERNAL CALIPER GAGE, 0-.8"/0-20mm	456.00	A
2132-40	DIGITAL EXTERNAL CALIPER GAGE, .8-1.6"/20-40mm	351.00	A
2132-60	DIGITAL EXTERNAL CALIPER GAGE, 1.6-2.4"/40-60mm	351.00	A
2132-80	DIGITAL EXTERNAL CALIPER GAGE, 2.4-3.2"/60-80mm	351.00	A
2133-10E	HIGH PRECISION DIGITAL INDICATOR (flat back), .5"/12.7mm	408.00	A
2133-25E	HIGH PRECISION DIGITAL INDICATOR (flat back), 1"/25.4mm	554.00	A
2133-50E	HIGH PRECISION DIGITAL INDICATOR (flat back), 2"/50.8mm	1133.00	A
2133-101E	HIGH PRECISION DIGITAL INDICATOR (flat back), .5"/12.7mm	650.00	A
2133-251E	HIGH PRECISION DIGITAL INDICATOR (flat back), 1"/25.4mm	887.00	A
2134-10E	WIRELESS HIGH PRECISION DIGITAL INDICATOR (flat back), .5"/12.7mm	472.00	A
2134-25E	WIRELESS HIGH PRECISION DIGITAL INDICATOR (flat back), 1"/25.4mm	607.00	A
2134-50E	WIRELESS HIGH PRECISION DIGITAL INDICATOR (flat back), 2"/50.8mm	1197.00	A
2134-101E	WIRELESS HIGH PRECISION DIGITAL INDICATOR (flat back), .5"/12.7mm	713.00	A
2134-251E	WIRELESS HIGH PRECISION DIGITAL INDICATOR (flat back), 1"/25.4mm	952.00	A
2134-FS	FOOT SWITCH	80.10	A
2138-10FE	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), .5"/12.7mm, flat back	387.00	A
2138-10E	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), .5"/12.7mm, lug back	440.00	A
2138-25E	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 1"/25.4mm, lug back	502.00	A
2138-50E	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 2"/50.8mm, lug back	789.00	A
2138-25PE	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 1"/25.4mm, flat back, with lift cap	461.00	A
2138-50PE	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 2"/50.8mm, flat back, with lift cap	709.00	A
2139-10E	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), .5"/12.7mm, lug back	197.00	A
2139-25E	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 1"/25.4mm, lug back	256.00	A

2139-50E	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT),2"/50.8mm, lug back	548.00	A
2139-25PE	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT), 1"/25.4mm, flat back, with lift cap	265.00	A
2139-50PE	DIGITAL INDICATOR (WITH TRANSMIT BUTTON AND LIGHT),2"/50.8mm, flat back, with lift cap	505.00	A
2140-6	HIGH PRECISION DIGITAL INDICATOR (flat back), 0-6mm/0-.24"	718.00	A
2140-6WL	HIGH PRECISION DIGITAL INDICATOR (flat back), 0-6mm/0-.24", built-in wireless	784.00	A
2141-201A	DIGITAL DEPTH GAGE, 0-12"/0-300mm	291.00	A
2141-202A	DIGITAL DEPTH GAGE, 0-12"/0-300mm	330.00	A
2141-301	DIGITAL DEPTH GAGE, 0-12"/0-300mm	386.00	A
2141-302	DIGITAL DEPTH GAGE, 0-12"/0-300mm	386.00	A
2142-101	DIGITAL DEPTH GAGE, 0-.5"/0-12.7mm	199.00	A
2142-102	DIGITAL DEPTH GAGE, 0-.5"/0-12.7mm	205.00	A
2142-301	DIGITAL DEPTH GAGE, 0-.5"/0-12.7mm	295.00	A
2142-302	DIGITAL DEPTH GAGE, 0-.5"/0-12.7mm	301.00	A
2151-115	DIGITAL INTERNAL CALIPER GAGE, 3.8-4.6"/95-115mm	452.00	A
2151-135	DIGITAL INTERNAL CALIPER GAGE, 4.6-5.4"/115-135mm	452.00	A
2151-35	DIGITAL INTERNAL CALIPER GAGE, .6-1.4"/15-35mm	456.00	A
2151-55	DIGITAL INTERNAL CALIPER GAGE, 1.4-2.2"/35-55mm	456.00	A
2151-75	DIGITAL INTERNAL CALIPER GAGE, 2.2-3"/55-75mm	355.00	A
2151-95	DIGITAL INTERNAL CALIPER GAGE, 3-3.8"/75-95mm	359.00	A
2151-AL35	DIGITAL INTERNAL CALIPER GAGE, .6-1.4"/15-35mm	799.00	A
2151-AL55	DIGITAL INTERNAL CALIPER GAGE, 1.4-2.2"/35-55mm	799.00	A
2151-AL75	DIGITAL INTERNAL CALIPER GAGE, 2.2-3"/55-75mm	799.00	A
2163-25	DIGITAL SNAP GAGE, thickness 0-1"/0-25mm, tube wall thickness .08"/0-2mm	125.00	A
2164-25A	DIGITAL 3-PURPOSE SNAP GAGE, 0-1"/0-25mm	282.00	A
2166-12	DIGITAL SNAP GAGE, 0-.5"/0-12mm	200.00	A
2167-25	DIGITAL SNAP GAGE, 0-1"/0-25mm	294.00	A
2168-12	STEP AND GAP GAGE, 0-.5"/0-12.7mm	344.00	A
2170-1	DIGITAL LEVEL AND PROTRACTOR, 4×90°	111.00	A
2171-250	DIGITAL PROTRACTOR, Size (L) 10", 0-360°	124.00	A
2172-360A	DIGITAL PROTRACTOR, 0-360°	718.00	A
2174-225	WATERPROOF DIGITAL PROTRACTOR (HEAVY DUTY), Size (L) 19.29", 0 - 225°	283.00	A
2175-360	DIGITAL LEVEL AND PROTRACTOR, 0~360° (90°x4), IP67	205.00	A
2176-200	DIGITAL PROTRACTOR, Size (L) 8", 0-360°	70.00	A
2176-300	DIGITAL PROTRACTOR, Size (L) 12", 0-360°	75.50	A
2177-121	DIGITAL ANGLE METER, 0~999°	356.00	A
2179-360	DIGITAL LEVEL AND PROTRACTOR, 0-360°(90°x4), IP54	190.00	A
2182-25	DIGITAL KEYWAY DEPTH GAGE, 0-1"/0-25.4mm	340.00	A
2186-100E	DIAL SNAP GAGE, 3-4"	906.00	A
2186-125E	DIAL SNAP GAGE, 4-5"	952.00	A
2186-150E	DIAL SNAP GAGE, 5-6"	994.00	A
2186-175E	DIAL SNAP GAGE, 6-7"	1052.00	A
2186-200E	DIAL SNAP GAGE, 7-8"	1095.00	A
2186-225E	DIAL SNAP GAGE, 8-9"	1168.00	A
2186-250E	DIAL SNAP GAGE, 9-10"	1223.00	A
2186-25E	DIAL SNAP GAGE, 0-1"	708.00	A
2186-275E	DIAL SNAP GAGE, 10-11"	1294.00	A
2186-300E	DIAL SNAP GAGE, 11-12"	1447.00	A
2186-50E	DIAL SNAP GAGE, 1-2"	784.00	A
2186-75E	DIAL SNAP GAGE, 2-3"	827.00	A
2187-101	ADJUSTABLE SNAP GAGE, 3.74-3.98"	246.00	A
2187-108	ADJUSTABLE SNAP GAGE, 3.98-4.25"	272.00	A
2187-114	ADJUSTABLE SNAP GAGE, 4.25-4.49"	272.00	A
2187-120	ADJUSTABLE SNAP GAGE, 4.49-4.72"	287.00	A
2187-127	ADJUSTABLE SNAP GAGE, 4.72-5.00"	293.00	A
2187-13	ADJUSTABLE SNAP GAGE, .24-.51"	130.00	A
2187-133	ADJUSTABLE SNAP GAGE, 5.00-5.24"	351.00	A
2187-139	ADJUSTABLE SNAP GAGE, 5.24-5.47"	351.00	A
2187-146	ADJUSTABLE SNAP GAGE, 5.47-5.75"	412.00	A
2187-152	ADJUSTABLE SNAP GAGE, 5.75-5.98"	412.00	A
2187-163	ADJUSTABLE SNAP GAGE, 5.98-6.42"	634.00	A
2187-175	ADJUSTABLE SNAP GAGE, 6.42-6.89"	634.00	A
2187-188	ADJUSTABLE SNAP GAGE, 6.89-7.40"	709.00	A
2187-19	ADJUSTABLE SNAP GAGE, .51-.75"	145.00	A
2187-200	ADJUSTABLE SNAP GAGE, 7.40-7.87"	731.00	A
2187-213	ADJUSTABLE SNAP GAGE, 7.87-8.39"	807.00	A
2187-225	ADJUSTABLE SNAP GAGE, 8.39-8.86"	807.00	A
2187-238	ADJUSTABLE SNAP GAGE, 8.86-9.37"	921.00	A
2187-25	ADJUSTABLE SNAP GAGE, .75-.98"	145.00	A
2187-250	ADJUSTABLE SNAP GAGE, 9.37-9.84"	921.00	A

2187-263	ADJUSTABLE SNAP GAGE, 9.84-10.35"	977.00	A
2187-275	ADJUSTABLE SNAP GAGE, 10.35-10.83"	989.00	A
2187-288	ADJUSTABLE SNAP GAGE, 10.83-11.34"	1134.00	A
2187-300	ADJUSTABLE SNAP GAGE, 11.34-11.81"	1134.00	A
2187-32	ADJUSTABLE SNAP GAGE, .98-1.26"	166.00	A
2187-38	ADJUSTABLE SNAP GAGE, 1.26-1.50"	166.00	A
2187-44	ADJUSTABLE SNAP GAGE, 1.50-1.73"	172.00	A
2187-51	ADJUSTABLE SNAP GAGE, 1.73-2.01"	175.00	A
2187-57	ADJUSTABLE SNAP GAGE, 2.01-2.24"	197.00	A
2187-6	ADJUSTABLE SNAP GAGE, 0-.24"	130.00	A
2187-63	ADJUSTABLE SNAP GAGE, 2.24-2.48"	197.00	A
2187-70	ADJUSTABLE SNAP GAGE, 2.48-2.76"	212.00	A
2187-76	ADJUSTABLE SNAP GAGE, 2.76-2.99"	212.00	A
2187-82	ADJUSTABLE SNAP GAGE, 2.99-3.23"	230.00	A
2187-89	ADJUSTABLE SNAP GAGE, 3.23-3.50"	230.00	A
2187-95	ADJUSTABLE SNAP GAGE, 3.50-3.74"	246.00	A
2188-55	DIGITAL RADIUS GAGE, .16-2.09"/4-53mm	472.00	A
2198-2	BUILT-IN BLUETOOTH DIGITAL LEVEL AND SLOPE METER, range 4×90°	66.80	A
2222-E06	INTERNAL DIAL CALIPER GAGE, .2-.6"	301.00	A
2222-E10	INTERNAL DIAL CALIPER GAGE, .2-1.0"	324.00	A
2222-E121	INTERNAL DIAL CALIPER GAGE, .4-1.2"	359.00	A
2222-E161	INTERNAL DIAL CALIPER GAGE, .8-1.6"	359.00	A
2222-E201	INTERNAL DIAL CALIPER GAGE, 1.2-2.0"	359.00	A
2222-E24	INTERNAL DIAL CALIPER GAGE, 1.6-2.4"	375.00	A
2224-02	BACK PLUNGER TYPE DIAL INDICATOR SET, .2"	297.00	A
2230-10	EXTERNAL THREAD TAPER MEASURING INSTRUMENT, 0-10"/0-254mm	2048.00	A
2230-16	EXTERNAL THREAD TAPER MEASURING INSTRUMENT, 8-16"/203.2-406.4mm	2187.00	A
2230-20	EXTERNAL THREAD TAPER MEASURING INSTRUMENT, 8-20"/203.2-508mm	2526.00	A
2230-45	EXTERNAL THREAD TAPER MEASURING INSTRUMENT, 1-4 1/2"/25.4-	2048.00	A
2231-6	INTERNAL THREAD TAPER MEASURING INSTRUMENT, 1-6"/25.4-152.4mm	2150.00	A
2231-16	INTERNAL THREAD TAPER MEASURING INSTRUMENT, 5 1/2"-16"/139.7-406.4mm	1812.00	A
2232-35	THREAD HEIGHT MEASURING INSTRUMENT, 0-3.5mm	1624.00	A
2232-35E	THREAD HEIGHT MEASURING INSTRUMENT, 0-1/4"	1591.00	A
2233-35	INTERNAL THREAD HEIGHT MEASURING INSTRUMENT, 0-3.5mm	2093.00	A
2233-35E	INTERNAL THREAD HEIGHT MEASURING INSTRUMENT, 0-1/4"	2051.00	A
2234-4	THREAD PITCH MEASURING INSTRUMENT, 12.7-101.6mm/.5-4"	2083.00	A
2234-4E	THREAD PITCH MEASURING INSTRUMENT, 0.5-4"/12.7-101.6mm	2043.00	A
2235-4	INTERNAL THREAD PITCH MEASURING INSTRUMENT, 12.7-101.6mm/.5-4"	2083.00	A
2235-4E	INTERNAL THREAD PITCH MEASURING INSTRUMENT, 0.5-4"/12.7-101.6mm	2043.00	A
2236-5	EXTERNAL THREAD CREST DIAMETER MEASURING INSTRUMENT, 2 3/8"-5 1/2"/60.325-139.7mm	4614.00	A
2236-5E	EXTERNAL THREAD CREST DIAMETER MEASURING INSTRUMENT, 2 3/8"-5 1/2"/60.325-139.7mm	4524.00	A
2236-20	EXTERNAL THREAD CREST DIAMETER MEASURING INSTRUMENT, 2 3/8"-20"/60.325-508mm	5425.00	A
2237-5	INTERNAL THREAD CREST DIAMETER MEASURING INSTRUMENT, 2 3/8"-5 1/2"/60.325-139.7mm	5294.00	A
2237-5E	INTERNAL THREAD CREST DIAMETER MEASURING INSTRUMENT, 2 3/8"-5 1/2"/60.325-139.7mm	5191.00	A
2237-20	INTERNAL THREAD CREST DIAMETER MEASURING INSTRUMENT, 4 1/2"-20"/114.3-508mm	7183.00	A
2250-4	GROOVE WIDTH MEASURING INSTRUMENT, 0.55-1.4"/14-35.5mm, 0.01mm	2457.00	A
2250-4E	GROOVE WIDTH MEASURING INSTRUMENT, 0.55-1.4"/14-35.5mm, 0.0005"	2457.00	A
2261-5	DIGITL GROOVE DIAMETER MEASURING INSTRUMENT, 2.6"-13"/66-330mm, .00005"/0.001mm	3017.00	A
2261-M24	STEM, 24"/600mm	821.00	A
2261-M30	STEM, 30"/750mm	953.00	A
2261-M36	STEM, 36"/900mm	1082.00	A
2274-4	COMBINATION SQUARE SET, 0.5mm, 1/32" and 1mm, 1/64"	197.00	A
2276-300	COMBINATION SQUARE	21.10	A
2277-2	DOUBLE SQUARE, 6"	42.20	A
2278-180	COMBINATION SQUARE SET, 4 piece set, 12"/300mm	183.00	A
2278-180E	COMBINATION SQUARE SET, 4 piece set, 12"	181.00	A
2278-2	COMBINATION SQUARE SET, 2-piece set	69.90	A
2278-2E	COMBINATION SQUARE SET, 2-piece set	66.80	A
2278-3	COMBINATION SQUARE SET, 3-piece set	105.00	A
2278-3E	COMBINATION SQUARE SET, 3-piece set	96.10	A
2280-300	TRY SQUARE, 11.8×5.9"	43.10	A
2281-360	T-BEVEL, angle mark 15°, 30°, 45°, 60°, 90°	24.20	A
2282-180	ANGLE SQUARE, 7×7.3"	11.60	A
2304-01	COMPACT DIAL INDICATOR, .1", lug back	52.90	A
2304-015	COMPACT DIAL INDICATOR, .1", lug back	63.10	A

2304-02	COMPACT DIAL INDICATOR, .2", lug back	52.90	A
2304-0205	COMPACT DIAL INDICATOR, .2", lug back	63.10	A
2304-025	COMPACT DIAL INDICATOR, .25", lug back	52.90	A
2304-0255	COMPACT DIAL INDICATOR, .25", lug back	63.10	A
2307-025	DIAL INDICATOR, .25", lug back	43.70	A
2307-0255	DIAL INDICATOR, .25", lug back	49.50	A
2307-05	DIAL INDICATOR, .5", lug back	45.50	A
2307-055	DIAL INDICATOR, .5", lug back	49.50	A
2307-1	DIAL INDICATOR, 1", lug back	42.40	A
2307-105	DIAL INDICATOR, 1", lug back	50.90	A
2307-1CAL	0-1" Dial Indicator with ISO17025 Calibration Cert	91.00	A
2307-1R	REVERSE READING DIAL INDICATOR, 1", lug back	48.30	A
2307-1RF	REVERSE READING DIAL INDICATOR, 1", flat back	43.70	A
2307-2	DIAL INDICATOR, 2", lug back	101.00	A
2307-205	DIAL INDICATOR, 2", lug back	130.00	A
2308-10A	DIAL INDICATOR, 10mm, lug back	51.90	A
2308-10FA	DIAL INDICATOR, 10mm, flat back	51.00	A
2312-15	LARGE DIAL FACE DIAL INDICATOR, 1.5", lug back	98.50	A
2312-2	LARGE DIAL FACE DIAL INDICATOR, 2", lug back	109.00	A
2315-05	PRECISION DIAL INDICATOR, .05", lug back	154.00	A
2320-02	BACK PLUNGER TYPE DIAL INDICATOR, .2"	129.00	A
2322-160A	BORE GAGE, 50-160mm	217.00	A
2322-35A	BORE GAGE, 18-35mm	210.00	A
2322-60A	BORE GAGE, 35-60mm	219.00	A
2323-04	BORE GAGE FOR SMALL HOLES, .24-.4"	282.00	A
2323-07	BORE GAGE FOR SMALL HOLES, .4-.7"	255.00	A
2323-10	BORE GAGE, 6-10"	278.00	A
2323-15	BORE GAGE, .7-1.5"	239.00	A
2323-16	BORE GAGE, 10-16"	325.00	A
2323-24	BORE GAGE, 1.4-2.4"	218.00	A
2323-6	BORE GAGE, 2-6"	230.00	A
2324-04A	WATERPROOF DIAL INDICATOR, 0.4"X.0005", lug back	85.40	A
2324-04FA	WATERPROOF DIAL INDICATOR, 0.4"X.0005", flat back	83.90	A
2326-2	LONG STROKE DIAL INDICATOR, 2", lug back	112.00	A
2333-E081	EXTERNAL DIAL CALIPER GAGE, 0-.8",	324.00	A
2333-E121	EXTERNAL DIAL CALIPER GAGE, .4-1.2"	359.00	A
2333-E161	EXTERNAL DIAL CALIPER GAGE, .8-1.6"	359.00	A
2333-E201	EXTERNAL DIAL CALIPER GAGE, 1.2-2.0"	359.00	A
2333-E24	EXTERNAL DIAL CALIPER GAGE, 1.6-2.4"	375.00	A
2341-2E1	DIAL DEPTH GAGE, 0-12"	183.00	A
2341-2E2	DIAL DEPTH GAGE, 0-12"	204.00	A
2341-E1	DIAL DEPTH GAGE, 0-1.2"	106.00	A
2345-E1	DIAL DEPTH GAGE WITH 60° BASE, 0-1",	259.00	A
2363-055	THICKNESS GAGE, 0-.5"	118.00	A
2364-005	THICKNESS GAGE, 0-.05"	154.00	A
2364-055	THICKNESS GAGE, 0-.05"	120.00	A
2365-055	THICKNESS GAGE, 0-.5"	270.00	A
2367-055	TUBE THICKNESS GAGE, 0-.5"	273.00	A
2372-360	UNIVERSAL PROTRACTOR, 0-360°	131.00	A
2372-CLAMP	CLAMP for height gage 2372-360 and 2373-360	23.30	A
2373-360	DIAL PROTRACTOR, 0-360°	197.00	A
2374-320	PROTRACTOR, 0-320°, without positioning block	159.00	A
2374-320D	PROTRACTOR, 0-320°, with positioning block	241.00	A
2380-08	DIAL TEST INDICATOR, 0.8mm	85.70	A
2380-301	DIAL TEST INDICATOR, .008"	137.00	A
2380-31	DIAL TEST INDICATOR, .03"	91.20	A
2380-35	DIAL TEST INDICATOR, .03"	110.00	A
2381-08	DIAL TEST INDICATOR, 0.8mm	111.00	A
2381-301	DIAL TEST INDICATOR, .008"	145.00	A
2381-31	DIAL TEST INDICATOR, .03"	103.00	A
2381-35	DIAL TEST INDICATOR, .03"	116.00	A
2383-35A	LONG STYLI DIAL TEST INDICATOR, .03"	176.00	A
2385-3	CENTERING INDICATOR	256.00	A
2386-006A	LARGE RANGE DIAL TEST INDICATOR, .06"	196.00	A
2394-45A	ZERO SETTER, height 4"	485.00	A
2395-400	BORE GAGE SETTER, .7-16"	1645.00	A
2397-25A	ZERO SETTER, height 2"	371.00	A
2398-03	BACK PLUNGER TYPE DIAL TEST INDICATOR, .03"	119.00	A
2399-03	TILTED FACE TYPE DIAL TEST INDICATOR, .03"	122.00	A
2421-E12	SPLIT TYPE DIAL BORE GAGE SET, .303-.492"	2075.00	A
2421-E121	SPLIT TYPE DIAL BORE GAGE SET, .163-.492"	3459.00	A
2421-E1D4	SPLIT TYPE DIAL BORE GAGE SET, .037-.061"	2063.00	A
2421-E20	SPLIT TYPE DIAL BORE GAGE SET, .480-.811"	2522.00	A

2421-E4	SPLIT TYPE DIAL BORE GAGE SET, .059-.165"	2752.00	A
2421-E7D5	SPLIT TYPE DIAL BORE GAGE SET, .163-.307"	2032.00	A
2422-E150	BORE GAGE, 2.0-5.9"	912.00	A
2422-E300	BORE GAGE, 5.9-11.8"	1620.00	A
2422-E35	BORE GAGE, .7-1.4"	813.00	A
2422-E510	BORE GAGE, 11.0-20.1"	6560.00	A
2422-E60	BORE GAGE, 1.4-2.4"	791.00	A
2422-E800	BORE GAGE, 15.7-31.5"	9724.00	A
2423-ES2	BORE GAGE SET, .7 - 5.9"	1581.00	A
2425-E12	BORE GAGE FOR SMALL HOLES, .32"-.47"	2092.00	A
2425-E20	BORE GAGE FOR SMALL HOLES, .47"-.79"	1441.00	A
2425-E6	BORE GAGE FOR SMALL HOLES, .18-.24"	3127.00	A
2425-E8	BORE GAGE FOR SMALL HOLES, .24"-.32"	2194.00	A
2435-E61	BORE GAGES, measuring depth 10", range .18-.24"	7493.00	A
2435-E81	BORE GAGES, measuring depth 10", range .24-.32"	5445.00	A
2435-E121	BORE GAGES, measuring depth 10", range .32-.47"	5258.00	A
2435-E201	BORE GAGES, measuring depth 10", range .47-.79"	3270.00	A
2435-E82	BORE GAGES, measuring depth 20", range .24-.32"	6028.00	A
2435-E122	BORE GAGES, measuring depth 20", range .32-.47"	5806.00	A
2435-E202	BORE GAGES, measuring depth 20", range .47-.79"	4227.00	A
2435-E352	BORE GAGES, measuring depth 20", range .7-1.4"	3992.00	A
2435-E602	BORE GAGES, measuring depth 20", range 1.4-2.4"	3931.00	A
2435-E1502	BORE GAGES, measuring depth 20", range 2.0-5.9"	4592.00	A
2435-E1602	BORE GAGES, measuring depth 20", range 4.0-6.3"	5205.00	A
2435-E2902	BORE GAGES, measuring depth 20", range 6.3-11.4"	7052.00	A
2435-E5102	BORE GAGES, measuring depth 20", range 11.0-20.1"	12568.00	A
2435-E83	BORE GAGES, measuring depth 30", range .24-.32"	6314.00	A
2435-E123	BORE GAGES, measuring depth 30", range .32-.47"	6175.00	A
2435-E203	BORE GAGES, measuring depth 30", range .47-.79"	4451.00	A
2435-E353	BORE GAGES, measuring depth 30", range .7-1.4"	4511.00	A
2435-E603	BORE GAGES, measuring depth 30", range 1.4-2.4"	4432.00	A
2435-E1503	BORE GAGES, measuring depth 30", range 2.0-5.9"	4760.00	A
2435-E1603	BORE GAGES, measuring depth 30", range 4.0-6.3"	5947.00	A
2435-E2903	BORE GAGES, measuring depth 30", range 6.3-11.4"	7791.00	A
2435-E5103	BORE GAGES, measuring depth 30", range 11.0-20.1"	13127.00	A
2435-E84	BORE GAGES, measuring depth 40", range .24-.32"	6720.00	A
2435-E124	BORE GAGES, measuring depth 40", range .32-.47"	6494.00	A
2435-E204	BORE GAGES, measuring depth 40", range .47-.79"	4988.00	A
2435-E354	BORE GAGES, measuring depth 40", range .7-1.4"	5262.00	A
2435-E604	BORE GAGES, measuring depth 40", range 1.4-2.4"	5617.00	A
2435-E1504	BORE GAGES, measuring depth 40", range 2.0-5.9"	6183.00	A
2435-E1604	BORE GAGES, measuring depth 40", range 4.0-6.3"	6701.00	A
2435-E2904	BORE GAGES, measuring depth 40", range 6.3-11.4"	8483.00	A
2435-E5104	BORE GAGES, measuring depth 40", range 11.0-20.1"	15703.00	A
2435-E605	BORE GAGES, measuring depth 60", range 1.4-2.4"	5913.00	A
2435-E1505	BORE GAGES, measuring depth 60", range 2.0-5.9"	6753.00	A
2435-E1605	BORE GAGES, measuring depth 60", range 4.0-6.3"	7936.00	A
2435-E2905	BORE GAGES, measuring depth 60", range 6.3-11.4"	11260.00	A
2435-E5105	BORE GAGES, measuring depth 60", range 11.0-20.1"	17160.00	A
2435-E606	BORE GAGES, measuring depth 80", range 1.4-2.4"	6383.00	A
2435-E1506	BORE GAGES, measuring depth 80", range 2.0-5.9"	7602.00	A
2435-E1606	BORE GAGES, measuring depth 80", range 4.0-6.3"	8460.00	A
2435-E2906	BORE GAGES, measuring depth 80", range 6.3-11.4"	11903.00	A
2435-E5106	BORE GAGES, measuring depth 80", range 11.0-20.1"	19575.00	A
2435-E607	BORE GAGES, measuring depth 100", range 1.4-2.4"	7988.00	A
2435-E1507	BORE GAGES, measuring depth 100", range 2.0-5.9"	8780.00	A
2435-E1607	BORE GAGES, measuring depth 100", range 4.0-6.3"	9596.00	A
2435-E2907	BORE GAGES, measuring depth 100", range 6.3-11.4"	13021.00	A
2435-E5107	BORE GAGES, measuring depth 100", range 11.0-20.1"	21472.00	A
2435-E608	BORE GAGES, measuring depth 120", range 1.4-2.4"	9396.00	A
2435-E1508	BORE GAGES, measuring depth 120", range 2.0-5.9"	10672.00	A
2435-E1608	BORE GAGES, measuring depth 120", range 4.0-6.3"	11184.00	A
2435-E2908	BORE GAGES, measuring depth 120", range 6.3-11.4"	15696.00	A
2435-E5108	BORE GAGES, measuring depth 120", range 11.0-20.1"	23203.00	A
2436-55	PISTOL GRIP GROOVE BORE GAGES, contact points, .79-2.17"	1292.00	A
2436-200	PISTOL GRIP GROOVE BORE GAGES, contact points, 1.58-7.87", travel of contact point .39"	1396.00	A
2436-R100	EXTENSION ROD, 4", suitable for type B contact points	904.00	A
2436-R250	EXTENSION ROD, 10", suitable for type B contact points	939.00	A
2443-E6	BORE GAGE, .177-.236"	6596.00	A
2443-E8	BORE GAGE, .236-.315"	5629.00	A
2443-E12	BORE GAGE, .315-.427"	5146.00	A
2443-E20	BORE GAGE, .427-.787"	3520.00	A

2443-E35	BORE GAGE, .787-1.378"	2822.00	A
2443-E60	BORE GAGE, 1.378-2.362"	2781.00	A
2443-E100	BORE GAGE, 1.969-3.937"	2986.00	A
2443-E150	BORE GAGE, 1.969-5.906"	3078.00	A
2443-E160	BORE GAGE, 3.937-6.299"	3871.00	A
2443-E230	BORE GAGE, 3.937-9.055"	4037.00	A
2443-E290	BORE GAGE, 6.299-11.417"	5589.00	A
2443-E360	BORE GAGE, 6.299-14.173"	5749.00	A
2443-E410	BORE GAGE, 11.024-16.142"	9283.00	A
2443-E510	BORE GAGE, 11.024-20.079"	9447.00	A
2443-E800	BORE GAGE, 15.748-31.496"	12526.00	A
2480-06	LARGE RANGE BACK PLUNGER TYPE DIAL TEST INDICATOR, .06"	210.00	A
2501-10E	ADJUSTABLE COEFFICIENT DIGITAL INDICATORS, .5/12.7mm, lug back	350.00	A
2501-10FE	ADJUSTABLE COEFFICIENT DIGITAL INDICATORS, .5/12.7mm, flat back	348.00	A
2711-165	DIGITAL INTERNAL CALIPER GAGES (ECONOMIC TYPE),.5-6.5"/12.7-165mm	130.00	A
2720-15	PRECISION BORE GAGES, .7-1.5", with digital indicator	657	A
2720-24	PRECISION BORE GAGES, 1.4-2.4", with digital indicator	658	A
2720-4	PRECISION BORE GAGES, 2-4", with digital indicator	657	A
2720-6	PRECISION BORE GAGES, 2-6", with digital indicator	661	A
2720-10	PRECISION BORE GAGES, 6-10", with digital indicator	871	A
2720-16	PRECISION BORE GAGES, 10-16", with digital indicator	967	A
2721-04	PRECISION BORE GAGES FOR SMALL HOLES, .24-.4", with dial indicator	317	A
2721-07	PRECISION BORE GAGES FOR SMALL HOLES, .4-.7", with dial indicator	312	A
2722-04	PRECISION BORE GAGES FOR SMALL HOLES, .24-.4", with digital indicator	630	A
2722-07	PRECISION BORE GAGES FOR SMALL HOLES, .4-.7", with digital indicator	605	A
2724-S2E	BORE GAGE SET, 1.4-6", digital indicator range .5"/12.7mm	455	A
2724-S3E	BORE GAGE SET, .7-6", digital indicator range .5"/12.7mm	671	A
2771-360	DIGITAL PROTRACTOR (BASIC TYPE), 0 - 360°, 1'/0.01°	409.00	A
2771-S90	SQUARE (zero setting, optional)	31.10	A
2824-S2E	BORE GAGE SET, 1.4-6", dial indicator range .25"	263.00	A
2824-S3E	BORE GAGE SET, .7-6", dial indicator range .25"	580.00	A
2826-15	PRECISION BORE GAGES, .7-1.5", with dial indicator	348	A
2826-24	PRECISION BORE GAGES, 1.4-2.4", with dial indicator	350	A
2826-4	PRECISION BORE GAGES, 2-4", with dial indicator	350	A
2826-6	PRECISION BORE GAGES, 2-6", with dial indicator	354	A
2826-10	PRECISION BORE GAGES, 6-10", with dial indicator	524	A
2826-16	PRECISION BORE GAGES, 10-16", with dial indicator	616	A
2827-24	BORE GAGE, 1.4-2.4", dial indicator range .25"	379.00	A
2827-10	BORE GAGE, 6-10", dial indicator range .25"	451.00	A
2827-16	BORE GAGE, 10-16", dial indicator range .25"	489.00	A
2827-6	BORE GAGE, 2-6", dial indicator range .25"	360.00	A
2828-32	BORE GAGE, 16-32", dial indicator range .25"	430.00	A
2832-02	COMPACT DIAL INDICATOR, .2", lug back	265.00	A
2833-02	BACK PLUNGER TYPE DIAL INDICATOR, .2"	389.00	A
2834-008	PRECISION DIAL TEST INDICATOR, .008", flat back	401.00	A
2835-03	DIAL TEST INDICATOR, .03"	336.00	A
2836-004	PRECISION DIAL INDICATOR, .04", lug back	525.00	A
2837-05	DIAL INDICATOR, .5", lug back	84.80	A
2837-1	DIAL INDICATOR, 1", lug back	139.00	A
2839-0004	DIAL COMPARATOR, .004"	525.00	A
2843-10	DIGITAL SURFACE PROFILE GAGE, 0-.5"/0-12.7mm	389.00	A
2844-10	DIGITAL SURFACE PROFILE GAGE, 0-.5"/0-12.7mm	443.00	A
2871-10	DIGITAL THICKNESS GAGE, 0-.4"/0-10mm	202.00	A
2871-101	DIGITAL THICKNESS GAGE, 0-.4"/0-10mm	370.00	A
2872-10	DIGITAL THICKNESS GAGE, 0-.4"/0-10mm	240.00	A
2872-101	DIGITAL THICKNESS GAGES, 0-.4"/0-10mm	444.00	A
2873-10	DIGITAL TUBE THICKNESS GAGE, 0-.4"/0-10mm	329.00	A
2873-101	DIGITAL TUBE THICKNESS GAGE, 0-.4"/0-10mm	489.00	A
2876-10	DIGITAL TUBE THICKNESS GAGE, 0-.4"/0-10mm	296.00	A
2877-4	DIGITAL ROLLER THICKNESS GAGE, 0-.18"/0-4.5mm	1142.00	A
2877-41	DIGITAL ROLLER THICKNESS GAGE, 0-.18"/0-4.5mm	1221.00	A
2877-10	DIGITAL ROLLER THICKNESS GAGE, 0-.4"/0-10mm	1106.00	A
2877-101	DIGITAL ROLLER THICKNESS GAGE, 0-.4"/0-10mm	1207.00	A
2879-10	HIGH PRECISION DIGITAL THICKNESS GAGE, 0-.4"/0-10mm	1079.00	A
2879-101	HIGH PRECISION DIGITAL THICKNESS GAGE, 0-.4"/0-10mm, .00005"/ 0.001mm	1456.00	A
2931-D1000AE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 40", measuring depth 0-4"/0-100mm	2318.00	B
2931-D1000BE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 40", measuring depth 0-8"/0-200mm	2681.00	B
2931-D1000CE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 40", measuring depth 0-12"/0-300mm	2834.00	B
2931-D1500AE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 60", measuring depth 0-4"/0-100mm	2918.00	B

2931-D1500BE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 60", measuring depth 0-8"/0-200mm	3358.00	B
2931-D1500CE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 60", measuring depth 0-12"/0-300mm	3508.00	B
2931-D2000AE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 80", measuring depth 0-4"/0-100mm	3207.00	B
2931-D2000BE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 80", measuring depth 0-8"/0-200mm	3651.00	B
2931-D2000CE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 80", measuring depth 0-12"/0-300mm	3805.00	B
2931-D2500AE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 100", measuring depth 0-4"/0-100mm	4146.00	B
2931-D2500BE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 100", measuring depth 0-8"/0-200mm	4725.00	B
2931-D2500CE	CARBON FIBER COMPARISON GAGE (dial indicator is not included), maximum measuring range 100", measuring depth 0-12"/0-300mm	4697.00	B
2942-20	DIGITAL INTERNAL CHAMFER GAGE, .020- .791"	1569.00	A
2942-203	DIGITAL INTERNAL CHAMFER GAGE, .020- .791"	2921.00	A
2942-40	DIGITAL INTERNAL CHAMFER GAGE, .787-1.575"	2245.00	A
2942-403	DIGITAL INTERNAL CHAMFER GAGE, .787-1.575"	3567.00	A
2944-1	DIGITAL CHAMFER HEIGHT GAGE, .008-.197"/0.2-5mm	2555.00	A
3101-100E	DIGITAL OUTSIDE MICROMETER, IP65, 3-4"/75-100mm	337.00	A
3101-125E	DIGITAL OUTSIDE MICROMETER, IP65, 4-5"/100-125mm	388.00	A
3101-150E	DIGITAL OUTSIDE MICROMETER, IP65, 5-6"/125-150mm	417.00	A
3101-175E	DIGITAL OUTSIDE MICROMETER, IP65, 6-7"/150-175mm	445.00	A
3101-200E	DIGITAL OUTSIDE MICROMETER, IP65, 7-8"/175-200mm	499.00	A
3101-225E	DIGITAL OUTSIDE MICROMETER, IP65, 8-9"/200-225mm	599.00	A
3101-250E	DIGITAL OUTSIDE MICROMETER, IP65, 9-10"/225-250mm	560.00	A
3101-25E	DIGITAL OUTSIDE MICROMETER, IP65, 0-1"/0-25mm	231.00	A
3101-25FE	DIGITAL OUTSIDE MICROMETER, IP65, 0-1"/0-25mm, ratchet friction thimble	263.00	A
3101-275E	DIGITAL OUTSIDE MICROMETER, IP65, 10-11"/250-275mm	618.00	A
3101-300E	DIGITAL OUTSIDE MICROMETER, IP65, 11-12"/275-300mm	665.00	A
3101-33E	DIGITAL OUTSIDE MICROMETER, IP65, 0-3"/0-75mm	725.00	A
3101-44E	DIGITAL OUTSIDE MICROMETER, IP65, 0-4"/0-100mm	1320.00	A
3101-50E	DIGITAL OUTSIDE MICROMETER, IP65, 1-2"/25-50mm	278.00	A
3101-66E	DIGITAL OUTSIDE MICROMETER, IP65, 0-6"/0-150mm	2295.00	A
3101-75E	DIGITAL OUTSIDE MICROMETER, IP65, 2-3"/50-75mm	310.00	A
3102-100E	DIGITAL OUTSIDE MICROMETER, IP54, 3-4"/75-100mm	260.00	A
3102-125E	DIGITAL OUTSIDE MICROMETER, IP54, 4-5"/100-125mm	287.00	A
3102-150E	DIGITAL OUTSIDE MICROMETER, IP54, 5-6"/125-150mm	309.00	A
3102-175E	DIGITAL OUTSIDE MICROMETER, IP54, 6-7"/150-175mm	346.00	A
3102-200E	DIGITAL OUTSIDE MICROMETER, IP54, 7-8"/175-200mm	374.00	A
3102-25E	DIGITAL OUTSIDE MICROMETER, IP54, 0-1"/0-25mm	163.00	A
3102-33E	DIGITAL OUTSIDE MICROMETER SET, IP54, 0-3"/0-75mm	550.00	A
3102-44E	DIGITAL OUTSIDE MICROMETER SET, IP54, 0-4"/0-100mm	804.00	A
3102-50E	DIGITAL OUTSIDE MICROMETER, IP54, 1-2"/25-50mm	191.00	A
3102-66E	DIGITAL OUTSIDE MICROMETER SET, IP54, 0-6"/0-150mm	1355.00	A
3102-75E	DIGITAL OUTSIDE MICROMETER, IP54, 2-3"/50-75mm	218.00	A
3108-1	DIGITAL OUTSIDE MICROMETER, IP65, 0-1"/0-25mm	173.00	A
3108-1F	DIGITAL OUTSIDE MICROMETER, IP65, 0-1"/0-25mm, ratchet friction thimble	183.00	A
3108-2	DIGITAL OUTSIDE MICROMETER, IP65, 1-2"/25-50mm	221.00	A
3108-25A	DIGITAL OUTSIDE MICROMETER, IP65, 0-25mm/0-1"	180.00	A
3108-3	DIGITAL OUTSIDE MICROMETER, IP65, 2-3"/50-75mm	254.00	A
3108-4	DIGITAL OUTSIDE MICROMETER, IP65, 3-4"/75-100mm	277.00	A
3108-5	DIGITAL OUTSIDE MICROMETER, IP65, 4-5"/100-125mm	320.00	A
3108-50A	DIGITAL OUTSIDE MICROMETER, IP65, 25-50mm/1-2"	222.00	A
3108-6	DIGITAL OUTSIDE MICROMETER, IP65, 5-6"/125-150mm	356.00	A
3108-7	DIGITAL OUTSIDE MICROMETER, IP65, 6-7"/150-175mm	405.00	A
3108-8	DIGITAL OUTSIDE MICROMETER, IP65, 7-8"/175-200mm	452.00	A
3109-100E	DIGITAL OUTSIDE MICROMETER, 3-4"/75-100mm	205.00	A
3109-125E	DIGITAL OUTSIDE MICROMETER, 4-5"/100-125mm	215.00	A
3109-150E	DIGITAL OUTSIDE MICROMETER, 5-6"/125-150mm	237.00	A
3109-175E	DIGITAL OUTSIDE MICROMETER, 6-7"/150-175mm	283.00	A
3109-200E	DIGITAL OUTSIDE MICROMETER, 7-8"/175-200mm	307.00	A
3109-25A	DIGITAL OUTSIDE MICROMETER, 0-25mm/ 0-1"	136.00	A
3109-25E	DIGITAL OUTSIDE MICROMETER, 0-1"/0-25mm	128.00	A
3109-33E	DIGITAL OUTSIDE MICROMETER SET, 0-3"/0-75mm	369.00	A
3109-44E	DIGITAL OUTSIDE MICROMETER SET, 0-4"/0-100mm	537.00	A
3109-50A	DIGITAL OUTSIDE MICROMETER, 25-50mm/ 1-2"	164.00	A
3109-50E	DIGITAL OUTSIDE MICROMETER, 1-2"/25-50mm	154.00	A
3109-66E	DIGITAL OUTSIDE MICROMETER SET, 0-6"/0-150mm	968.00	A
3109-75E	DIGITAL OUTSIDE MICROMETER, 2-3"/50-75mm	189.00	A
3127-E01	DIGITAL TWO POINTS INTERNAL MICROMETER, .08-.1"/2-2.5mm	1108.00	A

3127-E012	DIGITAL TWO POINTS INTERNAL MICROMETER, .1-.12"/2.5-3mm	1108.00	A
3127-E0122	DIGITAL TWO POINTS INTERNAL MICROMETER, .08-.12"/2-3mm	2207.00	A
3127-E016	DIGITAL TWO POINTS INTERNAL MICROMETER, .12-.16"/3-4mm	993.00	A
3127-E02	DIGITAL TWO POINTS INTERNAL MICROMETER, .16-.2"/4-5mm	993.00	A
3127-E024	DIGITAL TWO POINTS INTERNAL MICROMETER, .2-.24"/5-6mm	995.00	A
3127-E028	DIGITAL TWO POINTS INTERNAL MICROMETER, .24-.28"/6-7mm	993.00	A
3127-E0282	DIGITAL TWO POINTS INTERNAL MICROMETER, .12-.28"/3-7mm	3941.00	A
3127-E035	DIGITAL THREE POINTS INTERNAL MICROMETER, .275-.35"/7-9mm	862.00	A
3127-E0425	DIGITAL THREE POINTS INTERNAL MICROMETER, .35-.425"/9-11mm	862.00	A
3127-E05	DIGITAL THREE POINTS INTERNAL MICROMETER, .425-.5"/11-13mm	862.00	A
3127-E053	DIGITAL THREE POINTS INTERNAL MICROMETER, .275-.5"/7-13mm	2397.00	A
3127-E065	DIGITAL THREE POINTS INTERNAL MICROMETER, .5-.65"/13-17mm	929.00	A
3127-E08	DIGITAL THREE POINTS INTERNAL MICROMETER, .65-.8"/17-20mm	929.00	A
3127-E082	DIGITAL THREE POINTS INTERNAL MICROMETER, .5-.8"/13-20mm	1704.00	A
3127-E1	DIGITAL THREE POINTS INTERNAL MICROMETER, .8-1"/20-25mm	967.00	A
3127-E10	DIGITAL THREE POINTS INTERNAL MICROMETER, 9-10"/228-254mm	2747.00	A
3127-E11	DIGITAL THREE POINTS INTERNAL MICROMETER, 10-11"/254-279mm	3232.00	A
3127-E112	DIGITAL THREE POINTS INTERNAL MICROMETER, 1-1.2"/25-30mm	967.00	A
3127-E12	DIGITAL THREE POINTS INTERNAL MICROMETER, 11-12"/279-305mm	3783.00	A
3127-E16	DIGITAL THREE POINTS INTERNAL MICROMETER, 1.2-1.6"/30-40mm	1069.00	A
3127-E2	DIGITAL THREE POINTS INTERNAL MICROMETER, 1.6-2"/40-51mm	1069.00	A
3127-E24	DIGITAL THREE POINTS INTERNAL MICROMETER, .8-2"/20-51mm	3572.00	A
3127-E25	DIGITAL THREE POINTS INTERNAL MICROMETER, 2-2.5"/51-63mm	1156.00	A
3127-E3	DIGITAL THREE POINTS INTERNAL MICROMETER, 2.5-3"/63-76mm	1221.00	A
3127-E35	DIGITAL THREE POINTS INTERNAL MICROMETER, 3-3.5"/76-89mm	1270.00	A
3127-E4	DIGITAL THREE POINTS INTERNAL MICROMETER, 3.5-4"/89-101mm	1321.00	A
3127-E44	DIGITAL THREE POINTS INTERNAL MICROMETER, 2-4"/51-101mm	4208.00	A
3127-E5	DIGITAL THREE POINTS INTERNAL MICROMETER, 4-5"/101-127mm	1276.00	A
3127-E6	DIGITAL THREE POINTS INTERNAL MICROMETER, 5-6"/127-152mm	1464.00	A
3127-E7	DIGITAL THREE POINTS INTERNAL MICROMETER, 6-7"/152-178mm	1690.00	A
3127-E8	DIGITAL THREE POINTS INTERNAL MICROMETER, 7-8"/178-203mm	1972.00	A
3127-E9	DIGITAL THREE POINTS INTERNAL MICROMETER, 8-9"/203-228mm	2293.00	A
3128-10	DIGITAL WIDE RANGE THREE POINTS INTERNAL MICROMETER, 6-10"/152-254mm	4532.00	A
3128-12	DIGITAL WIDE RANGE THREE POINTS INTERNAL MICROMETER, 8-12"/203-305mm	6324.00	A
3128-28	DIGITAL WIDE RANGE THREE POINTS INTERNAL MICROMETER, 2-2.8"/51-71mm	1012.00	A
3128-4	DIGITAL WIDE RANGE THREE POINTS INTERNAL MICROMETER, 2.8-4"/71-101mm	1347.00	A
3128-6	DIGITAL WIDE RANGE THREE POINTS INTERNAL MICROMETER, 4-6"/101-152mm	2249.00	A
3203-1004A	OUTSIDE MICROMETER, 0-100mm	193.00	A
3203-100A	OUTSIDE MICROMETER, 75-100mm	62.30	A
3203-10A	OUTSIDE MICROMETER, 9-10"	137.00	A
3203-11A	OUTSIDE MICROMETER, 10-11"	158.00	A
3203-1212A	OUTSIDE MICROMETER SET W/CASE, 0-12"	1024.00	A
3203-125A	OUTSIDE MICROMETER, 100-125mm	81.10	A
3203-126A	OUTSIDE MICROMETER SET W/ CASE, 6-12"	704.00	A
3203-12A	OUTSIDE MICROMETER, 11-12"	169.00	A
3203-1506A	OUTSIDE MICROMETER, 0-150mm	340.00	A
3203-150A	OUTSIDE MICROMETER, 125-150mm	91.90	A
3203-175A	OUTSIDE MICROMETER, 150-175mm	104.00	A
3203-1A	OUTSIDE MICROMETER, 0-1"	45.90	A
3203-1FA	OUTSIDE MICROMETER, 0-1", ratchet friction thimble	53.40	A
3203-200A	OUTSIDE MICROMETER, 175-200mm	117.00	A
3203-225A	OUTSIDE MICROMETER, 200-225mm	130.00	A
3203-250A	OUTSIDE MICROMETER, 225-250mm	137.00	A
3203-25A	OUTSIDE MICROMETER, 0-25mm	46.80	A
3203-275A	OUTSIDE MICROMETER, 250-275mm	158.00	A
3203-2A	OUTSIDE MICROMETER, 1-2"	51.30	A
3203-2FA	OUTSIDE MICROMETER, 1-2", ratchet friction thimble	57.90	A
3203-3006A	OUTSIDE MICROMETER, 150-300mm	703.00	A
3203-300A	OUTSIDE MICROMETER, 275-300mm	169.00	A
3203-3012A	OUTSIDE MICROMETER, 0-300mm	1025.00	A
3203-33A	OUTSIDE MICROMETER SET W/CASE, 0-3"	138.00	A
3203-3A	OUTSIDE MICROMETER, 2-3"	57.00	A
3203-3FA	OUTSIDE MICROMETER, 2-3", ratchet friction thimble	57.90	A
3203-44A	OUTSIDE MICROMETER SET W/CASE, 0-4"	199.00	A
3203-4A	OUTSIDE MICROMETER, 3-4"	64.20	A
3203-50A	OUTSIDE MICROMETER, 25-50mm	52.20	A
3203-5A	OUTSIDE MICROMETER, 4-5"	81.10	A
3203-66A	OUTSIDE MICROMETER SET W/CASE, 0-6"	351.00	A

3203-6A	OUTSIDE MICROMETER, 5-6"	91.90	A
3203-753A	OUTSIDE MICROMETER, 0-75mm	138.00	A
3203-75A	OUTSIDE MICROMETER, 50-75mm	58.10	A
3203-7A	OUTSIDE MICROMETER, 6-7"	108.00	A
3203-8A	OUTSIDE MICROMETER, 7-8"	117.00	A
3203-9A	OUTSIDE MICROMETER, 8-9"	130.00	A
3205-48	OUTSIDE MICROMETER WITH EXTENSION ANVIL COLLAR, 40-48"	2799.00	A
3205-56	OUTSIDE MICROMETER WITH EXTENSION ANVIL COLLAR, 48-56"	3000.00	A
3205-64	OUTSIDE MICROMETER WITH EXTENSION ANVIL COLLAR, 56-64"	3229.00	A
3205-72	OUTSIDE MICROMETER WITH EXTENSION ANVIL COLLAR, 64-72"	3455.00	A
3205-80	OUTSIDE MICROMETER WITH EXTENSION ANVIL COLLAR, 72-80"	3671.00	A
3206-12	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 6-12"	351.00	A
3206-121	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 8-12"	434.00	A
3206-150A	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-150mm	327.00	A
3206-16	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 12-16"	643.00	A
3206-2	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-2"	133.00	A
3206-20	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 16-20"	756.00	A
3206-24	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 20-24"	863.00	A
3206-28	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 24-28"	988.00	A
3206-300A	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 150-300mm	443.00	A
3206-32	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 28-32"	1154.00	A
3206-36	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 32-36"	1308.00	A
3206-4	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-4"	262.00	A
3206-40	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 36-40"	1508.00	A
3206-6	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-6"	284.00	A
3206-61	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 2-6"	312.00	A
3206-8	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 4-8"	359.00	A
3208-1	QUICK FEEDING OUTSIDE MICROMETER, 0-1"	122.00	A
3208-2	QUICK FEEDING OUTSIDE MICROMETER, 1-2"	138.00	A
3208-3	QUICK FEEDING OUTSIDE MICROMETER, 2-3"	152.00	A
3208-4	QUICK FEEDING OUTSIDE MICROMETER, 3-4"	166.00	A
3208-5	QUICK FEEDING OUTSIDE MICROMETER, 4-5"	248.00	A
3208-6	QUICK FEEDING OUTSIDE MICROMETER, 5-6"	277.00	A
3208-7	QUICK FEEDING OUTSIDE MICROMETER, 6-7"	297.00	A
3208-8	QUICK FEEDING OUTSIDE MICROMETER, 7-8"	335.00	A
3220-1	INSIDE MICROMETER, .2-1.2"	126.00	A
3220-2	INSIDE MICROMETER, 1-2"	135.00	A
3220-3	INSIDE MICROMETER, 2-3"	155.00	A
3220-4	INSIDE MICROMETER, 3-4"	174.00	A
3221-12	TUBULAR INSIDE MICROMETER, 2-12"	314.00	A
3221-125	TUBULAR INSIDE MICROMETER, 1-1.25"	152.00	A
3221-2	TUBULAR INSIDE MICROMETER, 1-2"	190.00	A
3221-20	TUBULAR INSIDE MICROMETER, 8-20"	391.00	A
3221-25	TUBULAR INSIDE MICROMETER, 2-2.5"	156.00	A
3221-40	TUBULAR INSIDE MICROMETER, 8-40"	902.00	A
3221-8	TUBULAR INSIDE MICROMETER, 2-8"	285.00	A
3221-9	TUBULAR INSIDE MICROMETER, 8-9"	218.00	A
3222-12	TUBULAR INSIDE MICROMETER, 2-12"	258.00	A
3222-20	TUBULAR INSIDE MICROMETER, 2-20"	323.00	A
3222-24	TUBULAR INSIDE MICROMETER, 2-24"	253.00	A
3222-25	TUBULAR INSIDE MICROMETER, 2-2.5"	142.00	A
3222-40	TUBULAR INSIDE MICROMETER, 2-40"	984.00	A
3222-6	TUBULAR INSIDE MICROMETER, 2-6"	198.00	A
3222-60	TUBULAR INSIDE MICROMETER, 2-60"	1757.00	A
3224-120	TUBULAR INSIDE MICROMETER, 40-120"	3240.00	A
3224-160	TUBULAR INSIDE MICROMETER, 40-160"	4827.00	A
3224-200	TUBULAR INSIDE MICROMETER, 40-200"	6268.00	A
3224-80	TUBULAR INSIDE MICROMETER, 40-80"	1620.00	A
3225-20	TUBULAR INSIDE MICROMETER, 4-20"	679.00	A
3225-36	TUBULAR INSIDE MICROMETER, 4-36"	871.00	A
3225-52	TUBULAR INSIDE MICROMETER, 4-52"	1049.00	A
3225-84	TUBULAR INSIDE MICROMETER, 4-84"	1935.00	A
3227-E01	TWO POINTS INTERNAL MICROMETER, .08-.1"/2-2.5mm	624.00	A
3227-E012	TWO POINTS INTERNAL MICROMETER, .1-.12"/2.5-3mm	623.00	A
3227-E0122	TWO POINTS INTERNAL MICROMETER SET, .08-.12"/2-3mm	1241.00	A
3227-E016	TWO POINTS INTERNAL MICROMETER, .12-.16"/3-4mm	534.00	A
3227-E02	TWO POINTS INTERNAL MICROMETER, .16-.2"/4-5mm	534.00	A
3227-E024	TWO POINTS INTERNAL MICROMETER, .2-.24"/5-6mm	534.00	A
3227-E028	TWO POINTS INTERNAL MICROMETER, .24-.28"/6-7mm	534.00	A
3227-E0282	TWO POINTS INTERNAL MICROMETER SET, .12-.28"/3-7mm	2111.00	A
3227-E035	THREE POINTS INTERNAL MICROMETER, .275-.35"	360.00	A
3227-E0425	THREE POINTS INTERNAL MICROMETER, .35-.425"	360.00	A
3227-E05	THREE POINTS INTERNAL MICROMETER, .425-.5"	360.00	A

3227-E053	THREE POINTS INTERNAL MICROMETER, .275-.5"	1006.00	A
3227-E065	THREE POINTS INTERNAL MICROMETER, .5-.65"	426.00	A
3227-E08	THREE POINTS INTERNAL MICROMETER, .65-.8"	426.00	A
3227-E082	THREE POINTS INTERNAL MICROMETER, .5-.8"	795.00	A
3227-E1	THREE POINTS INTERNAL MICROMETER, .8-1"	599.00	A
3227-E10	THREE POINTS INTERNAL MICROMETER, 9-10"	1775.00	A
3227-E11	THREE POINTS INTERNAL MICROMETER, 10-11"	1982.00	A
3227-E112	THREE POINTS INTERNAL MICROMETER, 1-1.2"	599.00	A
3227-E12	THREE POINTS INTERNAL MICROMETER, 11-12"	2366.00	A
3227-E16	THREE POINTS INTERNAL MICROMETER, 1.2-1.6"	645.00	A
3227-E2	THREE POINTS INTERNAL MICROMETER, 1.6-2"	749.00	A
3227-E24	THREE POINTS INTERNAL MICROMETER, .8-2"	2267.00	A
3227-E25	THREE POINTS INTERNAL MICROMETER, 2-2.5"	788.00	A
3227-E3	THREE POINTS INTERNAL MICROMETER, 2.5-3"	845.00	A
3227-E35	THREE POINTS INTERNAL MICROMETER, 3-3.5"	883.00	A
3227-E4	THREE POINTS INTERNAL MICROMETER, 3.5-4"	919.00	A
3227-E44	THREE POINTS INTERNAL MICROMETER, 2-4"	2935.00	A
3227-E5	THREE POINTS INTERNAL MICROMETER, 4-5"	732.00	A
3227-E6	THREE POINTS INTERNAL MICROMETER, 5-6"	874.00	A
3227-E7	THREE POINTS INTERNAL MICROMETER, 6-7"	1082.00	A
3227-E8	THREE POINTS INTERNAL MICROMETER, 7-8"	1223.00	A
3227-E9	THREE POINTS INTERNAL MICROMETER, 8-9"	1486.00	A
3228-10	WIDE RANGE THREE POINTS INTERNAL MICROMETER, 6-10"	3037.00	A
3228-12	WIDE RANGE THREE POINTS INTERNAL MICROMETER, 8-12"	3998.00	A
3228-28	WIDE RANGE THREE POINTS INTERNAL MICROMETER, 2-2.8"	602.00	A
3228-4	WIDE RANGE THREE POINTS INTERNAL MICROMETER, 2.8-4"	800.00	A
3228-6	WIDE RANGE THREE POINTS INTERNAL MICROMETER, 4-6"	1380.00	A
3229-10	TUBULAR INSIDE MICROMETER, 9-10"	188.00	A
3229-11	TUBULAR INSIDE MICROMETER, 10-11"	204.00	A
3229-12	TUBULAR INSIDE MICROMETER, 11-12"	217.00	A
3229-13	TUBULAR INSIDE MICROMETER, 12-13"	231.00	A
3229-14	TUBULAR INSIDE MICROMETER, 13-14"	206.00	A
3229-15	TUBULAR INSIDE MICROMETER, 14-15"	227.00	A
3229-16	TUBULAR INSIDE MICROMETER, 15-16"	241.00	A
3229-17	TUBULAR INSIDE MICROMETER, 16-17"	255.00	A
3229-18	TUBULAR INSIDE MICROMETER, 17-18"	266.00	A
3229-19	TUBULAR INSIDE MICROMETER, 18-19"	277.00	A
3229-20	TUBULAR INSIDE MICROMETER, 19-20"	291.00	A
3229-3	TUBULAR INSIDE MICROMETER, 2-3"	101.00	A
3229-4	TUBULAR INSIDE MICROMETER, 3-4"	113.00	A
3229-5	TUBULAR INSIDE MICROMETER, 4-5"	126.00	A
3229-6	TUBULAR INSIDE MICROMETER, 5-6"	141.00	A
3229-7	TUBULAR INSIDE MICROMETER, 6-7"	151.00	A
3229-8	TUBULAR INSIDE MICROMETER, 7-8"	161.00	A
3229-9	TUBULAR INSIDE MICROMETER, 8-9"	176.00	A
3230-1	POINT MICROMETER, 0-1", type A	135.00	A
3230-1B	POINT MICROMETER, 0-1", type B	150.00	A
3230-2	POINT MICROMETER, 1-2", type A	147.00	A
3230-3	POINT MICROMETER, 2-3", type A	159.00	A
3230-4	POINT MICROMETER, 3-4", type A	189.00	A
3231-1	NON MAGNETIC MICROMETERS, 0-1"	1132.00	A
3231-2	NON MAGNETIC MICROMETERS, 1-2"	1250.00	A
3231-3	NON MAGNETIC MICROMETERS, 2-3"	1366.00	A
3231-4	NON MAGNETIC MICROMETERS, 3-4"	1485.00	A
3232-1	BLADE MICROMETER, 0-1"	249.00	A
3232-1B	BLADE MICROMETER, 0-1", type B	361.00	A
3232-2	BLADE MICROMETER, 1-2"	270.00	A
3232-2B	BLADE MICROMETER, 1-2", type B	391.00	A
3232-3	BLADE MICROMETER, 2-3"	292.00	A
3232-4	BLADE MICROMETER, 3-4"	319.00	A
3232-5	BLADE MICROMETER, 4-5"	358.00	A
3232-6	BLADE MICROMETER, 5-6"	390.00	A
3232-7	BLADE MICROMETER, 6-7"	424.00	A
3233-1	SPLINE MICROMETER, 0-1", type A	124.00	A
3233-1B	SPLINE MICROMETER, 0-1", type B	144.00	A
3233-2	SPLINE MICROMETER, 1-2", type A	155.00	A
3233-2B	SPLINE MICROMETER, 1-2", type B	156.00	A
3233-3	SPLINE MICROMETER, 2-3", type A	169.00	A
3233-3B	SPLINE MICROMETER, 2-3", type B	169.00	A
3233-4	SPLINE MICROMETER, 3-4", type A	207.00	A
3233-4B	SPLINE MICROMETER, 3-4", type B	195.00	A
3233-5	SPLINE MICROMETER, 4-5", type A	237.00	A
3233-5B	SPLINE MICROMETER, 4-5", type B	242.00	A

3233-6	SPLINE MICROMETER, 5-6", type A	288.00	A
3233-6B	SPLINE MICROMETER, 5-6", type B	287.00	A
3233-7	SPLINE MICROMETER, 6-7", type A	347.00	A
3233-7B	SPLINE MICROMETER, 6-7", type B	361.00	A
3234-1	LARGE ANVIL MICROMETER, 0-1"	462.00	A
3234-2	LARGE ANVIL MICROMETER, 1-2"	598.00	A
3235-1	LIMIT MICROMETER, 0-1"	188.00	A
3235-2	LIMIT MICROMETER, 1-2"	226.00	A
3236-1B	OUTSIDE MICROMETER FOR LEFT AND RIGHT HAND, 0-1"	119.00	A
3236-2B	OUTSIDE MICROMETER FOR LEFT AND RIGHT HAND, 1-2"	131.00	A
3236-3B	OUTSIDE MICROMETER FOR LEFT AND RIGHT HAND, 2-3"	174.00	A
3236-4B	OUTSIDE MICROMETER FOR LEFT OR RIGHT HAND, 3-4"	129.00	A
3236-5B	OUTSIDE MICROMETER FOR LEFT OR RIGHT HAND, 4-5"	164.00	A
3236-6B	OUTSIDE MICROMETER FOR LEFT OR RIGHT HAND, 5-6"	188.00	A
3236-7B	OUTSIDE MICROMETER FOR LEFT OR RIGHT HAND, 6-7"	249.00	A
3236-8B	OUTSIDE MICROMETER FOR LEFT OR RIGHT HAND, 7-8"	282.00	A
3238-1	CALIPER TYPE MICROMETER, 0-1"	237.00	A
3238-2	CALIPER TYPE MICROMETER, 1-2"	285.00	A
3238-3	CALIPER TYPE MICROMETERS, 2-3"	413.00	A
3238-4	CALIPER TYPE MICROMETERS, 3-4"	447.00	A
3239-13	SHEET METAL MICROMETER, 0-1", type A	171.00	A
3239-13F	SHEET METAL MICROMETER, 0-1", type B	262.00	A
3239-13S	SHEET METAL MICROMETER, 0-1", type C	236.00	A
3239-14F	SHEET METAL MICROMETER, 0-1", type B	235.00	A
3240-1	DEPTH MICROMETER, 0-1"	88.20	A
3240-4	DEPTH MICROMETER, 0-4"	150.00	A
3240-6	DEPTH MICROMETER, 0-6"	167.00	A
3241-1	DEPTH MICROMETER, 0-1", base 3.996x.669"	124.00	A
3241-12	DEPTH MICROMETER, 0-12", base 3.996x.669"	392.00	A
3241-2	DEPTH MICROMETER, 0-2", base 3.996x.669"	158.00	A
3241-3	DEPTH MICROMETER, 0-3", base 3.996x.669"	188.00	A
3241-4	DEPTH MICROMETER, 0-4", base 3.996x.669"	200.00	A
3241-6	DEPTH MICROMETER, 0-6", base 3.996x.669"	243.00	A
3241-8	DEPTH MICROMETER, 0-8", base 3.996x.669"	324.00	A
3241-B1	DEPTH MICROMETER, 0-1", base 2.480x.669"	122.00	A
3241-B4	DEPTH MICROMETER, 0-4", base 2.480x.669"	198.00	A
3260-1	SPHERICAL ANVIL TUBE MICROMETER, 0-1", type A	74.40	A
3260-1S	SPHERICAL ANVIL TUBE MICROMETER, 0-1", type B	80.60	A
3260-2	SPHERICAL ANVIL TUBE MICROMETER, 1-2", type A	94.50	A
3260-2S	SPHERICAL ANVIL TUBE MICROMETER, 1-2", type B	108.00	A
3260-3	SPHERICAL ANVIL TUBE MICROMETER, 2-3", type A	151.00	A
3260-3S	SPHERICAL ANVIL TUBE MICROMETER, 2-3", type B	174.00	A
3260-4	SPHERICAL ANVIL TUBE MICROMETER, 3-4", type A	202.00	A
3260-4S	SPHERICAL ANVIL TUBE MICROMETER, 3-4", type B	207.00	A
3261-1	CYLINDRICAL ANVIL TUBE MICROMETER, 0-1", type A	86.40	A
3261-2	CYLINDRICAL ANVIL TUBE MICROMETER, 1-2", type A	100.00	A
3261-1B	CYLINDRICAL ANVIL TUBE MICROMETER, 0-1", type B	105.00	A
3261-2B	CYLINDRICAL ANVIL TUBE MICROMETER, 1-2", type B	131.00	A
3261-1C	CYLINDRICAL ANVIL TUBE MICROMETER, 0-1", type C	105.00	A
3261-2C	CYLINDRICAL ANVIL TUBE MICROMETER, 1-2", type C	125.00	A
3261-1D	CYLINDRICAL ANVIL TUBE MICROMETER, 0-1", type D	105.00	A
3261-2D	CYLINDRICAL ANVIL TUBE MICROMETER, 1-2", type D	125.00	A
3261-1E	CYLINDRICAL ANVIL TUBE MICROMETER, 0-1", type E	105.00	A
3261-2E	CYLINDRICAL ANVIL TUBE MICROMETER, 1-2", type E	125.00	A
3261-1F	CYLINDRICAL ANVIL TUBE MICROMETER, 0-1", type F	105.00	A
3261-2F	CYLINDRICAL ANVIL TUBE MICROMETER, 1-2", type F	125.00	A
3262-1	INTERCHANGEABLE ANVIL MICROMETER, 0-1"	233.00	A
3262-2	INTERCHANGEABLE ANVIL MICROMETER, 1-2"	262.00	A
3263-06	SHEET METAL MICROMETER, 0-.6", type A	193.00	A
3263-1	SHEET METAL MICROMETER, 0-1", type A	161.00	A
3263-2	SHEET METAL MICROMETER, 0-2", type A	767.00	A
3263-06B	SHEET METAL MICROMETER, 0-.6", type B	193.00	A
3263-1B	SHEET METAL MICROMETER, 0-1", type B	231.00	A
3263-2B	SHEET METAL MICROMETER, 0-2", type B	767.00	A
3264-06	MICROMETERS FOR HOT PLATE, 0-.6"	582.00	A
3264-12	MICROMETERS FOR HOT PLATE, .6-1.2"	626.00	A
3264-18	MICROMETERS FOR HOT PLATE, 1.2-1.8"	782.00	A
3264-24	MICROMETERS FOR HOT PLATE, 1.8-204"	894.00	A
3264-31	MICROMETERS FOR HOT PLATE, 2.4-3.0"	971.00	A
3264-36	MICROMETERS FOR HOT PLATE, 3.0-3.6"	1059.00	A
3264-42	MICROMETERS FOR HOT PLATE, 3.6-4.2	1150.00	A
3266-1B	CRIMP HEIGHT MICROMETER, 0-1"	131.00	A
3280-1	NON ROTATING SPINDLE UNIVERSAL MICROMETER, 0-1"	414.00	A

3280-2	NON ROTATING SPINDLE UNIVERSAL MICROMETER, 1-2"	512.00	A
3281-1	SCREW THREAD MICROMETER, 0-1"	162.00	A
3281-2	SCREW THREAD MICROMETER, 1-2"	183.00	A
3281-3	SCREW THREAD MICROMETER, 2-3"	210.00	A
3281-4	SCREW THREAD MICROMETER, 3-4"	232.00	A
3281-5	SCREW THREAD MICROMETER, 4-5"	265.00	A
3281-6	SCREW THREAD MICROMETER, 5-6"	297.00	A
3281-7	SCREW THREAD MICROMETER, 6-7"	412.00	A
3281-8	SCREW THREAD MICROMETER, 7-8"	448.00	A
3281-SPE1	55° SETTING STANDARD, 1"	91.40	A
3281-SPE2	55° SETTING STANDARD, 2"	105.00	A
3281-SPE3	55° SETTING STANDARD, 3"	118.00	A
3281-SPE4	55° SETTING STANDARD, 4"	138.00	A
3281-SPE5	55° SETTING STANDARD, 5"	158.00	A
3281-SPE6	55° SETTING STANDARD, 6"	181.00	A
3281-SPE61	60° SETTING STANDARD, 1"	84.80	A
3281-SPE62	60° SETTING STANDARD, 2"	97.00	A
3281-SPE63	60° SETTING STANDARD, 3"	111.00	A
3281-SPE64	60° SETTING STANDARD, 4"	128.00	A
3281-SPE65	60° SETTING STANDARD, 5"	148.00	A
3281-SPE66	60° SETTING STANDARD, 6"	166.00	A
3281-SPE67	60° SETTING STANDARD, 7"	192.00	A
3281-SPE7	55° SETTING STANDARD, 7"	205.00	A
3282-1	DISK MICROMETER, 0-1"	141.00	A
3282-2	DISK MICROMETER, 1-2"	159.00	A
3282-3	DISK MICROMETER, 2-3"	181.00	A
3282-4	DISK MICROMETER, 3-4"	214.00	A
3283-1	JAW TYPE MICROMETER, 0-1"	362.00	A
3283-2	JAW TYPE MICROMETER, 1-2"	394.00	A
3283-3	JAW TYPE MICROMETER, 2-3"	424.00	A
3283-4	JAW TYPE MICROMETER, 3-4"	467.00	A
3283-5	JAW TYPE MICROMETER, 4-5"	530.00	A
3283-6	JAW TYPE MICROMETER, 5-6"	579.00	A
3283-7	JAW TYPE MICROMETER, 6-7"	629.00	A
3283-8	JAW TYPE MICROMETER, 7-8"	677.00	A
3285-4	WIRE MICROMETER, 0-.4"	120.00	A
3287-1	GROOVE MICROMETER, 0-1"	569.00	A
3287-2	GROOVE MICROMETER, 1-2"	660.00	A
3287-3	GROOVE MICROMETER, 2-3"	763.00	A
3287-4	GROOVE MICROMETER, 3-4"	876.00	A
3287-1B	GROOVE MICROMETERS, outside A 0-1", inside B .06-1.05"	621.00	A
3287-2B	GROOVE MICROMETERS, outside A 1-2", inside B 1.05-2.05"	717.00	A
3287-3B	GROOVE MICROMETERS, outside A 2-3", inside B 2.05-3.05"	823.00	A
3287-4B	GROOVE MICROMETERS, outside A 3-4", inside B 3.05-4.05"	952.00	A
3287-1AB	GROOVE MICROMETERS, outside A 0-1", inside B .06-1.05", does not have sleeve	618.00	A
3288-1	DISK BRAKE MICROMETER, .3-1.3"	90.60	A
3288-2	DISK BRAKE MICROMETER, 1-2"	133.00	A
3290-063	V-ANVIL MICROMETER, .04-.6"	294.00	A
3290-083	V-ANVIL MICROMETER, .2-.8"	307.00	A
3290-105	V-ANVIL MICROMETER, .2-1"	316.00	A
3290-107	V-ANVIL MICROMETER, 7 flutes, .2-1"	329.00	A
3290-143	V-ANVIL MICROMETER, .8-1.4"	363.00	A
3290-185	V-ANVIL MICROMETER, 1-1.8"	468.00	A
3290-187	V-ANVIL MICROMETER, 7 flutes, 1"-1.8"	424.00	A
3290-203	V-ANVIL MICROMETER, 1.4-2"	542.00	A
3290-263	V-ANVIL MICROMETER, 2-2.6"	583.00	A
3290-265	V-ANVIL MICROMETER, 1.8-2.6"	542.00	A
3290-267	V-ANVIL MICROMETER, 7 flutes, 1.8-2.6"	492.00	A
3290-323	V-ANVIL MICROMETER, 2.6-3.2"	631.00	A
3290-345	V-ANVIL MICROMETER, 2.6-3.4"	634.00	A
3290-347	V-ANVIL MICROMETER, 7 flutes, 2.6-3.4"	575.00	A
3290-383	V-ANVIL MICROMETER, 3.2-3.8"	680.00	A
3292-1	HUB MICROMETER, 0-1"	128.00	A
3292-2	HUB MICROMETER, 1-2"	150.00	A
3292-3	HUB MICROMETER, 2-3"	171.00	A
3292-4	HUB MICROMETER, 3-4"	198.00	A
3293-061	CAN SEAM MICROMETER, 0-.5", for steel cans	152.00	A
3293-062	CAN SEAM MICROMETER, 0-.5", for aluminum cans	152.00	A
3293-063	CAN SEAM MICROMETER, 0-.5", for sprayer scans	152.00	A
3294-1	NON ROTATING SPINDLE DISK MICROMETER, 0-1"	286.00	A
3294-2	NON ROTATING SPINDLE DISK MICROMETER, 1-2"	309.00	A
3294-3	NON ROTATING SPINDLE DISK MICROMETER, 2-3"	329.00	A

3294-4	NON ROTATING SPINDLE DISK MICROMETER, 3-4"	398.00	A
3332-1	INDICATING MICROMETER, 0-1"	691.00	A
3332-2	INDICATING MICROMETER, 1-2"	818.00	A
3332-3	INDICATING MICROMETER, 2-3"	791.00	A
3332-4	INDICATING MICROMETER, 3-4"	909.00	A
3332-1B	INDICATING MICROMETER, 0-1", without support	689.00	A
3334-1	DIAL SNAP GAGE, 0-1"	944.00	A
3334-2	DIAL SNAP GAGE, 1-2"	1039.00	A
3334-3	DIAL SNAP GAGE, 2-3"	1110.00	A
3334-4	DIAL SNAP GAGE, 3-4"	1194.00	A
3350-25	HIGH PRECISION DIGITAL SNAP GAGE, 0-1"/0-25mm	1018.00	A
3350-50	HIGH PRECISION DIGITAL SNAP GAGE, 1-2"/25-50mm	1107.00	A
3350-75	HIGH PRECISION DIGITAL SNAP GAGE, 2-3"/50-75mm	1271.00	A
3350-100	HIGH PRECISION DIGITAL SNAP GAGE, 3-4"/75-100mm	1408.00	A
3350-25WL	HIGH PRECISION WIRELESS DIGITAL SNAP GAGE, 0-1"/0-25mm	1077.00	A
3350-50WL	HIGH PRECISION WIRELESS DIGITAL SNAP GAGE, 1-2"/25-50mm	1165.00	A
3350-75WL	HIGH PRECISION WIRELESS DIGITAL SNAP GAGE, 2-3"/50-75mm	1335.00	A
3350-100WL	HIGH PRECISION WIRELESS DIGITAL SNAP GAGE, 3-4"/75-100mm	1472.00	A
3351-125	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 100-125mm/4-5"	1288.00	A
3351-125WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 100-125mm/4-5"	1353.00	A
3351-150	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 125-150mm/5-6"	1335.00	A
3351-150WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 125-150mm/5-6"	1400.00	A
3351-175	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 150-175mm/6-7"	1388.00	A
3351-175WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 150-175mm/6-7"	1454.00	A
3351-200	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 175-200mm/7-8"	1435.00	A
3351-200WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 175-200mm/7-8"	1499.00	A
3351-225	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 200-225mm/8-9"	1456.00	A
3351-225WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 200-225mm/8-9"	1518.00	A
3351-250	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 225-250mm/9-10"	1501.00	A
3351-250WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 225-250mm/9-10"	1566.00	A
3351-275	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 250-275mm/10-11"	1558.00	A
3351-275WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 250-275mm/10-11"	1622.00	A
3351-300	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (with data interface), 275-300mm/11-12"	1605.00	A
3351-300WL	HIGH PRECISION DIGITAL MICROMETERS/SNAP GAGE (built-in wireless), 275-300mm/11-12"	1669.00	A
3352-25A	HIGH PRECISION DIGITAL BLADE MICROMETERS/SNAP GAGE (with data interface), 0-25mm/0-1", .0002mm/.00001"	1199.00	A
3352-25AWL	HIGH PRECISION DIGITAL BLADE MICROMETERS/SNAP GAGE (built-in wireless), 0-25mm/0-1", .0002mm/.00001"	1260.00	A
3352-50A	HIGH PRECISION DIGITAL BLADE MICROMETERS/SNAP GAGE (with data interface), 25-50mm/1-2", .0002mm/.00001"	1305.00	A
3352-50AWL	HIGH PRECISION DIGITAL BLADE MICROMETERS/SNAP GAGE (built-in wireless), 25-50mm/1-2", .0002mm/.00001"	1366.00	A
3352-75A	HIGH PRECISION DIGITAL BLADE MICROMETERS/SNAP GAGE (with data interface), 50-75mm/2-3", .0002mm/.00001"	1364.00	A
3352-75AWL	HIGH PRECISION DIGITAL BLADE MICROMETERS/SNAP GAGE (built-in wireless), 50-75mm/2-3", .0002mm/.00001"	1425.00	A
3400-1	OUTSIDE MICROMETER WITH COUNTER, 0-1"	81.50	A
3400-2	OUTSIDE MICROMETER WITH COUNTER, 1-2"	91.50	A
3400-3	OUTSIDE MICROMETER WITH COUNTER, 2-3"	103.00	A
3400-4	OUTSIDE MICROMETER WITH COUNTER, 3-4"	114.00	A
3506-1000E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 36-40"/900-1000mm	1597.00	A
3506-100E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-4"/0-100mm	556.00	A
3506-150E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-6"/0-150mm	620.00	A

3506-300E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 6-12"/150-300mm	715.00	A
3506-301E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 8-12"/200-300mm	682.00	A
3506-400E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 12-16"/300-400mm	856.00	A
3506-500E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 16-20"/400-500mm	936.00	A
3506-600E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 20-24"/500-600mm	1070.00	A
3506-700E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 24-28"/600-700mm	1123.00	A
3506-800E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 28-32"/700-800mm	1279.00	A
3506-900E	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 32-36"/800-900mm	1457.00	A
3520-100E	DIGITAL INSIDE MICROMETER, 3-4"/75-100mm	505.00	A
3520-30E	DIGITAL INSIDE MICROMETER, .2-1.2"/5-30mm	494.00	A
3520-50E	DIGITAL INSIDE MICROMETER, 1-2"/25-50mm	441.00	A
3520-75E	DIGITAL INSIDE MICROMETER, 2-3"/50-75mm	486.00	A
3521-7	DIGITAL TUBULAR INSIDE MICROMETERS, 6-7"	579.00	A
3521-40	DIGITAL TUBULAR INSIDE MICROMETERS, 6-40"	1241.00	A
3521-60	DIGITAL TUBULAR INSIDE MICROMETERS, 6-60"	1801.00	A
3521-80	DIGITAL TUBULAR INSIDE MICROMETERS, 6-80"	2121.00	A
3530-25BE	DIGITAL POINT MICROMETER, 0-1"/0-25mm, type B	482.00	A
3530-25E	DIGITAL POINT MICROMETER, 0-1"/0-25mm, type A	481.00	A
3530-50BE	DIGITAL POINT MICROMETER, 1-2"/25-50mm, type B	522.00	A
3532-100E	DIGITAL BLADE MICROMETER, 3-4"/75-100mm	727.00	A
3532-25BE	DIGITAL BLADE MICROMETER, 0-1"/0-25mm, type B	592.00	A
3532-25E	DIGITAL BLADE MICROMETER, 0-1"/0-25mm	583.00	A
3532-50E	DIGITAL BLADE MICROMETER, 1-2"/25-50mm	619.00	A
3532-75E	DIGITAL BLADE MICROMETER, 2-3"/50-75mm	657.00	A
3532-150A	ELECTRONIC BLADE MICROMETER, 125-150mm/5-6", 0.001mm/.00005", type A	706.00	A
3532-175A	ELECTRONIC BLADE MICROMETER, 150-175mm/6-7", 0.001mm/.00005", type A	744.00	A
3532-175BA	ELECTRONIC BLADE MICROMETER, 150-175mm/6-7", 0.001mm/.00005", type B	823.00	A
3533-25BE	DIGITAL SPLINE MICROMETER, 0-1"/0-25mm, type B	498.00	A
3533-25E	DIGITAL SPLINE MICROMETER, 0-1"/0-25mm, type A	498.00	A
3533-50BE	DIGITAL SPLINE MICROMETER, 1-2"/25-50mm, type B	536.00	A
3534-25AE	DIGITAL LARGE ANVIL MICROMETER, 0-1"/0-25mm	574.00	A
3534-50AE	DIGITAL LARGE ANVIL MICROMETER, 1-2"/25-50mm	656.00	A
3539-253SE	DIGITAL SHEET METAL MICROMETER, 0-1"/0-25mm	590.00	A
3540-150E	DIGITAL DEPTH MICROMETER, IP65, 0-6"/0-150mm	603.00	A
3540-300E	DIGITAL DEPTH MICROMETER, IP65, 0-12"/0-300mm	755.00	A
3540-50E	DIGITAL DEPTH MICROMETER, IP65, 0-2"/0-50mm	470.00	A
3560-25E	DIGITAL SPHERICAL ANVIL TUBE MICROMETER, 0-1"/0-25mm, type A	435.00	A
3560-25SE	DIGITAL SPHERICAL ANVIL TUBE MICROMETER, 0-1"/0-25mm, type B	523.00	A
3560-50E	DIGITAL SPHERICAL ANVIL TUBE MICROMETER, 1-2"/25-50mm, type A	485.00	A
3560-50SE	DIGITAL SPHERICAL ANVIL TUBE MICROMETER, 1-2"/25-50mm, type B	575.00	A
3561-25DE	DIGITAL CYLINDRICAL ANVIL TUBE MICROMETER, 0-1"/0-25mm, type D	529.00	A
3561-25E	DIGITAL CYLINDRICAL ANVIL TUBE MICROMETER, 0-1"/0-25mm, type A	502.00	A
3562-25E	DIGITAL INTERCHANGEABLE ANVIL MICROMETER, 0-1"/0-25mm	530.00	A
3562-50E	DIGITAL INTERCHANGEABLE ANVIL MICROMETER, 1-2"/25-50mm	587.00	A
3565-25AE	DIGITAL VERTICAL MICROMETER, 0-1"/0-25mm	409.00	A
3565-50AE	DIGITAL VERTICAL MICROMETER, 1-2"/25-50mm	478.00	A
3565-25BAE	DIGITAL VERTICAL MICROMETER, 0-1"/0-25mm	409.00	A
3565-50BAE	DIGITAL VERTICAL MICROMETER, 1-2"/25-50mm	478.00	A
3566-25BE	DIGITAL CRIMP HEIGHT MICROMETER, 0-1"/0-25mm	499.00	A
3566-100CA	ELECTRONIC CRIMP HEIGHT MICROMETER, 75-100mm/3-4",	639.00	A
3566-25CA	ELECTRONIC CRIMP HEIGHT MICROMETER, 0-25mm/0-1", 0.001mm/.00005"	477.00	A
3566-25DA	ELECTRONIC CRIMP HEIGHT MICROMETER, 0-25mm/0-1", 0.001mm/.00005"	477.00	A
3566-50CA	ELECTRONIC CRIMP HEIGHT MICROMETER, 25-50mm/1-2", 0.001mm/.00005"	559.00	A
3566-75CA	ELECTRONIC CRIMP HEIGHT MICROMETER, 50-75mm/2-3", 0.001mm/.00005"	600.00	A
3580-25E	DIGITAL UNIVERSAL MICROMETER, 0-1"/0-25mm	794.00	A
3580-50E	DIGITAL UNIVERSAL MICROMETER, 1-2"/25-50mm	826.00	A
3581-100E	DIGITAL SCREW THREAD MICROMETER, 3-4"/75-100mm	530.00	A
3581-25E	DIGITAL SCREW THREAD MICROMETER, 0-1"/0-25mm	406.00	A
3581-50E	DIGITAL SCREW THREAD MICROMETER, 1-2"/25-50mm	444.00	A
3581-75E	DIGITAL SCREW THREAD MICROMETER, 2-3"/50-75mm	486.00	A
3583-25AE	DIGITAL JAW TYPE MICROMETERS, 0-1"/0-25mm	473.00	A
3583-50AE	DIGITAL JAW TYPE MICROMETERS, 1-2"/25-50mm	499.00	A
3583-75AE	DIGITAL JAW TYPE MICROMETERS, 2-3"/50-75mm	531.00	A
3583-100AE	DIGITAL JAW TYPE MICROMETERS, 3-4"/75-100mm	596.00	A
3583-125AE	DIGITAL JAW TYPE MICROMETERS, 4-5"/100-125mm	660.00	A

3583-150AE	DIGITAL JAW TYPE MICROMETERS, 5-6"/125-150mm	732.00	A
3583-175AE	DIGITAL JAW TYPE MICROMETERS, 6-7"/150-175mm	800.00	A
3583-200AE	DIGITAL JAW TYPE MICROMETERS, 7-8"/175-200mm	863.00	A
3588-33E	DIGITAL DISK BRAKE MICROMETER, .3-1.3"/7.6-33mm	462.00	A
3588-50E	DIGITAL DISK BRAKE MICROMETER, 1-2"/25-50mm	482.00	A
3590-1055E	DIGITAL V-ANVIL MICROMETER, 3.4-4.2"/85-105mm, 5 flutes	1019.00	A
3590-153E	DIGITAL V-ANVIL MICROMETER, .04-.6"/1-15mm, 3 flutes	694.00	A
3590-203E	DIGITAL V-ANVIL MICROMETER, .2-.8"/5-20mm, 3 flutes	709.00	A
3590-255E	DIGITAL V-ANVIL MICROMETER, .2-1.0"/5-25mm, 5 flutes	679.00	A
3590-257E	DIGITAL V-ANVIL MICROMETER, .2-1"/5-25mm, 7 flutes	700.00	A
3590-353E	DIGITAL V-ANVIL MICROMETER, .8-1.4"/20-35mm, 3 flutes	780.00	A
3590-455E	DIGITAL V-ANVIL MICROMETER, .10-1.8"/25-45mm, 5 flutes	783.00	A
3590-457E	DIGITAL V-ANVIL MICROMETER, 1"-1.8"/25-45mm, 7 flutes	797.00	A
3590-503E	DIGITAL V-ANVIL MICROMETER, 1.4-2"/35-50mm, 3 flutes	887.00	A
3590-653E	DIGITAL V-ANVIL MICROMETER, 1.4-2"/35-50mm, 3 flutes	842.00	A
3590-655E	DIGITAL V-ANVIL MICROMETER, .18-2.6"/45-65mm, 5 flutes	847.00	A
3590-657E	DIGITAL V-ANVIL MICROMETER, 1.8-2.6"/45-65mm, 7 flutes	864.00	A
3590-803E	DIGITAL V-ANVIL MICROMETER, 2.6-3.2"/65-80mm, 3 flutes	895.00	A
3590-855E	DIGITAL V-ANVIL MICROMETER, 2.6-3.4"/65-85mm, 5 flutes	923.00	A
3590-857E	DIGITAL V-ANVIL MICROMETER, 2.6-3.4"/65-85mm, 7 flutes	945.00	A
3590-953E	DIGITAL V-ANVIL MICROMETER, 3.2-3.6"/80-95mm, 3 flutes	963.00	A
3594-1	DIGITAL NON-ROTATING SPINDLE DISK MICROMETER, 0-1"/0-25mm	531.00	A
3594-2	DIGITAL NON-ROTATING SPINDLE DISK MICROMETER, 1-2"/25-50mm	580.00	A
3594-3	DIGITAL NON-ROTATING SPINDLE DISK MICROMETER, 2-3"/50-75mm	635.00	A
3594-4	DIGITAL NON-ROTATING SPINDLE DISK MICROMETER, 3-4"/75-100mm	699.00	A
4001-12E	CYLINDER GAGE BLOCK, 12"	1121.00	A
4001-16E	CYLINDER GAGE BLOCK, 16"	1553.00	A
4001-1E	CYLINDER GAGE BLOCK, 1"	119.00	A
4001-20E	CYLINDER GAGE BLOCK, 20"	2205.00	A
4001-2E	CYLINDER GAGE BLOCK, 2"	161.00	A
4001-3E	CYLINDER GAGE BLOCK, 3"	206.00	A
4001-4E	CYLINDER GAGE BLOCK, 4"	341.00	A
4001-8E	CYLINDER GAGE BLOCK, 8"	594.00	A
4001-A	INTERNAL BLOCKS FOR CYLINDER GAGE BLOCK	501.00	A
4001-B	BASE FOR CYLINDER GAGE BLOCK, supplied in pair	337.00	A
4002-13	ANGLE GAGE BLOCK, 13pcs/set	5402.00	A
4002-15	ANGLE GAGE BLOCK, 15pcs/set	6069.00	A
4002-A1	ANGLE GAGE BLOCK, 1°	448.00	A
4002-A15	ANGLE GAGE BLOCK, 15°	448.00	A
4002-A27	ANGLE GAGE BLOCK, 27°	448.00	A
4002-A3	ANGLE GAGE BLOCK, 3°	448.00	A
4002-A30	ANGLE GAGE BLOCK, 30°	448.00	A
4002-A41	ANGLE GAGE BLOCK, 41°	448.00	A
4002-A45	ANGLE GAGE BLOCK, 45°	448.00	A
4002-A5	ANGLE GAGE BLOCK, 5°	448.00	A
4002-A9	ANGLE GAGE BLOCK, 9°	448.00	A
4002-B1	ANGLE GAGE BLOCK, 1'	448.00	A
4002-B20	ANGLE GAGE BLOCK, 20'	448.00	A
4002-B27	ANGLE GAGE BLOCK, 27'	448.00	A
4002-B3	ANGLE GAGE BLOCK, 3'	448.00	A
4002-B30	ANGLE GAGE BLOCK, 30'	448.00	A
4002-B5	ANGLE GAGE BLOCK, 5'	448.00	A
4002-B9	ANGLE GAGE BLOCK, 9'	448.00	A
4002-C12	ANGLE GAGE BLOCK, 12"	448.00	A
4002-C18	ANGLE GAGE BLOCK, 18"	448.00	A
4002-C30	ANGLE GAGE BLOCK, 30"	448.00	A
4002-C6	ANGLE GAGE BLOCK, 6"	448.00	A
4002-D	ANGLE GAGE BLOCK, 90°/90°/90°/90°	448.00	A
4003-10	ANGLE PLATE SET, 10pcs/set	263.00	A
4003-12	ANGLE PLATE SET, 12pcs/set	308.00	A
4004-9	UNIVERSAL ANGLE PLATE SET, 9pcs/set	394.00	A
4005-136	CERAMIC GAGE BLOCK SET, 36pcs, grade AS-1	2589.00	B
4005-181	CERAMIC GAGE BLOCK SET, 81pcs, grade AS-1	3861.00	B
4005-36	CERAMIC GAGE BLOCK SET, 36pcs, grade 0	3045.00	B
4005-81	CERAMIC GAGE BLOCK SET, 81pcs, grade 0	4541.00	B
4006-10	ANGLE PLATE SET, 10PCS	144.00	A
4006-12	ANGLE PLATE SET, 12PCS	171.00	A
4102-136	STEEL GAGE BLOCK SET, 36pcs, grade AS-1	451.00	A
4102-181	STEEL GAGE BLOCK SET, 81pcs, grade AS-1	752.00	A
4102-236	STEEL GAGE BLOCK SET, 36pcs, grade AS-2	340.00	A
4102-281	STEEL GAGE BLOCK SET, 81pcs, grade AS-2	529.00	A
4102-36	STEEL GAGE BLOCK SET, 36pcs, grade 0	608.00	A
4102-81	STEEL GAGE BLOCK SET, 81pcs, grade 0	1056.00	A

4107-E10	MICROMETER INSPECTION GAGE BLOCK SET, .105", .210", .315 .420 .500 .605 .710 .815", .920", .1.000"	638.00	A
4112-A1	INDIVIDUAL STEEL GAGE BLOCK, 1", grade 0	42.30	A
4112-A10	INDIVIDUAL STEEL GAGE BLOCK, 10", grade 0	585.00	A
4112-A12	INDIVIDUAL STEEL GAGE BLOCK, 12", grade 0	704.00	A
4112-A16	INDIVIDUAL STEEL GAGE BLOCK, 16", grade 0	935.00	A
4112-A2	INDIVIDUAL STEEL GAGE BLOCK, 2", grade 0	75.20	A
4112-A20	INDIVIDUAL STEEL GAGE BLOCK, 20", grade 0	1168.00	A
4112-A3	INDIVIDUAL STEEL GAGE BLOCK, 3", grade 0	87.90	A
4112-A4	INDIVIDUAL STEEL GAGE BLOCK, 4", grade 0	108.00	A
4112-A5	INDIVIDUAL STEEL GAGE BLOCK, 5", grade 0	288.00	A
4112-A6	INDIVIDUAL STEEL GAGE BLOCK, 6", grade 0	395.00	A
4112-A7	INDIVIDUAL STEEL GAGE BLOCK, 7", grade 0	441.00	A
4112-A8	INDIVIDUAL STEEL GAGE BLOCK, 8", grade 0	513.00	A
4112-AD1	INDIVIDUAL STEEL GAGE BLOCK, .1", grade 0	38.00	A
4112-AD1001	INDIVIDUAL STEEL GAGE BLOCK, .1001", grade 0	38.00	A
4112-AD1002	INDIVIDUAL STEEL GAGE BLOCK, .1002", grade 0	38.00	A
4112-AD1003	INDIVIDUAL STEEL GAGE BLOCK, .1003", grade 0	38.00	A
4112-AD1004	INDIVIDUAL STEEL GAGE BLOCK, .1004", grade 0	38.00	A
4112-AD1005	INDIVIDUAL STEEL GAGE BLOCK, .1005", grade 0	38.00	A
4112-AD1006	INDIVIDUAL STEEL GAGE BLOCK, .1006", grade 0	38.00	A
4112-AD1007	INDIVIDUAL STEEL GAGE BLOCK, .1007", grade 0	38.00	A
4112-AD1008	INDIVIDUAL STEEL GAGE BLOCK, .1008", grade 0	38.00	A
4112-AD1009	INDIVIDUAL STEEL GAGE BLOCK, .1009", grade 0	38.00	A
4112-AD101	INDIVIDUAL STEEL GAGE BLOCK, .101", grade 0	38.00	A
4112-AD102	INDIVIDUAL STEEL GAGE BLOCK, .102", grade 0	38.00	A
4112-AD103	INDIVIDUAL STEEL GAGE BLOCK, .103", grade 0	38.00	A
4112-AD104	INDIVIDUAL STEEL GAGE BLOCK, .104", grade 0	38.00	A
4112-AD105	INDIVIDUAL STEEL GAGE BLOCK, .105", grade 0	38.00	A
4112-AD106	INDIVIDUAL STEEL GAGE BLOCK, .106", grade 0	38.00	A
4112-AD107	INDIVIDUAL STEEL GAGE BLOCK, .107", grade 0	38.00	A
4112-AD108	INDIVIDUAL STEEL GAGE BLOCK, .108", grade 0	38.00	A
4112-AD109	INDIVIDUAL STEEL GAGE BLOCK, .109", grade 0	38.00	A
4112-AD11	INDIVIDUAL STEEL GAGE BLOCK, .11", grade 0	38.00	A
4112-AD111	INDIVIDUAL STEEL GAGE BLOCK, .111", grade 0	38.00	A
4112-AD112	INDIVIDUAL STEEL GAGE BLOCK, .112", grade 0	38.00	A
4112-AD113	INDIVIDUAL STEEL GAGE BLOCK, .113", grade 0	38.00	A
4112-AD114	INDIVIDUAL STEEL GAGE BLOCK, .114", grade 0	38.00	A
4112-AD115	INDIVIDUAL STEEL GAGE BLOCK, .115", grade 0	38.00	A
4112-AD116	INDIVIDUAL STEEL GAGE BLOCK, .116", grade 0	38.00	A
4112-AD117	INDIVIDUAL STEEL GAGE BLOCK, .117", grade 0	38.00	A
4112-AD118	INDIVIDUAL STEEL GAGE BLOCK, .118", grade 0	38.00	A
4112-AD119	INDIVIDUAL STEEL GAGE BLOCK, .119", grade 0	38.00	A
4112-AD12	INDIVIDUAL STEEL GAGE BLOCK, .12", grade 0	38.00	A
4112-AD121	INDIVIDUAL STEEL GAGE BLOCK, .121", grade 0	38.00	A
4112-AD122	INDIVIDUAL STEEL GAGE BLOCK, .122", grade 0	38.00	A
4112-AD123	INDIVIDUAL STEEL GAGE BLOCK, .123", grade 0	38.00	A
4112-AD124	INDIVIDUAL STEEL GAGE BLOCK, .124", grade 0	38.00	A
4112-AD125	INDIVIDUAL STEEL GAGE BLOCK, .125", grade 0	38.00	A
4112-AD126	INDIVIDUAL STEEL GAGE BLOCK, .126", grade 0	38.00	A
4112-AD127	INDIVIDUAL STEEL GAGE BLOCK, .127", grade 0	38.00	A
4112-AD128	INDIVIDUAL STEEL GAGE BLOCK, .128", grade 0	38.00	A
4112-AD129	INDIVIDUAL STEEL GAGE BLOCK, .129", grade 0	38.00	A
4112-AD13	INDIVIDUAL STEEL GAGE BLOCK, .13", grade 0	38.00	A
4112-AD131	INDIVIDUAL STEEL GAGE BLOCK, .131", grade 0	38.00	A
4112-AD132	INDIVIDUAL STEEL GAGE BLOCK, .132", grade 0	38.00	A
4112-AD133	INDIVIDUAL STEEL GAGE BLOCK, .133", grade 0	38.00	A
4112-AD134	INDIVIDUAL STEEL GAGE BLOCK, .134", grade 0	38.00	A
4112-AD135	INDIVIDUAL STEEL GAGE BLOCK, .135", grade 0	38.00	A
4112-AD136	INDIVIDUAL STEEL GAGE BLOCK, .136", grade 0	38.00	A
4112-AD137	INDIVIDUAL STEEL GAGE BLOCK, .137", grade 0	38.00	A
4112-AD138	INDIVIDUAL STEEL GAGE BLOCK, .138", grade 0	38.00	A
4112-AD139	INDIVIDUAL STEEL GAGE BLOCK, .139", grade 0	38.00	A
4112-AD14	INDIVIDUAL STEEL GAGE BLOCK, .14", grade 0	38.00	A
4112-AD141	INDIVIDUAL STEEL GAGE BLOCK, .141", grade 0	38.00	A
4112-AD142	INDIVIDUAL STEEL GAGE BLOCK, .142", grade 0	38.00	A
4112-AD143	INDIVIDUAL STEEL GAGE BLOCK, .143", grade 0	38.00	A
4112-AD144	INDIVIDUAL STEEL GAGE BLOCK, .144", grade 0	38.00	A
4112-AD145	INDIVIDUAL STEEL GAGE BLOCK, .145", grade 0	38.00	A
4112-AD146	INDIVIDUAL STEEL GAGE BLOCK, .146", grade 0	38.00	A
4112-AD147	INDIVIDUAL STEEL GAGE BLOCK, .147", grade 0	38.00	A
4112-AD148	INDIVIDUAL STEEL GAGE BLOCK, .148", grade 0	38.00	A
4112-AD149	INDIVIDUAL STEEL GAGE BLOCK, .149", grade 0	38.00	A

4112-CD12	INDIVIDUAL STEEL GAGE BLOCK, .12", grade AS-2	22.30	A
4112-CD121	INDIVIDUAL STEEL GAGE BLOCK, .121", grade AS-2	22.30	A
4112-CD122	INDIVIDUAL STEEL GAGE BLOCK, .122", grade AS-2	22.30	A
4112-CD123	INDIVIDUAL STEEL GAGE BLOCK, .123", grade AS-2	22.30	A
4112-CD124	INDIVIDUAL STEEL GAGE BLOCK, .124", grade AS-2	22.30	A
4112-CD125	INDIVIDUAL STEEL GAGE BLOCK, .125", grade AS-2	22.30	A
4112-CD126	INDIVIDUAL STEEL GAGE BLOCK, .126", grade AS-2	22.30	A
4112-CD127	INDIVIDUAL STEEL GAGE BLOCK, .127", grade AS-2	22.30	A
4112-CD128	INDIVIDUAL STEEL GAGE BLOCK, .128", grade AS-2	22.30	A
4112-CD129	INDIVIDUAL STEEL GAGE BLOCK, .129", grade AS-2	22.30	A
4112-CD13	INDIVIDUAL STEEL GAGE BLOCK, .13", grade AS-2	22.30	A
4112-CD131	INDIVIDUAL STEEL GAGE BLOCK, .131", grade AS-2	22.30	A
4112-CD132	INDIVIDUAL STEEL GAGE BLOCK, .132", grade AS-2	22.30	A
4112-CD133	INDIVIDUAL STEEL GAGE BLOCK, .133", grade AS-2	22.30	A
4112-CD134	INDIVIDUAL STEEL GAGE BLOCK, .134", grade AS-2	22.30	A
4112-CD135	INDIVIDUAL STEEL GAGE BLOCK, .135", grade AS-2	22.30	A
4112-CD136	INDIVIDUAL STEEL GAGE BLOCK, .136", grade AS-2	22.30	A
4112-CD137	INDIVIDUAL STEEL GAGE BLOCK, .137", grade AS-2	22.30	A
4112-CD138	INDIVIDUAL STEEL GAGE BLOCK, .138", grade AS-2	22.30	A
4112-CD139	INDIVIDUAL STEEL GAGE BLOCK, .139", grade AS-2	22.30	A
4112-CD14	INDIVIDUAL STEEL GAGE BLOCK, .14", grade AS-2	22.30	A
4112-CD141	INDIVIDUAL STEEL GAGE BLOCK, .141", grade AS-2	22.30	A
4112-CD142	INDIVIDUAL STEEL GAGE BLOCK, .142", grade AS-2	22.30	A
4112-CD143	INDIVIDUAL STEEL GAGE BLOCK, .143", grade AS-2	22.30	A
4112-CD144	INDIVIDUAL STEEL GAGE BLOCK, .144", grade AS-2	22.30	A
4112-CD145	INDIVIDUAL STEEL GAGE BLOCK, .145", grade AS-2	22.30	A
4112-CD146	INDIVIDUAL STEEL GAGE BLOCK, .146", grade AS-2	22.30	A
4112-CD147	INDIVIDUAL STEEL GAGE BLOCK, .147", grade AS-2	22.30	A
4112-CD148	INDIVIDUAL STEEL GAGE BLOCK, .148", grade AS-2	22.30	A
4112-CD149	INDIVIDUAL STEEL GAGE BLOCK, .149", grade AS-2	22.30	A
4112-CD15	INDIVIDUAL STEEL GAGE BLOCK, .15", grade AS-2	22.30	A
4112-CD2	INDIVIDUAL STEEL GAGE BLOCK, .2", grade AS-2	22.30	A
4112-CD25	INDIVIDUAL STEEL GAGE BLOCK, .25", grade AS-2	22.30	A
4112-CD3	INDIVIDUAL STEEL GAGE BLOCK, .3", grade AS-2	22.30	A
4112-CD35	INDIVIDUAL STEEL GAGE BLOCK, .35", grade AS-2	22.30	A
4112-CD4	INDIVIDUAL STEEL GAGE BLOCK, .4", grade AS-2	28.10	A
4112-CD45	INDIVIDUAL STEEL GAGE BLOCK, .45", grade AS-2	28.10	A
4112-CD5	INDIVIDUAL STEEL GAGE BLOCK, .5", grade AS-2	28.10	A
4112-CD55	INDIVIDUAL STEEL GAGE BLOCK, .55", grade AS-2	28.10	A
4112-CD6	INDIVIDUAL STEEL GAGE BLOCK, .6", grade AS-2	28.10	A
4112-CD65	INDIVIDUAL STEEL GAGE BLOCK, .65", grade AS-2	28.10	A
4112-CD7	INDIVIDUAL STEEL GAGE BLOCK, .7", grade AS-2	28.10	A
4112-CD75	INDIVIDUAL STEEL GAGE BLOCK, .75", grade AS-2	28.10	A
4112-CD8	INDIVIDUAL STEEL GAGE BLOCK, .8", grade AS-2	28.10	A
4112-CD85	INDIVIDUAL STEEL GAGE BLOCK, .85", grade AS-2	28.10	A
4112-CD9	INDIVIDUAL STEEL GAGE BLOCK, .9", grade AS-2	28.10	A
4112-CD95	INDIVIDUAL STEEL GAGE BLOCK, .95", grade AS-2	28.10	A
4120-10	METRIC THREAD RING GAGE, GO, M10x1.5	69.20	A
4120-10N	METRIC THREAD RING GAGE, NO GO, M10x1.5	57.60	A
4120-11	METRIC THREAD RING GAGE, GO, M11x1.5	69.80	A
4120-11N	METRIC THREAD RING GAGE, NO GO, M11x1.5	58.20	A
4120-12	METRIC THREAD RING GAGE, GO, M12x1.75	60.50	A
4120-12N	METRIC THREAD RING GAGE, NO GO, M12x1.75	52.00	A
4120-14	METRIC THREAD RING GAGE, GO, M14x2	67.90	A
4120-14N	METRIC THREAD RING GAGE, NO GO, M14x2	56.40	A
4120-16	METRIC THREAD RING GAGE, GO, M16x2	67.90	A
4120-16N	METRIC THREAD RING GAGE, NO GO, M16x2	56.40	A
4120-18	METRIC THREAD RING GAGE, GO, M18x2.5	76.40	A
4120-18N	METRIC THREAD RING GAGE, NO GO, M18x2.5	62.30	A
4120-2	METRIC THREAD RING GAGE, GO, M2x0.4	78.90	A
4120-20	METRIC THREAD RING GAGE, GO, M20x2.5	77.70	A
4120-20N	METRIC THREAD RING GAGE, NO GO, M20x2.5	64.00	A
4120-22	METRIC THREAD RING GAGE, GO, M22x2.5	77.70	A
4120-22N	METRIC THREAD RING GAGE, NO GO, M22x2.5	64.10	A
4120-24	METRIC THREAD RING GAGE, GO, M24x3	99.90	A
4120-24N	METRIC THREAD RING GAGE, NO GO, M24x3	69.40	A
4120-27	METRIC THREAD RING GAGE, GO, M27x3	98.60	A
4120-27N	METRIC THREAD RING GAGE, NO GO, M27x3	69.40	A
4120-2D2	METRIC THREAD RING GAGE, GO, M2.2x0.45	73.40	A
4120-2D2N	METRIC THREAD RING GAGE, NO GO, M2.2x0.45	66.40	A
4120-2D5	METRIC THREAD RING GAGE, GO, M2.5x0.45	69.00	A
4120-2D5N	METRIC THREAD RING GAGE, NO GO, M2.5x0.45	69.00	A
4120-2N	METRIC THREAD RING GAGE, NO GO, M2x0.4	78.90	A

4120-3	METRIC THREAD RING GAGE, GO, M3x0.5	66.40	A
4120-30	METRIC THREAD RING GAGE, GO, M30x3.5	136.00	A
4120-30N	METRIC THREAD RING GAGE, NO GO, M30x3.5	85.00	A
4120-33	METRIC THREAD RING GAGE, GO, M33x3.5	148.00	A
4120-33N	METRIC THREAD RING GAGE, NO GO, M33x3.5	95.10	A
4120-36	METRIC THREAD RING GAGE, GO, M36x4	164.00	A
4120-36N	METRIC THREAD RING GAGE, NO GO, M36x4	130.00	A
4120-39	METRIC THREAD RING GAGE, GO, M39x4	163.00	A
4120-39N	METRIC THREAD RING GAGE, NO GO, M39x4	130.00	A
4120-3D5	METRIC THREAD RING GAGE, GO, M3.5x0.6	66.40	A
4120-3D5N	METRIC THREAD RING GAGE, NO GO, M3.5x0.6	64.40	A
4120-3N	METRIC THREAD RING GAGE, NO GO, M3x0.5	66.40	A
4120-4	METRIC THREAD RING GAGE, GO, M4x0.7	66.40	A
4120-42	METRIC THREAD RING GAGE, GO, M42x4.5	232.00	A
4120-42N	METRIC THREAD RING GAGE, NO GO, M42x4.5	174.00	A
4120-45	METRIC THREAD RING GAGE, GO, M45x4.5	232.00	A
4120-45N	METRIC THREAD RING GAGE, NO GO, M45x4.5	174.00	A
4120-48	METRIC THREAD RING GAGE, GO, M48x5	265.00	A
4120-48N	METRIC THREAD RING GAGE, NO GO, M48x5	205.00	A
4120-4N	METRIC THREAD RING GAGE, NO GO, M4x0.7	64.40	A
4120-5	METRIC THREAD RING GAGE, GO, M5x0.8	66.40	A
4120-52	METRIC THREAD RING GAGE, GO, M52x5	291.00	A
4120-52N	METRIC THREAD RING GAGE, NO GO, M52x5	226.00	A
4120-56	METRIC THREAD RING GAGE, GO, M56x5.5	319.00	A
4120-56N	METRIC THREAD RING GAGE, NO GO, M56x5.5	254.00	A
4120-5N	METRIC THREAD RING GAGE, NO GO, M5x0.8	64.40	A
4120-6	METRIC THREAD RING GAGE, GO, M6x1	59.20	A
4120-60	METRIC THREAD RING GAGE, GO, M60x5.5	356.00	A
4120-60N	METRIC THREAD RING GAGE, NO GO, M60x5.5	287.00	A
4120-6N	METRIC THREAD RING GAGE, NO GO, M6x1	53.10	A
4120-7	METRIC THREAD RING GAGE, GO, M7x1	59.20	A
4120-7N	METRIC THREAD RING GAGE, NO GO, M7x1	53.40	A
4120-8	METRIC THREAD RING GAGE, GO, M8x1.25	59.20	A
4120-8N	METRIC THREAD RING GAGE, NO GO, M8x1.25	59.20	A
4120-9	METRIC THREAD RING GAGE, GO, M9x1.25	59.20	A
4120-9N	METRIC THREAD RING GAGE, NO GO, M9x1.25	59.20	A
4121-102	AMERICAN STANDARD THREAD RING GAGE, GO, 10-32UNF	92.90	A
4121-102N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 10-32UNF	67.50	A
4121-1A1	AMERICAN STANDARD THREAD RING GAGE, GO, 1/2-13UNC	102.00	A
4121-1A1N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 1/2-13UNC	72.00	A
4121-1A2	AMERICAN STANDARD THREAD RING GAGE, GO, 1/2-20UNF	94.90	A
4121-1A2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 1/2-20UNF	69.40	A
4121-1B1	AMERICAN STANDARD THREAD RING GAGE, GO, 1/4-20UNC	93.30	A
4121-1B1N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 1/4-20UNC	68.10	A
4121-1B2	AMERICAN STANDARD THREAD RING GAGE, GO, 1/4-28UNF	102.00	A
4121-1B2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 1/4-28UNF	71.80	A
4121-3B1	AMERICAN STANDARD THREAD RING GAGE, GO, 3/4-10UNC	141.00	A
4121-3B1N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 3/4-10UNC	96.30	A
4121-3B2	AMERICAN STANDARD THREAD RING GAGE, GO, 3/4-16UNF	141.00	A
4121-3B2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 3/4-16UNF	96.30	A
4121-3C1	AMERICAN STANDARD THREAD RING GAGE, GO, 3/8-16UNC	84.40	A
4121-3C1N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 3/8-16UNC	61.60	A
4121-3C2	AMERICAN STANDARD THREAD RING GAGE, GO, 3/8-24UNF	94.60	A
4121-3C2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 3/8-24UNF	78.00	A
4121-41	AMERICAN STANDARD THREAD RING GAGE, GO, 4-40UNC	104.00	A
4121-41N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 4-40UNC	72.60	A
4121-5C1	AMERICAN STANDARD THREAD RING GAGE, GO, 5/8-11UNC	138.00	A
4121-5C1N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 5/8-11UNC	94.90	A
4121-5C2	AMERICAN STANDARD THREAD RING GAGE, GO, 5/8-18UNF	102.00	A
4121-5C2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 5/8-18UNF	72.00	A
4121-5D1	AMERICAN STANDARD THREAD RING GAGE, GO, 5/16-18UNC	84.40	A
4121-5D1N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 5/16-18UNC	63.40	A
4121-5D2	AMERICAN STANDARD THREAD RING GAGE, GO, 5/16-24UNF	84.40	A
4121-5D2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 5/16-24UNF	61.60	A
4121-61	AMERICAN STANDARD THREAD RING GAGE, GO, 6-32UNC	92.90	A
4121-61N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 6-32UNC	67.50	A
4121-7D2	AMERICAN STANDARD THREAD RING GAGE, GO, 7/16-20UNF	88.40	A
4121-7D2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 7/16-20UNF	63.60	A
4121-81	AMERICAN STANDARD THREAD RING GAGE, GO, 8-32UNC	92.90	A
4121-81N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 8-32UNC	67.50	A
4121-9D2	AMERICAN STANDARD THREAD RING GAGE, GO, 9/16-18UNF	94.90	A
4121-9D2N	AMERICAN STANDARD THREAD RING GAGE, NO GO, 9/16-18UNF	69.40	A
4130-10	METRIC THREAD PLUG GAGE, M10x1.5	51.20	A

4130-11	METRIC THREAD PLUG GAGE, M11x1.5	51.50	A
4130-12	METRIC THREAD PLUG GAGE, M12x1.75	58.70	A
4130-14	METRIC THREAD PLUG GAGE, M14x2	61.40	A
4130-16	METRIC THREAD PLUG GAGE, M16x2	61.80	A
4130-18	METRIC THREAD PLUG GAGE, M18x2.5	67.00	A
4130-2	METRIC THREAD PLUG GAGE, M2x0.4	59.80	A
4130-20	METRIC THREAD PLUG GAGE, M20x2.5	67.10	A
4130-22	METRIC THREAD PLUG GAGE, M22x2.5	68.70	A
4130-24	METRIC THREAD PLUG GAGE, M24x3	79.50	A
4130-27	METRIC THREAD PLUG GAGE, M27x3	79.50	A
4130-2D2	METRIC THREAD PLUG GAGE, M2.2x0.45	64.10	A
4130-2D5	METRIC THREAD PLUG GAGE, M2.5x0.45	58.90	A
4130-3	METRIC THREAD PLUG GAGE, M3x0.5	58.90	A
4130-30	METRIC THREAD PLUG GAGE, M30x3.5	91.90	A
4130-33	METRIC THREAD PLUG GAGE, M33x3.5	95.20	A
4130-36	METRIC THREAD PLUG GAGE, M36x4	128.00	A
4130-39	METRIC THREAD PLUG GAGE, M39x4	128.00	A
4130-3D5	METRIC THREAD PLUG GAGE, M3.5x0.6	63.10	A
4130-4	METRIC THREAD PLUG GAGE, M4x0.7	42.70	A
4130-42	METRIC THREAD PLUG GAGE, M42x4.5	171.00	A
4130-45	METRIC THREAD PLUG GAGE, M45x4.5	174.00	A
4130-48	METRIC THREAD PLUG GAGE, M48x5	185.00	A
4130-5	METRIC THREAD PLUG GAGE, M5x0.8	42.70	A
4130-52	METRIC THREAD PLUG GAGE, M52x5	190.00	A
4130-56	METRIC THREAD PLUG GAGE, M56x5.5	202.00	A
4130-6	METRIC THREAD PLUG GAGE, M6x1	42.70	A
4130-60	METRIC THREAD PLUG GAGE, M60x5.5	227.00	A
4130-7	METRIC THREAD PLUG GAGE, M7x1	42.70	A
4130-8	METRIC THREAD PLUG GAGE, M8x1.25	42.70	A
4130-9	METRIC THREAD PLUG GAGE, M9x1.25	42.70	A
4131-102	AMERICAN STANDARD THREAD PLUG GAGE, 10-32UNF	105.00	A
4131-1A1	AMERICAN STANDARD THREAD PLUG GAGE, 1/2-13UNC	113.00	A
4131-1A2	AMERICAN STANDARD THREAD PLUG GAGE, 1/2-20UNF	110.00	A
4131-1B1	AMERICAN STANDARD THREAD PLUG GAGE, 1/4-20UNC	94.50	A
4131-1B2	AMERICAN STANDARD THREAD PLUG GAGE, 1/4-28UNF	99.70	A
4131-3B1	AMERICAN STANDARD THREAD PLUG GAGE, 3/4-10UNC	153.00	A
4131-3B2	AMERICAN STANDARD THREAD PLUG GAGE, 3/4-16UNF	126.00	A
4131-3C1	AMERICAN STANDARD THREAD PLUG GAGE, 3/8-16UNC	105.00	A
4131-3C2	AMERICAN STANDARD THREAD PLUG GAGE, 3/8-24UNF	105.00	A
4131-41	AMERICAN STANDARD THREAD PLUG GAGE, 4-40UNC	105.00	A
4131-5C1	AMERICAN STANDARD THREAD PLUG GAGE, 5/8-11UNC	151.00	A
4131-5C2	AMERICAN STANDARD THREAD PLUG GAGE, 5/8-18UNF	114.00	A
4131-5D1	AMERICAN STANDARD THREAD PLUG GAGE, 5/16-18UNC	94.50	A
4131-5D2	AMERICAN STANDARD THREAD PLUG GAGE, 5/16-24UNF	94.50	A
4131-61	AMERICAN STANDARD THREAD PLUG GAGE, 6-32UNC	95.90	A
4131-7D2	AMERICAN STANDARD THREAD PLUG GAGE, 7/16-20UNF	104.00	A
4131-81	AMERICAN STANDARD THREAD PLUG GAGE, 8-32UNC	95.90	A
4131-9D2	AMERICAN STANDARD THREAD PLUG GAGE, 9/16-18UNF	110.00	A
4141-250	GRANITE SQUARE, 9.8x6.3"	536.00	A
4141-400	GRANITE SQUARE, 15.7x9.8"	754.00	A
4141-630	GRANITE SQUARE, 24.8x15.7"	1634.00	A
4142-200	GRANITE SQUARE WITH V GROOVE, 7.9x7.9x7.9"	3091.00	A
4144-315	GRANITE SQUARE, 12.4x12.4"	1422.00	A
4147-1000A	GRANITE STRAIGHT EDGE, length 40"	1520.00	A
4147-500A	GRANITE STRAIGHT EDGE, length 20"	749.00	A
4160-E09	MICROMETER INSPECTION GAGE BLOCK SET, .0625",.100",.125",.200",.250",.300",.500",1.00",2.00"	804.00	A
4162-111	PIN GAGE SET, 50pcs, .011~.060	58.40	A
4162-1161	PIN GAGE SET, 190pcs, .061~.250"	248.00	A
4162-1251	PIN GAGE SET, 250pcs, .251" ~.500"	369.00	A
4162-1501	PIN GAGE SET, 125pcs, .501~.625"	322.00	A
4162-1626	PIN GAGE SET, 125pcs, .626~.750"	365.00	A
4162-1751	PIN GAGE SET, 82pcs, .751~.832"	303.00	A
4162-1833	PIN GAGE SET, 84pcs, .833~.916"	362.00	A
4162-1917	PIN GAGE SET, 84pcs, .917~1.000"	376.00	A
4162-211	PIN GAGE SET, 50pcs, .011~.060	58.40	A
4162-2161	PIN GAGE SET, 190pcs, .061~.250"	238.00	A
4162-2251	PIN GAGE SET, 250pcs, .251" ~.500"	369.00	A
4162-2501	PIN GAGE SET, 125pcs, .501~.625"	322.00	A
4162-2626	PIN GAGE SET, 125pcs, .626~.750"	365.00	A
4162-2751	PIN GAGE SET, 82pcs, .751~.832"	303.00	A
4162-2833	PIN GAGE SET, 84pcs, .833~.916"	362.00	A
4162-2917	PIN GAGE SET, 84pcs, .917~1.000"	376.00	A

4168-S1E	STEEL STANDARD BALLS	424.00	A
4168-1E	STEEL STANDARD BALLS, 1/8"	11.30	A
4168-2E	STEEL STANDARD BALLS, 9/64"	11.40	A
4168-3E	STEEL STANDARD BALLS, 5/32"	12.90	A
4168-4E	STEEL STANDARD BALLS, 3/16"	13.00	A
4168-5E	STEEL STANDARD BALLS, 7/32"	13.10	A
4168-6E	STEEL STANDARD BALLS, 1/4"	13.20	A
4168-7E	STEEL STANDARD BALLS, 9/32"	14.50	A
4168-8E	STEEL STANDARD BALLS, 5/16"	14.60	A
4168-9E	STEEL STANDARD BALLS, 11/32"	15.30	A
4168-10E	STEEL STANDARD BALLS, 3/8"	15.40	A
4168-11E	STEEL STANDARD BALLS, 13/32"	18.30	A
4168-12E	STEEL STANDARD BALLS, 7/16"	18.70	A
4168-13E	STEEL STANDARD BALLS, 15/32"	18.80	A
4168-14E	STEEL STANDARD BALLS, 1/2"	21.80	A
4168-15E	STEEL STANDARD BALLS, 17/32"	21.90	A
4168-16E	STEEL STANDARD BALLS, 9/16"	21.90	A
4168-17E	STEEL STANDARD BALLS, 19/32"	21.40	A
4168-18E	STEEL STANDARD BALLS, 5/8"	21.50	A
4168-19E	STEEL STANDARD BALLS, 21/32"	21.60	A
4168-20E	STEEL STANDARD BALLS, 11/16"	21.60	A
4168-21E	STEEL STANDARD BALLS, 23/32"	21.70	A
4168-22E	STEEL STANDARD BALLS, 3/4"	21.80	A
4168-23E	STEEL STANDARD BALLS, 13/16"	23.90	A
4168-24E	STEEL STANDARD BALLS, 7/8"	24.60	A
4168-25E	STEEL STANDARD BALLS, 15/16"	24.70	A
4168-26E	STEEL STANDARD BALLS, 1"	26.10	A
4176-301	CALIPER INSPECTION GAGE BLOCK (grade 1) AND SETTING RING SET	367.00	A
4179-1	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 1"	179.00	A
4179-2	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 2"	235.00	A
4179-3	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 3"	290.00	A
4179-4	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 4"	473.00	A
4179-5	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 5"	568.00	A
4179-6	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 6"	647.00	A
4179-7	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 7"	742.00	A
4179-8	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 8"	829.00	A
4179-9	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 9"	999.00	A
4179-10	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 10"	1197.00	A
4179-11	CYLINDER GAGE BLOCKS FOR DEPTH MICROMETER, 11"	1396.00	A
4180-1000	MAGNALIUM STRAIGHT EDGE, length 40"	937.00	A
4180-1500	MAGNALIUM STRAIGHT EDGE, length 60"	1384.00	A
4180-2000	MAGNALIUM STRAIGHT EDGE, length 80"	1854.00	A
4180-2500	MAGNALIUM STRAIGHT EDGE, length 100"	2900.00	A
4180-3000	MAGNALIUM STRAIGHT EDGE, length 120"	3361.00	A
4180-500	MAGNALIUM STRAIGHT EDGE, length 20"	447.00	A
4190-1H16	CERAMIC STANDARD BALLS, 1/16"	6.30	A
4190-3H32	CERAMIC STANDARD BALLS, 3/32"	6.30	A
4190-7H64	CERAMIC STANDARD BALLS, 7/64"	6.62	A
4190-1H8	CERAMIC STANDARD BALLS, 1/8"	6.83	A
4190-5H32	CERAMIC STANDARD BALLS, 5/32"	7.35	A
4190-3H16	CERAMIC STANDARD BALLS, 3/16"	7.88	A
4190-7H32	CERAMIC STANDARD BALLS, 7/32"	8.72	A
4190-15H64	CERAMIC STANDARD BALLS, 15/64"	8.82	A
4190-1H4	CERAMIC STANDARD BALLS, 1/4"	8.40	A
4190-17H64	CERAMIC STANDARD BALLS, 17/64"	8.82	A
4190-9H32	CERAMIC STANDARD BALLS, 9/32"	9.67	A
4190-5H16	CERAMIC STANDARD BALLS, 5/16"	10.40	A
4190-11H32	CERAMIC STANDARD BALLS, 11/32"	11.10	A
4190-3H8	CERAMIC STANDARD BALLS, 3/8"	11.30	A
4190-13H32	CERAMIC STANDARD BALLS, 13/32"	14.00	A
4190-7H16	CERAMIC STANDARD BALLS, 7/16"	14.40	A
4190-29H64	CERAMIC STANDARD BALLS, 29/64"	14.90	A
4190-15H32	CERAMIC STANDARD BALLS, 15/32"	15.30	A
4190-31H64	CERAMIC STANDARD BALLS, 31/64"	16.40	A
4190-1H2	CERAMIC STANDARD BALLS, 1/2"	16.70	A
4190-17H32	CERAMIC STANDARD BALLS, 17/32"	18.90	A
4190-9H16	CERAMIC STANDARD BALLS, 9/16"	21.50	A
4190-19H32	CERAMIC STANDARD BALLS, 19/32"	24.50	A
4190-5H8	CERAMIC STANDARD BALLS, 5/8"	27.40	A
4190-21H32	CERAMIC STANDARD BALLS, 21/32"	32.40	A
4190-11H16	CERAMIC STANDARD BALLS, 11/16"	36.00	A
4190-23H32	CERAMIC STANDARD BALLS, 23/32"	40.20	A
4190-3H4	CERAMIC STANDARD BALLS, 3/4"	45.10	A

4190-25H32	CERAMIC STANDARD BALLS, 25/32"	50.10	A
4190-7H8	CERAMIC STANDARD BALLS, 7/8"	67.50	A
4190-15H16	CERAMIC STANDARD BALLS, 15/16"	81.30	A
4190-S25E	CERAMIC STANDARD BALLS SET, 31 pairs	912.00	A
4206-1	TELESCOPING GAGE SET, 5/16 ~ 6"	53.60	A
4208-1	SMALL HOLE GAGE SET, .125 ~ .5"	34.50	A
4209-1	LONG HANDLE TELESCOPING GAGE, 5/16 ~ 1/2"	15.10	A
4209-2	LONG HANDLE TELESCOPING GAGE, 1/2 ~ 3/4"	15.10	A
4209-3	LONG HANDLE TELESCOPING GAGE, 3/4 ~ 1-1/4"	15.10	A
4209-4	LONG HANDLE TELESCOPING GAGE, 1-1/4 ~ 2-1/8"	17.40	A
4209-5	LONG HANDLE TELESCOPING GAGE, 2-1/8 ~ 3-1/2"	17.40	A
4209-6	LONG HANDLE TELESCOPING GAGE, 3-1/2 ~ 6"	17.40	A
4608-31	FEELER GAGE, .0015"-.035"	12.40	A
4630-1E	TAPER GAGE, .01"-.15"	77.50	A
4635-111	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1 - 11, GO	508.00	A
4635-111N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1 - 11, NOGO	508.00	A
4635-1A14	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1/2 - 14, GO	308.00	A
4635-1A14N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1/2 - 14, NOGO	308.00	A
4635-1B19	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1/4 - 19, GO	306.00	A
4635-1B19N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1/4 - 19, NOGO	306.00	A
4635-1C28	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1/8 - 28, GO	305.00	A
4635-1C28N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1/8 - 28, NOGO	305.00	A
4635-1G11	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1.1/4 - 11, GO	510.00	A
4635-1G11N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1.1/4 - 11, NOGO	510.00	A
4635-1H11	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1.1/2 - 11, GO	514.00	A
4635-1H11N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 1.1/2 - 11, NOGO	514.00	A
4635-211	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 2 - 11, GO	654.00	A
4635-211N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 2 - 11, NOGO	654.00	A
4635-3B14	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 3/4 - 14, GO	368.00	A
4635-3B14N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 3/4 - 14, NOGO	368.00	A
4635-3C19	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 3/8 - 19, GO	306.00	A
4635-3C19N	WHITWORTH PIPE THREAD RING GAGE(G SERIES), G 3/8 - 19, NOGO	306.00	A
4636-111	BSPT TAPER THREAD RING GAGE, 1 - 11 BSPT	2074.00	A
4636-1A14	BSPT TAPER THREAD RING GAGE, 1/2 - 14 BSPT	1306.00	A
4636-1B19	BSPT TAPER THREAD RING GAGE, 1/4 - 19 BSPT	1646.00	A
4636-1C28	BSPT TAPER THREAD RING GAGE, 1/8 - 28 BSPT	2064.00	A
4636-1G11	BSPT TAPER THREAD RING GAGE, 1.1/4 - 11 BSPT	2076.00	A
4636-1H11	BSPT TAPER THREAD RING GAGE, 1.1/2 - 11 BSPT	2075.00	A
4636-211	BSPT TAPER THREAD RING GAGE, 2 - 11 BSPT	2594.00	A
4636-2H11	BSPT TAPER THREAD RING GAGE, 2.1/2-11 BSPT	2610.00	A
4636-311	BSPT TAPER THREAD RING GAGE, 3-11 BSPT	2615.00	A
4636-3B14	BSPT TAPER THREAD RING GAGE, 3/4 - 14 BSPT	1307.00	A
4636-3C19	BSPT TAPER THREAD RING GAGE, 3/8 - 19 BSPT	1646.00	A
4636-411	BSPT TAPER THREAD RING GAGE, 4-11 BSPT	3914.00	A
4636-511	BSPT TAPER THREAD RING GAGE, 5-11 BSPT	4514.00	A
4636-611	BSPT TAPER THREAD RING GAGE, 6-11 BSPT	4531.00	A
4645-111	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 1 - 11, GO and	407.00	A
4645-1A14	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 1/2 - 14, GO and NOGO	243.00	A
4645-1B19	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 1/4 - 19, GO and NOGO	241.00	A
4645-1C28	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 1/8 - 28, GO and NOGO	240.00	A
4645-1G11	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 1.1/4 - 11, GO and NOGO	412.00	A
4645-1H11	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 1.1/2 - 11, GO and NOGO	411.00	A
4645-211	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 2 - 11, GO and	508.00	A
4645-3B14	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 3/4 - 14, GO and NOGO	295.00	A
4645-3C19	WHITWORTH PIPE THREAD PLUG GAGE(G SERIES), G 3/8 - 19, GO and NOGO	241.00	A
4646-111	BSPT TAPER THREAD PLUG GAGE, 1 - 11 BSPT	1040.00	A
4646-1A14	BSPT TAPER THREAD PLUG GAGE, 1/2 - 14 BSPT	805.00	A
4646-1B19	BSPT TAPER THREAD PLUG GAGE, 1/4 - 19 BSPT	801.00	A
4646-1C28	BSPT TAPER THREAD PLUG GAGE, 1/8 - 28 BSPT	990.00	A
4646-1G11	BSPT TAPER THREAD PLUG GAGE, 1.1/4 - 11 BSPT	1042.00	A
4646-1H11	BSPT TAPER THREAD PLUG GAGE, 1.1/2 - 11 BSPT	1044.00	A
4646-211	BSPT TAPER THREAD PLUG GAGE, 2 - 11 BSPT	1550.00	A
4646-2H11	BSPT TAPER THREAD PLUG GAGE, 2.1/2-11 BSPT	1569.00	A
4646-311	BSPT TAPER THREAD PLUG GAGE, 3-11 BSPT	1597.00	A
4646-3B14	BSPT TAPER THREAD PLUG GAGE, 3/4 - 14 BSPT	805.00	A
4646-3C19	BSPT TAPER THREAD PLUG GAGE, 3/8 - 19 BSPT	802.00	A

4646-411	BSPT TAPER THREAD PLUG GAGE, 4-11 BSPT	2383.00	A
4646-511	BSPT TAPER THREAD PLUG GAGE, 5-11 BSPT	2997.00	A
4646-611	BSPT TAPER THREAD PLUG GAGE, 6-11 BSPT	3015.00	A
4700-100	STRAIGHT EDGE, 3.9"	43.90	A
4700-125	STRAIGHT EDGE, 4.9"	48.60	A
4700-150	STRAIGHT EDGE, 5.9"	66.10	A
4700-200	STRAIGHT EDGE, 7.9"	77.30	A
4700-250	STRAIGHT EDGE, 9.8"	114.00	A
4700-300	STRAIGHT EDGE, 11.8"	149.00	A
4700-400	STRAIGHT EDGE, 15.7"	245.00	A
4700-50	STRAIGHT EDGE, 2.0"	34.90	A
4700-500	STRAIGHT EDGE, 19.7"	344.00	A
4700-75	STRAIGHT EDGE, 3.0"	37.60	A
4701-1	ADJUSTABLE SQUARE	165.00	A
4702-1	SQUARE SET, includes 4794-025, 4794-040, 4790-075 and 4700-100	210.00	A
4706-1100	120° SQUARE, 3.9x3.9"	42.40	A
4706-1150	120° SQUARE, 5.9x5.9"	53.90	A
4706-1200	120° SQUARE, 7.9x7.9"	71.00	A
4706-150	120° SQUARE, 2.0x2.0"	25.40	A
4706-175	120° SQUARE, 3.0x3.0"	32.40	A
4707-100	MACHINIST SQUARE WITH WIDE BASE, 3.9x2.8"	25.50	A
4707-1000	MACHINIST SQUARE WITH WIDE BASE, 39x22"	677.00	A
4707-150	MACHINIST SQUARE WITH WIDE BASE, 6x4"	36.50	A
4707-200	MACHINIST SQUARE WITH WIDE BASE, 8x5"	62.60	A
4707-250	MACHINIST SQUARE WITH WIDE BASE, 10x6"	72.60	A
4707-300	MACHINIST SQUARE WITH WIDE BASE, 12x8"	95.80	A
4707-400	MACHINIST SQUARE WITH WIDE BASE, 16x10"	136.00	A
4707-50	MACHINIST SQUARE WITH WIDE BASE, 2.0x1.6"	21.40	A
4707-500	MACHINIST SQUARE WITH WIDE BASE, 20x12"	231.00	A
4707-600	MACHINIST SQUARE WITH WIDE BASE, 24x14"	336.00	A
4707-75	MACHINIST SQUARE WITH WIDE BASE, 3.0x2.0"	22.50	A
4707-750	MACHINIST SQUARE WITH WIDE BASE, 30x16"	392.00	A
4707-900	MACHINIST SQUARE WITH WIDE BASE, 35x20"	510.00	A
4710-200	CYLINDER SQUARE, length 8"	2496.00	A
4710-300	CYLINDER SQUARE, length 12"	3132.00	A
4721-75AE	MINI BENCH CENTER	2413.00	A
4722-200	VERTICAL AND HORIZONTAL BENCH CENTER	5715.00	A
4725-45E	CONCENTRICITY GAGE, Diameter range .118 -1.772", Center height 3.150"	1945	B
4725-60E	CONCENTRICITY GAGE, Diameter range .197 -2.362", Center height (h) 3.543"	5250	B
4725-80E	CONCENTRICITY GAGE, Diameter range .315 -3.150", Center height (h) 5.118"	6350	B
4726-1E	CONCENTRICITY GAGE, .118"DIA-1.575"DIA	6323.00	B
4726-2E	CONCENTRICITY GAGE, .039"DIA-1.575"DIA	6469.00	B
4728-360	VERTICAL BENCH CENTER	12956.00	A
4733-300AE	BENCH CENTERS, with handwheel	12138.00	A
4733-300BE	BENCH CENTERS, without handwheel	11403.00	A
4745-1120	45° SQUARE, 4.7x3.1"	42.60	A
4745-1150	45° SQUARE, 5.9x3.9"	54.10	A
4745-1200	45° SQUARE, 7.9x5.1"	80.20	A
4747-120	45° SQUARE WITH WIDE BASE, 4.7x3.1"	62.50	A
4747-150	45° SQUARE WITH WIDE BASE, 5.9x3.9"	68.30	A
4747-200	45° SQUARE WITH WIDE BASE, 7.9x5.1"	105.00	A
4754-3120	135° SQUARE WITH WIDE BASE, 4.7x3.1"	46.60	A
4754-3150	135° SQUARE WITH WIDE BASE, 5.9x3.9"	58.80	A
4754-3200	135° SQUARE WITH WIDE BASE, 7.9x5.1"	92.70	A
4760-1120	60° SQUARE, 4.7x3.1"	43.50	A
4760-1150	60° SQUARE, 5.9x3.9"	59.20	A
4760-1200	60° SQUARE, 7.9x5.1"	81.70	A
4762-120	60° SQUARE WITH WIDE BASE, 4.7x3.1"	62.50	A
4762-150	60° SQUARE WITH WIDE BASE, 5.9x3.9"	71.00	A
4762-200	60° SQUARE WITH WIDE BASE, 7.9x5.1"	105.00	A
4770-300E	PERPENDICULARITY TESTER, 0-12"	4548.00	B
4770-600E	PERPENDICULARITY TESTER, 0-24"	9321.00	B
4771-30	SHANK RUNOUT TESTER, taper CAT30	7198.00	A
4771-40	SHANK RUNOUT TESTER, taper CAT40	8148.00	A
4771-50	SHANK RUNOUT TESTER, taper CAT50	10128.00	A
4780-85A	PROTRACTOR(ECONOMIC TYPE), 0-180°	17.30	A
4781-85A	PROTRACTOR, 0-180°	35.90	A
4782-300E	BENCH CENTER(BASCI TYPE)	3087.00	A
4786-1E	CONCENTRICITY GAGE	5161.00	A
4788-D10E	BENCH CENTER, Distance between two centers 39.370", Low accuracy	13237.00	A
4788-D2E	BENCH CENTER, Distance between two centers 7.874", Low accuracy	3666.00	A

4788-D3E	BENCH CENTER, Distance between two centers 11.811", Low accuracy	4238.00	A
4788-D4E	BENCH CENTER, Distance between two centers 15.748", Low accuracy	6319.00	A
4788-D6E	BENCH CENTER, Distance between two centers 23.622", Low accuracy	9025.00	A
4788-D8E	BENCH CENTER, Distance between two centers 31.496", Low accuracy	11861.00	A
4789-1E	CONCENTRICITY GAGE	1761.00	B
4789-2E	CONCENTRICITY GAGE	1946.00	B
4789-3E	CONCENTRICITY GAGE	1827.00	B
4790-0100	90° BEVELED EDGE SQUARE, 3.9x2.8", grade 00	74.00	A
4790-0150	90° BEVELED EDGE SQUARE, 5.9x3.9", grade 00	125.00	A
4790-0200	90° BEVELED EDGE SQUARE, 7.9x5.1", grade 00	161.00	A
4790-0250	90° BEVELED EDGE SQUARE, 9.8x6.5", grade 00	241.00	A
4790-0300	90° BEVELED EDGE SQUARE, 11.8x7.9", grade 00	304.00	A
4790-050	90° BEVELED EDGE SQUARE, 2.0x1.6", grade 00	56.90	A
4790-075	90° BEVELED EDGE SQUARE, 3.0x2.0", grade 00	65.70	A
4790-1000	90° BEVELED EDGE SQUARE, 3.9x2.8", grade 0	66.50	A
4790-1500	90° BEVELED EDGE SQUARE, 5.9x3.9", grade 0	117.00	A
4790-2000	90° BEVELED EDGE SQUARE, 7.9x5.1", grade 0	150.00	A
4790-2500	90° BEVELED EDGE SQUARE, 9.8x6.5", grade 0	219.00	A
4790-3000	90° BEVELED EDGE SQUARE, 11.8x7.9", grade 0	288.00	A
4790-500	90° BEVELED EDGE SQUARE, 2.0x1.6", grade 0	54.90	A
4790-750	90° BEVELED EDGE SQUARE, 3.0x2.0", grade 0	57.80	A
4791-50	90° FLAT EDGE SQUARE (DIN875 grade 0), 2.0x1.6"	48.70	A
4791-75	90° FLAT EDGE SQUARE (DIN875 grade 0), 3.0x2.0"	55.30	A
4791-100	90° FLAT EDGE SQUARE (DIN875 grade 0), 3.9x2.8"	64.00	A
4791-150	90° FLAT EDGE SQUARE (DIN875 grade 0), 5.9x3.9"	96.90	A
4791-200	90° FLAT EDGE SQUARE (DIN875 grade 0), 7.9x5.1"	129.00	A
4791-250	90° FLAT EDGE SQUARE (DIN875 grade 0), 9.8x6.5"	170.00	A
4791-300	90° FLAT EDGE SQUARE (DIN875 grade 0), 11.8x7.9"	185.00	A
4791-501	90° FLAT EDGE SQUARE (DIN875 grade 1), 2.0x1.6"	15.80	A
4791-751	90° FLAT EDGE SQUARE (DIN875 grade 1), 3.0x2.0"	22.80	A
4791-1001	90° FLAT EDGE SQUARE (DIN875 grade 1), 3.9x2.8"	27.30	A
4791-1501	90° FLAT EDGE SQUARE (DIN875 grade 1), 5.9x3.9"	41.00	A
4791-2001	90° FLAT EDGE SQUARE (DIN875 grade 1), 7.9x5.1"	67.30	A
4792-100	90° FLAT EDGE SQUARE WITH WIDE BASE, 3.9x2.8"	83.70	A
4792-150	90° FLAT EDGE SQUARE WITH WIDE BASE, 5.9x3.9"	153.00	A
4792-200	90° FLAT EDGE SQUARE WITH WIDE BASE, 7.9x5.1"	175.00	A
4792-50	90° FLAT EDGE SQUARE WITH WIDE BASE, 2.0x1.6"	52.60	A
4792-75	90° FLAT EDGE SQUARE WITH WIDE BASE, 3.0x2.0"	103.00	A
4793-100	90° FLAT EDGE SQUARE WITH WIDE BASE, 3.9x2.8"	87.50	A
4793-150	90° FLAT EDGE SQUARE WITH WIDE BASE, 5.9x3.9"	150.00	A
4793-200	90° FLAT EDGE SQUARE WITH WIDE BASE, 7.9x5.1"	204.00	A
4793-250	90° FLAT EDGE SQUARE WITH WIDE BASE, 9.8x6.5"	234.00	A
4793-300	90° FLAT EDGE SQUARE WITH WIDE BASE, 11.8x7.9"	293.00	A
4793-50	90° FLAT EDGE SQUARE WITH WIDE BASE, 2.0x1.6"	71.20	A
4793-75	90° FLAT EDGE SQUARE WITH WIDE BASE, 3.0x2.0"	76.90	A
4794-025	90° TOOL MAKER SQUARE, 1.0x.8"	52.50	A
4794-040	90° TOOL MAKER SQUARE, 1.6x1.1"	54.70	A
4795-100	90° BEVELED EDGE SQUARE WITH WIDE BASE, 3.9x2.8"	109.00	A
4795-150	90° BEVELED EDGE SQUARE WITH WIDE BASE, 5.9x3.9"	167.00	A
4795-200	90° BEVELED EDGE SQUARE WITH WIDE BASE, 7.9x5.1"	233.00	A
4795-50	90° BEVELED EDGE SQUARE WITH WIDE BASE, 2.0x1.6"	61.90	A
4795-75	90° BEVELED EDGE SQUARE WITH WIDE BASE, 3.0x2.0"	77.60	A
4797-100	PROTRACTOR, 3.9x5.9", 10-170°	57.00	A
4797-150	PROTRACTOR, 5.9x11.8", 10-170°	66.70	A
4797-200	PROTRACTOR, 7.9x15.7", 10-170°	83.20	A
4797-250	PROTRACTOR, 9.8x19.7", 10-170°	126.00	A
4797-300	PROTRACTOR, 11.8x23.6", 10-170°	155.00	A
4799-1120	PROTRACTOR, 4.7x5.9", 0-180°	42.00	A
4799-1150	PROTRACTOR, 5.9x7.9", 0-180°	56.10	A
4799-1200	PROTRACTOR, 7.9x11.8" 0-180°	72.10	A
4799-1300	PROTRACTOR, 11.8x19.7", 0-180°	116.00	A
4799-180	PROTRACTOR, 3.1x4.7", 0-180°	37.40	A
4801-15E	RADIUS GAGE, 1/32"-1/4"	28.40	A
4801-16E	RADIUS GAGE, 17/64"-1/2"	28.40	A
4801-16E1	RADIUS GAGE, 17/32"-1"	28.40	A
4804-25E	RADIUS GAGE SET, 1/64"-1/2"	72.30	A
4804-26	RADIUS GAGE SET, 0.5-13mm	74.10	A
4804-26E	RADIUS GAGE SET, .010"-.5"	79.90	A
4804-8E	RADIUS GAGE SET, 9/16"-1"	104.00	A

4804-8E1	RADIUS GAGE SET, 1-1/16"-1-1/2"	202.00	A
4806-20	ANGLE GAGE, 1°-45°	62.10	A
4810-55	CENTER GAGE, 55°	7.94	A
4810-601	CENTER GAGE, 60°	7.94	A
4810-602	CENTER GAGE, 60°	9.60	A
4812-12	THREAD GAGE, 2-12mm	31.70	A
4812-E	THREAD GAGE, 1-10TPI	31.60	A
4820-122	PITCH GAGE, 0.4-7.0mm	13.10	A
4820-124	PITCH GAGE, 0.25-7.0mm	13.40	A
4820-230	PITCH GAGE, 4-42TPI	15.90	A
4820-328	PITCH GAGE, 4-62TPI	15.20	A
4820-330	PITCH GAGE, 4-42TPI	15.80	A
4824-12	PITCH GAGE, 2-20mm	65.30	A
4824-16	PITCH GAGE, 1-12TPI	72.80	A
4825-351	PITCH GAGE, 4-84TPI	145.00	A
4829-1E	TAPER GAGE AND STEEL RULER SET, 1/32-5/8", 6"/150mm	15.30	A
4830-E	WELDING GAGE	42.20	A
4831-20A	DIGITAL WELDING GAGE	228.00	A
4833-1E	TAPER GAGE, 1/32"-5/8"	19.40	A
4833-2E	TAPER GAGE, 5/8 - 1-3/16"	21.40	A
4833-3E	TAPER GAGE, 1-3/16 - 1-3/4"	27.30	A
4833-4E	TAPER GAGE, 1-3/4 - 2-3/8"	33.40	A
4834-1E	WELDING GAUGE	40.30	A
4835-1	WELDING GAGE	74.50	A
4836-1	FILLET WELD GAGE	45.60	A
4836-2	FILLET WELD GAGE	49.90	A
4837-1E	TAPER GAGE SET, 1/16 - 1-1/16"	74.00	A
4839-1	PIPE WELDING GAGE	110.00	A
4842-1	DRILL ANGLE GAGE	16.30	A
4843-1E	DRILL POINT GAGE	12.10	A
4844-1E	CHAMFER GAGE	12.50	A
4846-1	FILLET WELDING GAGE	86.00	A
4849-1	WELDING UNDERCUT GAGE	192.00	A
4852-E15	TAPER BORE GAGE, range .6-1.2"	152.00	A
4852-E30	TAPER BORE GAGE, range 1.2-1.8"	199.00	A
4853-1	SHEET METAL THICKNESS GAGE	47.40	A
4854-1	ANGLE GAGE	47.40	A
4860-15	GEAR TOOTH PITCH GAGE, Range 2-5, Pressure angle 14.5°	101.00	A
4860-180	GEAR TOOTH PITCH GAGE, Range 6-80, Pressure angle 14.5°	158.00	A
4860-25	GEAR TOOTH PITCH GAGE, Range 2-5, Pressure angle 20°	101.00	A
4860-280	GEAR TOOTH PITCH GAGE, Range 6-80, Pressure angle 20°	158.00	A
4901-12	BLOCK LEVEL, 12"	334.00	A
4901-6	BLOCK LEVEL, 6"	255.00	A
4901-8	BLOCK LEVEL, 8"	283.00	A
4902-12	FRAME LEVELS, 12x12"	530.00	A
4902-6	FRAME LEVELS, 6x6"	272.00	A
4902-8	FRAME LEVEL, 8x8"	409.00	A
4905-160	BLOCK LEVEL, 6"	853.00	A
4905-200	BLOCK LEVEL, 8"	1012.00	A
4905-300	BLOCK LEVEL, 12"	1380.00	A
4905-500	BLOCK LEVEL, 20"	2111.00	A
4905-B160	FRAME LEVEL, 6"	565.00	A
4905-B200	FRAME LEVEL, 8"	669.00	A
4905-B300	FRAME LEVEL, 12"	895.00	A
4905-B500	FRAME LEVEL, 20"	1811.00	A
4906-150	FRAME LEVEL, 6x6"	1624.00	A
4906-200	FRAME LEVEL, 8x8"	1975.00	A
4906-300	FRAME LEVEL, 12x12"	2837.00	A
4906-B150	BLOCK LEVEL, 6x6"	1206.00	A
4906-B200	BLOCK LEVEL, 8x8"	1516.00	A
4906-B300	BLOCK LEVEL, 12x12"	2777.00	A
4907-90	SHORT LEVEL, 3.5"	740.00	A
4908-100	MINI LEVEL, 3.9"	467.00	A
4909-60	DISC LEVEL	709.00	A
4909-80	DISC LEVEL	2430.00	A
4910-400	DIGITAL LEVELS AND SLOPE METERS, 0-360°(90 °x4)	73.20	A
4910-600	DIGITAL LEVELS AND SLOPE METERS, 0-360°(90 °x4)	163.00	A
4911-600	ALUMINUM ALLOY LEVEL, 24"	61.30	A
4911-800	ALUMINUM ALLOY LEVEL, 32"	68.10	A
4912-100	HANDLY LEVEL, 4"	14.70	A
4913-250	CAST ALUMINUM LEVEL, 10"	26.50	A
4914-1000	ALUMINUM LEVELS, 40"	52.90	A
4914-1200	ALUMINUM LEVELS 48"	58.50	A

4914-2000	ALUMINUM LEVELS 80"	81.20	A
4914-300	ALUMINUM LEVELS, 12"	28.30	A
4914-600	ALUMINUM LEVELS, 24"	36.10	A
4914-800	ALUMINUM LEVELS, 32"	45.50	A
4917-30	CROSS-LINE LASER LEVEL	221.00	A
4917-DETECTOR	OUTDOOR DETECTOR	130.00	A
4918-1000	ALUMINUM ALLOY LEVELS, 40"	41.40	A
4918-1200	ALUMINUM ALLOY LEVELS, 48"	46.40	A
4918-2000	ALUMINUM ALLOY LEVELS, 80"	64.60	A
4918-300	ALUMINUM ALLOY LEVELS, 12"	24.90	A
4918-600	ALUMINUM ALLOY LEVELS, 24"	31.50	A
4918-800	ALUMINUM ALLOY LEVELS, 32"	37.50	A
4920-400	ALUMINUM ALLOY LEVEL (WITH ROTARY VIAL), 16"	39.90	A
4920-600	ALUMINUM ALLOY LEVEL (WITH ROTARY VIAL), 24"	52.00	A
4920-800	ALUMINUM ALLOY LEVEL (WITH ROTARY VIAL), 32"	63.20	A
4920-900	ALUMINUM ALLOY LEVEL (WITH ROTARY VIAL), 36"	69.70	A
4920-1000	ALUMINUM ALLOY LEVEL (WITH ROTARY VIAL), 40"	76.50	A
4920-1200	ALUMINUM ALLOY LEVEL (WITH ROTARY VIAL), 48"	90.30	A
4921-230	ALUMINUM LEVEL, 9"	31.60	A
4922-100	HANDY LEVEL, 4"	21.10	A
4922-150	HANDY LEVEL, 6"	26.70	A
4922-200	HANDY LEVEL, 8"	28.50	A
4923-600	ALUMINUM LEVEL WITH RULER, 24"	51.50	A
5002-4E	2-PIECE MEASURING TOOL SET	96.80	A
5003-1	3-PIECE MEASURING TOOL SET	132.00	A
5003-1E	3-PIECE MEASURING TOOL SET	124.00	A
5013-E	13-PIECE MEASURING TOOL SET	395.00	A
5014-E	13-PIECE MEASURING TOOL SET	413.00	A
5015-E	15-PIECE MEASURING TOOL SET	751	A
5022-E	2-PIECE MEASURING TOOL SET	202.00	A
5023-E	2-PIECE MEASURING TOOL SET	185.00	A
5031-E	3-PIECE MEASURING TOOL SET	233.00	A
5042-E	4-PIECE MEASURING TOOL SET	208.00	A
5051-E	5-PIECE MEASURING TOOL SET	279.00	A
5052-E	5-PIECE MEASURING TOOL SET	450.00	A
5062-E	6-PIECE MEASURING TOOL SET	274.00	A
5091-E	9-PIECE MEASURING TOOL SET	294.00	A
5101-M500-U	INDUSTRIAL MICROSCOPE, bright field objectives	4228.00	B
5102-M600BD-U	METALLURGICAL MICROSCOPE, bright & dark field objectives	9619.00	B
5102-M600-U	METALLURGICAL MICROSCOPE, bright field objectives	3968.00	B
5103-M1000-U	METALLURGICAL MICROSCOPE, bright field objectives	5206.00	B
5104-M700	INDUSTRIAL INSPECTION MICROSCOPE (LARGE STAGE)	5434.00	B
5106-M50	ZOOM STEREO MICROSCOPE (with universal stand, binocular)	2319.00	B
5106-M50T	ZOOM STEREO MICROSCOPE (with universal stand, trinocular)	2610.00	B
5108-M3000	METALLURGICAL MICROSCOPE (PROFESSIONAL TYPE)	15489.00	B
5108-M3000H	METALLURGICAL MICROSCOPE (PROFESSIONAL TYPE)	17265.00	B
5108-M-BD100X	INFINITE LONG WORKING DISTANCE BRIGHT AND DARK FIELD SEMI ACHROMATIC OBJECTIVE	2671.00	B
5108-M-APO50X	INFINITE LONG WORKING DISTANCE BRIGHT AND DARK FIELD ACHROMATIC OBJECTIVE	1487.00	B
5108-M-APO100X	INFINITE LONG WORKING DISTANCE BRIGHT AND DARK FIELD ACHROMATIC OBJECTIVE	2080.00	B
5108-M-DIC	DIFFERENTIAL INTERFERENCE MODULE (DIC)	4447.00	B
5108-M-OB2D5X	INFINITE LONG WORKING DISTANCE BRIGHT FIELD SEMI ACHROMATIC OBJECTIVE, 2.5X	890.00	B
5201-63B2Y10	BOURDON TUBE PRESSURE GAGE (LIQUID FILLED), PROCESS CONNECTION 1/4BSP	25.10	B
5201-63Z2Y10	BOURDON TUBE PRESSURE GAGE (LIQUID FILLED), PROCESS CONNECTION 1/4ZG	25.10	B
5201-63N2Y10	BOURDON TUBE PRESSURE GAGE (LIQUID FILLED), PROCESS CONNECTION 1/4NPT	25.10	B
5301-D400	3D MOTORIZED ROTATION MICROSCOPE (WITH DISPLAY)	9292.00	B
5302-AF105	DIGITAL AUTO FOCUS MICROSCOPE	3749.00	B
5303-AF103	DIGITAL AUTO FOCUS MICROSCOPE (WITH DISPLAY)	3769.00	B
5305-ZS80	LONG WORKING DISTANCE STEREO MICROSCOPE (LOW MAGNIFICATION)	423.00	B
5307-ID100A	DIGITAL MEASURING MICROSCOPE	3979.00	B
5307-ID100-OB2X	2X auxiliary objective	64.90	B
5309-DM50	DIGITAL MICROSCOPE, arm type straight	1442.00	B
5309-DM51	DIGITAL MICROSCOPE, arm type universal	1770.00	B
5310-DL401-U	4K DIGITAL MEASURING MICROSCOPE (WITH DISPLAY)	4860.00	B
5311-M710	MINI DIGITAL MICROSCOPE (ELECTRO TYPE)	735.00	B
5313-S407	3D MANUAL ROTATION MICROSCOPE (WITH DISPLAY)	4459.00	B
5316-HM810	HORIZONTAL MICROSCOPE	5567.00	B

5317-AF109	FLEXIBLE ARM AUTO FOCUS DIGITAL MICROSCOPE (WITH DISPLAY, with magnetic stand), 20X~123X	4861.00	B
5317-AF110	FLEXIBLE ARM AUTO FOCUS DIGITAL MICROSCOPE (WITH DISPLAY, with desktop clamp), 20X~123X	5469.00	B
5318-MD60	DIGITAL MEASURING MICROSCOPE (BASIC TYPE)	1151.00	B
5318-OB05X	AUXILIARY OBJECTIVE, 0.5X	77.50	B
5318-OB2X	AUXILIARY OBJECTIVE, 2X	77.50	B
5700-LS35	COLORIMETER (BASIC TYPE)	527.00	B
5701-D40	SPECTROPHOTOMETER	2822.00	B
5702-DG6	60° GLOSS METER (BASIC TYPE)	472.00	B
5704-CP01	STANDARD COLOR PLATES	5734.00	B
5801-A55	MINI DIGITAL REFRACTOMETER, 0~50% (1.3330~1.4200RI)	261.00	B
6140-300A	DEPTH BASE ATTACHMENT, suitable for calipers with beam width (w) .787"	69.40	A
6140-16B	DEPTH BASE ATTACHMENT, suitable for calipers with beam width (w) .630"	40.70	A
6140-300B	DEPTH BASE ATTACHMENT, suitable for calipers with beam width (w) .787"	88.60	A
6141-180	EXTENSION BASE, length 7.087"	37.90	A
6141-260	EXTENSION BASE, length 10.236"	54.20	A
6141-320	EXTENSION BASE, length 12.598"	70.50	A
6141-600	EXTENSION BASE, length 23.622"	470.00	A
6145-500	ACCESSORY SET FOR LARGE DIGITAL CALIPER	253.00	A
6146-500B	ACCESSORY SET FOR LARGE DIGITAL CALIPERS (WITH SIDE POINTS)	284.00	A
6200-60	MAGNETIC STAND	38.40	A
6201-60	MAGNETIC STAND	35.60	A
6202-100	MAGNETIC STAND	93.20	A
6202-80	MAGNETIC STAND	64.30	A
6207-80A	FLEX ARM MAGNETIC STAND	70.20	A
6208-80E	UNIVERSAL MAGNETIC STAND	90.40	A
6210-100E	UNIVERSAL MAGNETIC STAND	227.00	A
6210-80E	UNIVERSAL MAGNETIC STAND	190.00	A
6210-81E	UNIVERSAL MAGNETIC STAND	149.00	A
6211-10E	MINI MAGNETIC STAND	61.40	A
6212-100	MAGNETIC BASE, 220lbf	76.80	A
6212-80	MAGNETIC BASE, 176lbf	53.50	A
6214-A	UNIVERSAL STAND	122.00	A
6215-60	MAGNETIC STAND FOR UNEVEN SURFACE	65.70	A
6216-80E	MAGNETIC STAND, 176lbf	122.00	A
6217-BE	VACUUM STAND	158.00	A
6224-40E	MINI MAGNETIC STAND	138.00	A
6225-80E	UNIVERSAL DIAL INDICATOR STANDS (NON-MAGNETIC)	256.00	A
6225-100E	UNIVERSAL DIAL INDICATOR STANDS (NON-MAGNETIC)	283.00	A
6226-60	DIAL INDICATOR STANDS (NON-MAGNETIC)	169.00	A
6226-80	DIAL INDICATOR STANDS (NON-MAGNETIC)	175.00	A
6227-80E	DIAL INDICATOR STAND(NON-MAGNETIC)	218.00	A
6228-40E	HYDRAULIC MINI MAGNETIC STAND	187.00	A
6221-80E	MAGNETIC STAND (FOR .00005" DIAL AND DIAL TEST INDICATORS), 176lbf	135.00	A
6230-60E	DIAL INDICATOR STAND (FOR .00005" DIAL AND DIAL TEST INDICATORS)	165.00	A
6229-60E	HYDRAULIC UNIVERSAL MAGNETIC STANDS, 132lbf	248.00	A
6229-80E	HYDRAULIC UNIVERSAL MAGNETIC STANDS, 176lbf	274.00	A
6229-100E	HYDRAULIC UNIVERSAL MAGNETIC STANDS, 220lbf	394.00	A
6229-101E	HYDRAULIC UNIVERSAL MAGNETIC STANDS, 220lbf	493.00	A
6250-4	STANDARD BLOCK, taper 1:4	1097.00	A
6250-5	STANDARD BLOCK, taper 1:4	1097.00	A
6250-8	STANDARD BLOCK, taper 1:16	1097.00	A
6250-51	STANDARD BLOCK, taper 1:16	1097.00	A
6251-S8	STANDARD PITCH BLOCK, taper 1:16	1409.00	A
6251-S5	STANDARD PITCH BLOCK, taper 1:16	1409.00	A
6251-S4	STANDARD PITCH BLOCK, taper 1:6	1409.00	A
6252-B10	BALL POINT (round thread, line pipe), 10 threads per inch	95.20	A
6252-B115	BALL POINT (line pipe), 11.5 threads per inch	95.20	A
6252-B14	BALL POINT (line pipe), 14 threads per inch	95.20	A
6252-B18	BALL POINT (line pipe), 18 threads per inch	95.20	A
6252-B27	BALL POINT (line pipe), 27 threads per inch	95.20	A
6252-B5	BALL POINT (buttress thread), 5 threads per inch	95.20	A
6252-B51	BALL POINT (buttress thread), 5 threads per inch	95.20	A
6252-B52	BALL POINT (extreme line thread), 5,6 threads per inch	95.20	A
6252-B53	BALL POINT (extreme line thread), 5 threads per inch	95.20	A
6252-B6	BALL POINT (extreme line thread), 6 threads per inch	95.20	A
6252-B8	BALL POINT (round thread, line pipe), 8 threads per inch	95.20	A
6272-80E	MAGNETIC STAND WITH FINE ADJUSTMENT	151.00	A
6282-0102	BALL POINT	7.54	A
6282-0201	SHELL TYPE POINT	8.17	A
6282-0402	SPHERICAL POINT	16.40	A
6282-0702	CONICAL POINT	18.20	A

6282-1207	FLAT POINT	30.90	A
6282-1902	ROLLER POINT	163.00	A
6282-2011	EXTENSION ROD	6.30	A
6282-2018	EXTENSION ROD, 1"	6.22	A
6282-2019	EXTENSION ROD, 2"	7.54	A
6282-2020	EXTENSION ROD, 4"	11.00	A
6282-S6	POINT SET (steel), 6pcs	87.10	A
6284-10	STYLI FOR DIAL TEST INDICATORS	8.24	A
6284-11	STYLI FOR DIAL TEST INDICATORS	11.80	A
6284-12	STYLI FOR DIAL TEST INDICATORS	11.80	A
6284-13	STYLI FOR DIAL TEST INDICATORS	9.14	A
6284-14	STYLI FOR DIAL TEST INDICATORS	9.14	A
6284-15	STYLI FOR DIAL TEST INDICATORS	13.10	A
6284-16	STYLI FOR DIAL TEST INDICATORS	13.10	A
6284-17	STYLI FOR DIAL TEST INDICATORS	6.89	A
6284-18	STYLI FOR DIAL TEST INDICATORS	6.89	A
6284-19	STYLI FOR DIAL TEST INDICATORS	10.20	A
6284-20	STYLI FOR DIAL TEST INDICATORS	10.20	A
6284-65	STYLI FOR DIAL TEST INDICATORS	8.02	A
6284-66	STYLI FOR DIAL TEST INDICATORS	8.02	A
6284-67	STYLI FOR DIAL TEST INDICATORS	11.30	A
6284-68	STYLI FOR DIAL TEST INDICATORS	11.30	A
6284-9	STYLI FOR DIAL TEST INDICATORS	7.84	A
6284-91	STYLI FOR DIAL TEST INDICATORS	71.90	A
6284-92	STYLI FOR DIAL TEST INDICATORS	71.90	A
6284-93	STYLI FOR DIAL TEST INDICATORS	71.90	A
6284-94	STYLI FOR DIAL TEST INDICATORS	71.90	A
6284-95	STYLI FOR DIAL TEST INDICATORS	70.50	A
6284-96	STYLI FOR DIAL TEST INDICATORS	71.90	A
6289-150	LIFTING LEVER	51.30	A
6291-1	DIAL TEST INDICATOR CENTERING HOLDER	23.00	A
6291-2	DIAL TEST INDICATOR CENTERING HOLDER	25.40	A
6293-1	DIAL TEST INDICATOR HOLDER	30.80	A
6293-3	DIAL TEST INDICATOR HOLDER	29.50	A
6293-5	DIAL TEST INDICATOR UNIVERSAL HOLDER	34.70	A
6293-7	DIAL TEST INDICATOR HOLDER	23.10	A
6294-1AE	INDICATOR CENTERING HOLDER	62.50	A
6295-1AE	DIAL TEST INDICATOR CENTERING HOLDER	54.90	A
6296-2	DIAL TEST INDICATOR HOLDER	31.10	A
6301-1	Clamp for inside micrometers, suitable for inside micrometers	45.10	A
6301-2	Clamp for three points internal micrometers, Suitable for three points internal micrometers	112.00	A
6302	MICROMETER STAND	1281.00	A
6311-1	MICROMETER SETTING STANDARD, 1"	7.27	A
6311-10	MICROMETER SETTING STANDARD, 10"	29.10	A
6311-11	MICROMETER SETTING STANDARD, 11"	31.60	A
6311-12	MICROMETER SETTING STANDARD, 12"	69.20	A
6311-13	MICROMETER SETTING STANDARD, 13"	70.50	A
6311-14	MICROMETER SETTING STANDARD, 14"	82.90	A
6311-15	MICROMETER SETTING STANDARD, 15"	70.50	A
6311-16	MICROMETER SETTING STANDARD, 16"	84.50	A
6311-17	MICROMETER SETTING STANDARD, 17"	74.70	A
6311-18	MICROMETER SETTING STANDARD, 18"	89.60	A
6311-19	MICROMETER SETTING STANDARD, 19"	74.70	A
6311-2	MICROMETER SETTING STANDARD, 2"	8.36	A
6311-20	MICROMETER SETTING STANDARD, 20"	89.60	A
6311-21	MICROMETER SETTING STANDARD, 21"	91.80	A
6311-23	MICROMETER SETTING STANDARD, 23"	91.80	A
6311-25	MICROMETER SETTING STANDARD, 25"	109.00	A
6311-27	MICROMETER SETTING STANDARD, 27"	109.00	A
6311-29	MICROMETER SETTING STANDARD, 29"	122.00	A
6311-3	MICROMETER SETTING STANDARD, 3"	10.10	A
6311-31	MICROMETER SETTING STANDARD, 31"	122.00	A
6311-33	MICROMETER SETTING STANDARD, 33"	143.00	A
6311-35	MICROMETER SETTING STANDARD, 35"	143.00	A
6311-37	MICROMETER SETTING STANDARD, 37"	171.00	A
6311-39	MICROMETER SETTING STANDARD, 39"	171.00	A
6311-4	MICROMETER SETTING STANDARD, 4"	13.00	A
6311-5	MICROMETER SETTING STANDARD, 5"	15.70	A
6311-6	MICROMETER SETTING STANDARD, 6"	17.40	A
6311-7	MICROMETER SETTING STANDARD, 7"	20.10	A
6311-8	MICROMETER SETTING STANDARD, 8"	23.10	A
6311-9	MICROMETER SETTING STANDARD, 9"	25.50	A

6313-0D1	SETTING RING, .1" dia	340.00	A
6313-0D16	SETTING RING, .16" dia	75.40	A
6313-0D24	SETTING RING, .24" dia	75.40	A
6313-0D275	SETTING RING, .275" dia	75.40	A
6313-0D35	SETTING RING, .35" dia	75.40	A
6313-0D425	SETTING RING, .425" dia	81.70	A
6313-0D6	SETTING RING, .6" dia	81.70	A
6313-0D65	SETTING RING, .65" dia	81.70	A
6313-0D7	SETTING RING, .7" dia	81.70	A
6313-0D8	SETTING RING, .8" dia	87.90	A
6313-1	SETTING RING, 1.0" dia.	100.00	A
6313-10	SETTING RING, 10.0" dia.	3495.00	A
6313-10D5	SETTING RING, 10.5" dia	4712.00	A
6313-11	SETTING RING, 11.0" dia.	4755.00	A
6313-11D5	SETTING RING, 11.5" dia	5292.00	A
6313-11H16	SETTING RING, 11/16" dia	159.00	A
6313-11H32	SETTING RING, 11/32" dia	145.00	A
6313-12	SETTING RING, 12.0" dia	6031.00	A
6313-13H16	SETTING RING, 13/16" dia	171.00	A
6313-13H32	SETTING RING, 13/32" dia	145.00	A
6313-15H16	SETTING RING, 15/16" dia	171.00	A
6313-15H32	SETTING RING, 15/32" dia	159.00	A
6313-17H32	SETTING RING, 17/32" dia	159.00	A
6313-19H32	SETTING RING, 19/32" dia	159.00	A
6313-1D2	SETTING RING, 1.2" dia	104.00	A
6313-1D4	SETTING RING, 1.4" dia	109.00	A
6313-1D6	SETTING RING, 1.6" dia	131.00	A
6313-1D8	SETTING RING, 1.8" dia	134.00	A
6313-1H16	SETTING RING, 1/16" dia	541.00	A
6313-1H2	SETTING RING, 1/2" dia.	133.00	A
6313-1H4	SETTING RING, 1/4" dia.	121.00	A
6313-1H8	SETTING RING, 1/8" dia.	125.00	A
6313-2	SETTING RING, 2.0" dia.	159.00	A
6313-21H32	SETTING RING, 21/32" dia	159.00	A
6313-23H32	SETTING RING, 23/32" dia	159.00	A
6313-25H32	SETTING RING, 25/32" dia	171.00	A
6313-27H32	SETTING RING, 27/32" dia	171.00	A
6313-29H32	SETTING RING, 29/32" dia	171.00	A
6313-2D4	SETTING RING, 2.4" dia	193.00	A
6313-2D5	SETTING RING, 2.5" dia	223.00	A
6313-2D8	SETTING RING, 2.8" dia	223.00	A
6313-3	SETTING RING, 3.0" dia.	263.00	A
6313-31H32	SETTING RING, 31/32" dia	171.00	A
6313-3D2	SETTING RING, 3.2" dia	263.00	A
6313-3D5	SETTING RING, 3.5" dia	292.00	A
6313-3D6	SETTING RING, 3.6" dia	314.00	A
6313-3H16	SETTING RING, 3/16" dia	145.00	A
6313-3H32	SETTING RING, 3/32" dia	453.00	A
6313-3H4	SETTING RING, 3/4" dia	171.00	A
6313-3H8	SETTING RING, 3/8" dia	145.00	A
6313-4	SETTING RING, 4.0" dia.	555.00	A
6313-4D5	SETTING RING, 4.5" dia	771.00	A
6313-5	SETTING RING, 5.0" dia.	754.00	A
6313-5D5	SETTING RING, 5.5" dia	1077.00	A
6313-5H16	SETTING RING, 5/16" dia	145.00	A
6313-5H32	SETTING RING, 5/32" dia	145.00	A
6313-5H8	SETTING RING, 5/8" dia	159.00	A
6313-6	SETTING RING, 6.0" dia	1357.00	A
6313-6D5	SETTING RING, 6.5" dia	1615.00	A
6313-7	SETTING RING, 7.0" dia.	1676.00	A
6313-7D5	SETTING RING, 7.5" dia	2103.00	A
6313-7H16	SETTING RING, 7/16" dia	159.00	A
6313-7H32	SETTING RING, 7/32" dia	145.00	A
6313-7H8	SETTING RING, 7/8" dia	171.00	A
6313-8	SETTING RING, 8.0" dia.	2292.00	A
6313-8D5	SETTING RING, 8.5" dia	2651.00	A
6313-9	SETTING RING, 9.0" dia.	3157.00	A
6313-9D5	SETTING RING, 9.5" dia	3355.00	A
6313-9H16	SETTING RING, 9/16" dia	159.00	A
6313-9H32	SETTING RING, 9/32" dia	145.00	A
6328-BT30	TAPER RING GAGE	314.00	A
6328-BT40	TAPER RING GAGE	379.00	A
6328-BT45	TAPER RING GAGE	503.00	A

6328-BT50	TAPER RING GAGE	598.00	A
6328-BT55	TAPER RING GAGE	835.00	A
6328-BT60	TAPER RING GAGE	979.00	A
6328-BT65	TAPER RING GAGE	1326.00	A
6328-BT70	TAPER RING GAGE	2331.00	A
6328-BT75	TAPER RING GAGE	6062.00	A
6328-BT80	TAPER RING GAGE	6731.00	A
6329-BT30	TAPER PLUG GAGE	209.00	A
6329-BT40	TAPER PLUG GAGE	228.00	A
6329-BT45	TAPER PLUG GAGE	279.00	A
6329-BT50	TAPER PLUG GAGE	308.00	A
6329-BT55	TAPER PLUG GAGE	432.00	A
6329-BT60	TAPER PLUG GAGE	480.00	A
6329-BT65	TAPER PLUG GAGE	826.00	A
6329-BT70	TAPER PLUG GAGE	1438.00	A
6329-BT75	TAPER PLUG GAGE	5059.00	A
6329-BT80	TAPER PLUG GAGE	5617.00	A
6353-25	DIGITAL MICROMETER HEAD, 0-1"/0-25mm, stem with clamp nut	345.00	A
6353-25W	DIGITAL MICROMETER HEAD, 0-1"/0-25mm, plain stem	350.00	A
6354-25W	DIGITAL MICROMETER HEAD, 0-1"/0-25mm, plain stem	358.00	A
6377-1	NON ROTATING SPINDLE MICROMETER HEAD, 0-1"	79.40	A
6381-1W	MICROMETER HEAD, 0-1"	44.30	A
6381-25W	MICROMETER HEAD, 0-25mm	45.40	A
6520-63A	PRECISION VISE, jaw opening 0-2.5", jaw width 1.890"	195.00	A
6520-73A	PRECISION VISE, jaw opening 0-2.9", jaw width 2.480"	353.00	A
6520-76A	PRECISION VISE, jaw opening 0-3.0", jaw width 2.874"	407.00	A
6520-115A	PRECISION VISE, jaw opening 0-4.5", jaw width 3.465"	549.00	A
6520-120A	PRECISION VISE, jaw opening 0-4.7", jaw width 3.858"	792.00	A
6520-152A	PRECISION VISE, jaw opening 0-6.0", jaw width 4.921"	951.00	A
6520-165A	PRECISION VISE, jaw opening 0-6.5", jaw width 5.906"	1113.00	A
6521-80	PRECISION UNIVERSAL VISE, 2.756"	3619.00	A
6525-120	PRECISION VISE, 3.858"	1598.00	A
6525-73	PRECISION VISE, 2.480"	923.00	A
6525-76	PRECISION VISE, 2.874"	1075.00	A
6526-100	PRECISION VISE, 2.874"	370.00	A
6526-80	PRECISION VISE, 1.969"	251.00	A
6527-5	SINE TABLE, 6x6"	1786.00	A
6528-85	PRECISION UNIVERSAL VISE WITH CHUCK	4459.00	A
6529-5	SINE TABLE	1321.00	A
6531-5	1-2-3 BLOCKS, 3x2x1"	80.70	A
6531-8	2-4-6 BLCOKS, 6x4x2"	259.00	A
6532-10	PARALLEL SET, 10 pairs, 1/2, 5/8, 3/4, 7/8, 1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8"	117.00	A
6532-9	PARALLEL SET, 9 pairs, 3/4, 7/8, 1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8, 1-3/4"	176.00	A
6535-25	ADJUSTABLE ANGLE BLOCK, 3.0x1.0x1.4"	356.00	A
6535-30	ADJUSTABLE ANGLE BLOCK, 4.0x1.2x1.9"	402.00	A
6536-5	COMPOUND SINE TABLE, 6x6"	2488.00	A
6537-400	PERMANENT MAGNETIC CHUCK, 16x8"	4750.00	A
6539-100	MAGNETIC SQUARE WITH V GROOVE, 4x4x4"	1955.00	A
6547-E1	RIGHT ANGLE PLATE, 3.9x3.9x4.5"	802.00	A
6557-50E	DIGITAL ZERO SETTER, height 2"	158.00	A
6566-2E	DIGITAL EDGE FINDER, Shank (A) 3/4" DIA, without Beeper	156.00	A
6566-3E	DIGITAL EDGE FINDER, Shank (A) 3/4" DIA, with Beeper	197.00	A
6567-1E	EDGE FINDER, Shank (A) 3/8" DIA, Contact point (B) .2" DIA	53.70	A
6801-1201	MAGNETIC V-BLOCK, 3.1x2.8x3.7"	243.00	A
6801-1202	MAGNETIC V-BLOCK, 3.9x2.8x3.7"	260.00	A
6801-1203	MAGNETIC V-BLOCK, 4.7x2.8x3.7"	272.00	A
6802-1	V-BLOCK SET, 2.6x2.8x2.0", pair	494.00	A
6803-1	V-BLOCK SET, 1.0x.8x.8", pair	371.00	A
6803-2	V-BLOCK SET, 2.0x1.6x1.6", pair	552.00	A
6804-1	V-BLOCK, 3.5"x1.9"x1.9"	630.00	A
6805-1	V-BLOCK SETS, 5.906x5.118x2.953"	1128.00	A
6805-2	V-BLOCK SETS, 7.874x6.693x3.543"	1294.00	A
6841-170E	GRANITE DIAL INDICATOR STAND (BASIC TYPE), without fine adjustment	600.00	A
6841-170DE	GRANITE DIAL INDICATOR STAND (BASIC TYPE), with fine adjustment, fine adjustment range .118"	573.00	A
6842-150	DIAL INDICATOR STAND, range of tip movement .157"	2082.00	A
6862-1001E	DIAL INDICATOR STAND	664.00	A
6862-1002E	DIAL INDICATOR STAND	617.00	A
6863-150E	DIAL INDICATOR STAND	847.00	A
6864-250E	DIAL INDICATOR STAND	1099.00	A
6864-250TE	DIAL INDICATOR STAND	1545.00	A
6865-300E	TRANSFER STAND	1012.00	A
6865-300TE	TRANSFER STAND	1417.00	A

6866-150E	GRANITE DIAL INDICATOR STAND	765.00	A
6867-250E	GRANITE DIAL INDICATOR STAND	1525.00	A
6875-320	PRECISION AIR FLOATING ROTARY TABLE, stage size 12.6"	21070.00	B
6875-400	PRECISION AIR FLOATING ROTARY TABLE, stage size 15.7"	22708.00	B
6875-500	PRECISION AIR FLOATING ROTARY TABLE, stage size 19.7"	24231.00	B
6876-150E	DIAL INDICATOR STAND, without fine adjustment	541.00	A
6876-150DE	DIAL INDICATOR STAND, with fine adjustment, fine adjustment range .118"	671.00	A
6881-A1	GAGE BLOCK ACCESSORY, holder, 0-1"	118.00	A
6881-A2	GAGE BLOCK ACCESSORY, holder, 1-2"	166.00	A
6881-A3	GAGE BLOCK ACCESSORY, holder, 2-4"	250.00	A
6881-A4	GAGE BLOCK ACCESSORY, holder, 4-8"	386.00	A
6881-A5	GAGE BLOCK ACCESSORY, holder, 8-12"	475.00	A
6881-A6	GAGE BLOCK ACCESSORY, holder, 12-20"	737.00	A
6881-A7	GAGE BLOCK ACCESSORY, holder, 20-30"	1079.00	A
6881-A8	GAGE BLOCK ACCESSORY, holder, 30-40"	1353.00	A
6881-BE	GAGE BLOCK ACCESSORY, base	416.00	A
6881-C	GAGE BLOCK ACCESSORY, plain jaw, pair	924.00	A
6881-D	GAGE BLOCK ACCESSORY, parallel jaw	368.00	A
6881-E1E	GAGE BLOCK ACCESSORY, .1", half round jaw, supplied in pair	211.00	A
6881-E2E	GAGE BLOCK ACCESSORY, .2", half round jaw, supplied in pair	241.00	A
6881-E3E	GAGE BLOCK ACCESSORY, .25", half round jaw, supplied in pair	274.00	A
6881-F	GAGE BLOCK ACCESSORY, scribe	233.00	A
6881-G	GAGE BLOCK ACCESSORY, centre point	233.00	A
6881-H	BASE FOR HOLDER, supplied in pair	408.00	A
6881-S17E	GAGE BLOCK ACCESSORY SET, 17pcs	4385.00	A
6883-1	GAGE BLOCK HOLDER, .06-.2"	24.90	A
6883-2	GAGE BLOCK HOLDER, .2-.4"	24.90	A
6883-3	GAGE BLOCK HOLDER, .4-.6"	24.90	A
6883-4	GAGE BLOCK HOLDER, .6-.8"	24.90	A
6883-5	GAGE BLOCK HOLDER, .8-1"	24.90	A
6884-E12	CALIPER/HEIGHT GAGE CHECKER, 0-12"	2658.00	B
6884-E24	CALIPER/HEIGHT GAGE CHECKER, 0-24"	4269.00	B
6884-E40	CALIPER/HEIGHT GAGE CHECKER, 0-40"	9141.00	B
6886-1	GAGE BLOCK HOLDER	132.00	A
6886-A	GAGE BLOCK HOLDER ACCESSORY, supplied in pair	186.00	A
6887-1	V-BLOCK SET, 2.0x.7x.9", pair	178.00	A
6887-2	V-BLOCK SET, 3.0x.9x1.4", pair	249.00	A
6887-3	V-BLOCK SET, 3.9x1.3x2.0", pair	340.00	A
6887-4	V-BLOCK SET, 4.9x1.7x2.7", pair	542.00	A
6888-1	ROLLER BEARING V-BLOCK SET, 5.9x2.4x3.9", pair	825.00	A
6888-2	ROLLER BEARING V-BLOCK SET, 5.9x3.1x3.9", pair	825.00	A
6888-3	ROLLER BEARING V-BLOCK SET, 9.1x3.9x5.9", pair	1348.00	A
6889-1	MAGNETIC V-BLOCKS, 3.0x2.2x3.0", pair	690.00	A
6889-11	MAGNETIC V-BLOCK, individual, 3.0x2.2x3.0", individual	342.00	A
6889-2	MAGNETIC V-BLOCKS, 3.9x2.8x3.7", pair	997.00	A
6889-22	MAGNETIC V-BLOCK, individual, 3.9x2.8x3.7", individual	523.00	A
6889-3	MAGNETIC V-BLOCKS, 5.9x3.0x3.9", pair	1755.00	A
6889-33	MAGNETIC V-BLOCK, individual, 5.9x3.0x3.9", individual	906.00	A
6889-4	MAGNETIC V-BLOCKS, 7.9x4.9x5.9", pair	3354.00	A
6889-44	MAGNETIC V-BLOCK, individual, 7.9x4.9x5.9", individual	1575.00	A
6889-5	MAGNETIC V-BLOCKS, 6.3x4.9x5.1", pair	3547.00	A
6889-55	MAGNETIC V-BLOCKS, 6.3x4.9x5.1", individual	1792.00	A
6890-702	MAGNETIC V-BLOCK, 2.8x2.4x2.9"	128.00	A
6891-1	MAGNETIC V-BLOCK SET, 2.8x1.6x2.0", pair	248.00	A
6891-3	MAGNETIC V-BLOCK SET, 5.9x2.0x3.9", pair	463.00	A
6892-1	MAGNETIC INDUCTION V-BLOCK, 4.3x2.4x1.9"	113.00	A
6896-10	V-BLOCK SET, 1.0x.8x.8", pair	183.00	A
6896-11	V-BLOCK SET, 2.0x1.6x1.6", pair	352.00	A
6896-12	V-BLOCK SET, 3.1x2.5x2.5", pair	538.00	A
6896-13	V-BLOCK SET, 3.9x3.1x3.1", pair	786.00	A
6896-14	V-BLOCK SET, 5.5x2.8x5.5", pair	1301.00	A
6897-1	GRANITE V-BLOCK SET, 2.8x2.0x2.8", pair	620.00	A
6897-2	GRANITE V-BLOCK SET, 3.9x2.0x2.8", pair	874.00	A
6898-100	MAGNETIC RECTANGULAR BLOCKS, 3.9x2.8x2.8", pair	858.00	A
6898-150	MAGNETIC RECTANGULAR BLOCKS, 5.9x2.8x3.3", pair	1511.00	A
6899-1	MAGNETIC INDUCTION V-BLOCK SET, 2.0x2.4x1.9", pair	101.00	A
6900-A11	GRANITE SURFACE PLATE, 12x18x3", grade A	392.00	B
6900-A12	GRANITE SURFACE PLATE, 18x24x3", grade A	703.00	B
6900-A23	GRANITE SURFACE PLATE, 24x36x4", grade A	1513.00	B
6900-A34	GRANITE SURFACE PLATE, 36x48x6", grade A	3600.00	B
6902-106A	STAND FOR GRANITE SURFACE PLATE 6900-A23	998.00	B
6902-106H	STAND FOR GRANITE SURFACE PLATE 6900-A23	1012.00	B
6902-161A	STAND FOR GRANITE SURFACE PLATE 6900-A34	1714.00	B

6902-161H	STAND FOR GRANITE SURFACE PLATE 6900-A34	1768.00	B
6902-64A	STAND FOR GRANITE SURFACE PLATE 6900-A11	903.00	B
6902-64H	STAND FOR GRANITE SURFACE PLATE 6900-A11	962.00	B
6902-85A	STAND FOR GRANITE SURFACE PLATE 6900-A12	965.00	B
6902-85H	STAND FOR GRANITE SURFACE PLATE 6900-A12	1011.00	B
6903-B	JACK SET FOR GRANITE SURFACE PLATE	2446.00	B
6990-300A	HEIGHT SCRIBER	71.90	A
7101-1000A	DIGITAL HORIZONTAL SCALE, 40"/1000mm	1035.00	A
7101-100A	DIGITAL HORIZONTAL SCALE, 4"/100mm	110.00	A
7101-150A	DIGITAL HORIZONTAL SCALE, 6"/150mm	130.00	A
7101-200A	DIGITAL HORIZONTAL SCALE, 8"/200mm	170.00	A
7101-300A	DIGITAL HORIZONTAL SCALE, 12"/300mm	253.00	A
7101-400A	DIGITAL HORIZONTAL SCALE, 16"/400mm	318.00	A
7101-500A	DIGITAL HORIZONTAL SCALE, 20"/500mm	406.00	A
7101-600A	DIGITAL HORIZONTAL SCALE, 24"/600mm	502.00	A
7101-800A	DIGITAL HORIZONTAL SCALE, 32"/800mm	751.00	A
7102-100	DIGITAL VERTICAL SCALE, 4"/100mm	149.00	A
7102-1000	DIGITAL VERTICAL SCALE, 40"/1000mm	1126.00	A
7102-150	DIGITAL VERTICAL SCALE, 6"/150mm	181.00	A
7102-200	DIGITAL VERTICAL SCALE, 8"/200mm	196.00	A
7102-300	DIGITAL VERTICAL SCALE, 12"/300mm	278.00	A
7102-400	DIGITAL VERTICAL SCALE, 16"/400mm	367.00	A
7102-500	DIGITAL VERTICAL SCALE, 20"/500mm	459.00	A
7102-600	DIGITAL VERTICAL SCALE, 24"/600mm	570.00	A
7102-800	DIGITAL VERTICAL SCALE, 32"/800mm	817.00	A
7107-3	CONNECTION BOX	267.00	A
7110-1000	STEEL RULE, 40"/1000mm	37.60	A
7110-1200	STEEL RULE, 48"/1200mm	52.30	A
7110-150	STEEL RULE, 6"/150mm	4.85	A
7110-1500	STEEL RULE, 60"/1500mm	73.60	A
7110-200	STEEL RULE, 8"/200mm	5.95	A
7110-2000	STEEL RULE, 80"/2000mm	111.00	A
7110-300	STEEL RULE, 12"/300mm	6.81	A
7110-3001	STEEL RULE, 12"/300mm	6.54	A
7110-500	STEEL RULE, 20"/500mm	16.10	A
7110-600	STEEL RULE, 24"/600mm	20.00	A
7113-300A	RIGID RULE, 12"/300mm	26.60	A
7117-300	PRECISION STRAIGHT EDGE, 12"	208.00	A
7117-600	PRECISION STRAIGHT EDGE, 24"	733.00	A
7117-900	PRECISION STRAIGHT EDGE, 36"	1578.00	A
7118-300	PRECISION STRAIGHT EDGE WITH BEVELED EDGE, 12"	218.00	A
7118-600	PRECISION STRAIGHT EDGE WITH BEVELED EDGE, 24"	751.00	A
7118-900	PRECISION STRAIGHT EDGE WITH BEVELED EDGE, 36"	1617.00	A
7119-150	POCKET RULE WITH SLIDING CLIP, 6"/150mm	3.61	A
7126-12	RIGID RULE 12"	4.98	A
7126-24	RIGID RULE, 24"	10.60	A
7126-6	RIGID RULE, 6"	2.86	A
7130-14L	HIGH PRECISION DIGITAL LINEAR GAGE, 0-12.7mm	620.00	A
7142-5	MEASURING TAPE, 0-16ft/0-5m	13.80	A
7143-50	LONG MEASURING TAPE, 0-165ft/0-50m	97.20	A
7146-10	DIGITAL MEASURING WHEEL, 0-32.8ft/0-10m	52.30	A
7150-SC1	SCRIBER FOR HEIGHT GAGE 1150-300E	44.10	A
7150-SC10	SCRIBER FOR HEIGHT GAGE 1156-1000	97.00	A
7150-SC2	SCRIBER FOR HEIGHT GAGE 1150-500E, 1150-600E	50.00	A
7150-SC3	SCRIBER FOR HEIGHT GAGE 1150-1000E, 1150-1500E, 1150-2000E	97.40	A
7150-SC4	SCRIBER FOR HEIGHT GAGE 1351-12, 1351-18, 1351-24	32.10	A
7150-SC6	SCRIBER FOR HEIGHT GAGE 1250-300, 1156-300, 1156-600	44.10	A
7150-SC7	SCRIBER FOR HEIGHT GAGE 1250-450, 1250-600	44.30	A
7150-SC9	SCRIBER FOR HEIGHT GAGE 1253-150, 1253-200, 1154-150	27.20	A
7160-1	TELESCOPING INSPECTION MIRRORS, 1.260" DIA	14.90	A
7160-2	TELESCOPING INSPECTION MIRRORS, 1.969"x3.543"	36.40	A
7161-1	TELESCOPING MAGNETIC PICK-UP, .236" DIA	15.80	A
7162-1	TELESCOPING INSPECTION MIRROR(WITH ILLUMINATION)	15.10	A
7163-1	TELESCOPING MAGNETIC PICK-UP AND FLASHLIGHT	19.50	A
7164-1	FLEXIBLE PICK-UP AND FLASHLIGHT	17.80	A
7202-200A	SCRIBER CALIPER, 0-8"/0-200mm	90.90	A
7210-2	MULTIPLEX INTERFACE BOXES	754.00	A
7240-150	INSIDE CALIPER, 6"	12.10	A
7240-200	INSIDE CALIPER, 8"	13.60	A
7240-300	INSIDE CALIPER, 12"	19.90	A
7241-150	OUTSIDE CALIPER, 6"	13.20	A
7241-200	OUTSIDE CALIPER, 8"	14.90	A
7241-300	OUTSIDE CALIPER, 12"	21.80	A

7247-150	DIVIDER, 0-5.51"	13.50	A
7247-200	DIVIDER, 0-7.48"	16.20	A
7247-300	DIVIDER, 0-11.42"	23.40	A
7260-150	SPRING DIVIDER, 6"	16.50	A
7260-200	SPRING DIVIDER, 8"	19.00	A
7260-250	SPRING DIVIDER, 10"	26.10	A
7260-300	SPRING DIVIDER, 12"	29.30	A
7261-150	INSIDE SPRING CALIPER, 6"	16.50	A
7261-200	INSIDE SPRING CALIPER, 8"	19.00	A
7261-250	INSIDE SPRING CALIPER, 10"	26.10	A
7261-300	INSIDE SPRING CALIPER, 12"	29.30	A
7262-150	OUTSIDE SPRING CALIPER, 6"	16.50	A
7262-200	OUTSIDE SPRING CALIPER, 8"	19.00	A
7262-250	OUTSIDE SPRING CALIPER, 10"	27.80	A
7262-300	OUTSIDE SPRING CALIPER, 12"	31.40	A
7302-1103	DATA OUTPUT CABLES, KEYBOARD FORMAT, for digital calipers	122.00	A
7302-21	DATA OUTPUT CABLES (KEYBOARD FORMAT) (for digital calipers and digital depth gages)	143.00	A
7302-22	DATA OUTPUT CABLES (KEYBOARD FORMAT) (for large digital calipers(range ≤40") and digital height gages)	137.00	A
7302-30	DATA OUTPUT CABLES (KEYBOARD FORMAT) (digital micrometers)	143.00	A
7302-40M	DATA OUTPUT CABLES (KEYBOARD FORMAT) (for digital indicators)	148.00	A
7302-50M	DATA OUTPUT CABLE (KEYBOARD FORMAT) (for digital thickness gage, digital internal/external caliper gage)	148.00	A
7302-60	DATA OUTPUT CABLES (KEYBOARD FORMAT) (for 2140-6 and 2133 series high precision digital indicators and 3350 series high precision digital snap gages)	142.00	A
7302-SPC3A	DATA OUTPUT CABLE, for DIGITAL indicator and DIGITAL protractor	148.00	A
7302-SPC3B	DATA OUTPUT CABLE, for digital indicators	155.00	A
7304-2	DATA TRANSMISSION FOOT SWITCH WITH CABLE (length 80")	107.00	A
7305-C01	DATA OUTPUT CABLE, length 100"	150.00	A
7305-G3350	DATA OUTPUT CABLE (SERIAL PORT FORMAT)	96.00	A
7305-SPC1A	DATA OUTPUT CABLE, length 100"	217.00	A
7306-1	WIRELESS DATA RECEIVER	571.00	B
7306-2	WIRELESS DATA TRANSFER SYSTEM, RECEIVER (with USB cable)	576.00	B
7306-20	WIRELESS TRANSMITTER FOR DIGITAL CALIPER	494.00	B
7306-30A	MULTI CHANNEL WIRELESS SYSTEM, TRANSMITTER (for digital micrometers, except 3631, 3632, 3108, 3109 and 3635)	494.00	B
7306-40	WIRELESS DATA TRANSMITTER FOR DIGITAL INDICATOR	494.00	B
7306-40CM	CONTROLLABLE TRANSMITTER	1879.00	A
7306-CAP	PROTECTING CAP	6.79	B
7309-C01M	CABLE OF DIGITAL INDICATOR	121.00	A
7315-2	WIRELESS DATA TRANSFER SYSTEM, MULTICHANNEL RECEIVER (USB port)	495.00	A
7315-21	WIRELESS DATA TRANSFER SYSTEM, TRANSMITTER	134.00	A
7315-22	WIRELESS DATA TRANSFER SYSTEM, TRANSMITTER	137.00	A
7315-30	WIRELESS DATA TRANSFER SYSTEM, TRANSMITTER	134.00	A
7315-50M	WIRELESS DATA TRANSFER SYSTEM, TRANSMITTER	138.00	A
7315-60	WIRELESS DATA TRANSFER SYSTEM, TRANSMITTER	138.00	A
7315-50	WIRELESS DATA TRANSFER SYSTEM, TRANSMITTER	134.00	A
7315-3	WIRELESS DATA TRANSFER SYSTEM, SINGLE CHANNEL RECEIVER (USB port)	265.00	A
7315-6	WIRELESS DATA TRANSFER SYSTEM, MULTICHANNEL RECEIVER (USB port)	342.00	A
7315-7	WIRELESS DATA TRANSFER SYSTEM, MULTICHANNEL RECEIVER (Type-C port)	342.00	A
7315-8	WIRELESS DATA TRANSFER SYSTEM, MULTICHANNEL RECEIVER (Micro USB port)	342.00	A
7315-9	WIRELESS DATA TRANSFER SYSTEM, RECEIVER (Lightning port)	372.00	A
7319-DE1	TRAINING PARTS AND SCORING SYSTEM	316.00	A
7319-DE2	TRAINING PARTS AND SCORING SYSTEM	266.00	A
7319-DE3	TRAINING PARTS AND SCORING SYSTEM	266.00	A
7321-T11	SCREW THREAD POINT, 64-48TPI/0.4-0.5mm, pair	39.60	A
7321-T12	SCREW THREAD POINT, 44-28TPI/0.6-0.9mm, pair	39.60	A
7321-T13	SCREW THREAD POINT, 24-14TPI/1-1.75mm, pair	39.60	A
7321-T14	SCREW THREAD POINT, 13-9TPI/2-3mm, pair	39.60	A
7321-T15	SCREW THREAD POINT, 8-5TPI/3.5-5mm, pair	39.60	A
7321-T16	SCREW THREAD POINT, 4.5-3.5TPI/5.5-7mm, pair	39.60	A
7321-T1S	SCREW THREAD POINT, 6 pairs/set	233.00	A
7323-OTGC	ADAPTER FOR DATA OUTPUT CABLE, Type-C, one to one	18.70	A
7323-OTGC4	ADAPTER FOR DATA OUTPUT CABLE, Type-C, one to four	49.40	A
7323-OTGM	ADAPTER FOR DATA OUTPUT CABLE, Micro-USB	13.30	A
7324-HUB4	4-CHANNEL HUB (length 0.3m, USB computer plug)	36.50	A
7324-HUB7	7-CHANNEL HUB (length 1m, USB computer plug)	79.90	A
7325-ADD10	EXTENSION CABLE, 10m, USB plug	60.00	A

7325-ADD5	EXTENSION CABLE, 5m, USB plug	42.20	A
7330-F2	FLAT BACK	3.99	A
7330-F3	FLAT BACK	3.91	A
7330-F4	FLAT BACK	2.88	A
7330-F5	FLAT BACK	4.57	A
7330-F6	FLAT BACK	3.53	A
7330-F7	FLAT BACK	2.61	A
7330-F8	FLAT BACK	2.73	A
7330-L2	LUG BACK	4.19	A
7330-L3	LUG BACK	5.74	A
7330-L4	LUG BACK	5.74	A
7330-L5	LUG BACK	4.69	A
7330-L6	LUG BACK	3.78	A
7330-L7	LUG BACK	10.50	A
7330-L8	LUG BACK	10.50	A
7331-M1	MAGNETIC BACK FOR DIGITAL/DIAL INDICATORS, 2.028" DIA	27.90	A
7331-M2	MAGNETIC BACK FOR DIGITAL/DIAL INDICATORS, 2.126" DIA	28.90	A
7341-0S	PIN GAGE HANDLE (with 1pc handle and 6 pairs of collecting bushes),.008-.040"	36.10	A
7341-10S	PIN GAGE HANDLE (with 1pc handle and 4 pairs of collecting bushes),.510-.579"	60.30	A
7341-11S	PIN GAGE HANDLE (with 1pc handle and 4 pairs of collecting bushes),.579-.635"	60.30	A
7341-12S	PIN GAGE HANDLE (with 1pc handle and 4 pairs of collecting bushes),.635-.704"	70.00	A
7341-13S	PIN GAGE HANDLE (with 1pc handle and 4 pairs of collecting bushes),.704-.760"	70.00	A
7341-15S	PIN GAGE HANDLE (with 1pc handle and 8 pairs of collecting bushes),.760-	136.00	A
7341-1S	PIN GAGE HANDLE (with 1pc handle and 7 pairs of collecting bushes),.040-.075"	38.80	A
7341-2S	PIN GAGE HANDLE (with 1pc handle and 8 pairs of collecting bushes),.075-.131"	43.10	A
7341-3S	PIN GAGE HANDLE (with 1pc handle and 7 pairs of collecting bushes),.131-.180"	39.90	A
7341-4S	PIN GAGE HANDLE (with 1pc handle and 6 pairs of collecting bushes),.180-.228"	42.40	A
7341-5S	PIN GAGE HANDLE (with 1pc handle and 6 pairs of collecting bushes),.228-.281"	43.00	A
7341-6S	PIN GAGE HANDLE (with 1pc handle and 6 pairs of collecting bushes),.281-.341"	50.50	A
7341-7S	PIN GAGE HANDLE (with 1pc handle and 6 pairs of collecting bushes),.341-.406"	50.50	A
7341-8S	PIN GAGE HANDLE (with 1pc handle and 4 pairs of collecting bushes),.406-.465"	47.60	A
7341-9S	PIN GAGE HANDLE (with 1pc handle and 3 pairs of collecting bushes),.456-.510"	41.60	A
7342-M0	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)0.3-1.5mm/0.011-0.060"	59.70	A
7342-M1	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)1.51-6.35mm/0.061-0.250"	60.30	A
7342-M2	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)6.36-12.70mm/0.251-0.500"	71.50	A
7342-M3	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)12.71-15.88mm/0.501-0.625"	82.80	A
7342-M4	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)15.89-19.00mm/0.626-0.750"	97.50	A
7342-M5	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)19.01-21.13mm/0.751-0.832"	111.00	A
7342-M6	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)21.14-23.27mm/0.833-0.916"	121.00	A
7342-M7	PIN GAGE HANDLE (OPERATED WITHOUT WRENCH)23.28-25.4mm/0.917-1.000"	130.00	A
7350-E04	ANVIL FOR BORE GAGES	53.70	A
7350-E07	ANVIL FOR BORE GAGES	45.10	A
7350-E10	ANVIL FOR BORE GAGES	39.40	A
7350-E15	ANVIL FOR BORE GAGES	35.10	A
7350-E16	ANVIL FOR BORE GAGES	39.40	A
7350-E24	ANVIL FOR BORE GAGES	19.40	A
7350-E6	ANVIL FOR BORE GAGES	39.40	A
7351-1EX11	LONG HANDLE, length 18.7"	212.00	A
7351-1EX12	LONG HANDLE, length 38.5"	259.00	A
7351-1EX13	LONG HANDLE, length 58.2"	235.00	A
7351-1EX14	LONG HANDLE, length 77.8"	252.00	A
7351-1EX21	LONG HANDLE, length 18.7"	224.00	A
7351-1EX22	LONG HANDLE, length 38.5"	276.00	A
7351-1EX23	LONG HANDLE, length 58.2"	245.00	A
7351-1EX24	LONG HANDLE, length 77.8"	263.00	A
7353-160W	BORE GAGE SETTER, 0-6", WITHOUT GAGE BLOCK SET	640.00	A
7353-6	BORE GAGE SETTER, 0-6"	855.00	A
7360-1	ZEROING FOOT SWITCH	85.10	A
7360-1M	ZEROING FOOT SWITCH, for digital indicators with micro USB interface	114.00	A
7370-A451	STORAGE BOX, 480×500×110mm	196.00	A
7381-T11	MEASURING TIPS FOR SCREW THREAD MICROMETER, 64-48TPI/0.4-0.5mm	29.50	A
7381-T12	MEASURING TIPS FOR SCREW THREAD MICROMETER, 44-28TPI/0.6-0.9mm	29.50	A
7381-T13	MEASURING TIPS FOR SCREW THREAD MICROMETER, 24-14TPI/1-1.75mm	29.50	A
7381-T14	MEASURING TIPS FOR SCREW THREAD MICROMETER, 13-9TPI/ 2-3mm	29.50	A
7381-T15	MEASURING TIPS FOR SCREW THREAD MICROMETER, 8-5TPI/ 3.5-5mm	29.50	A
7381-T16	MEASURING TIPS FOR SCREW THREAD MICROMETER, 4.5-3.5TPI/ 5.5-7mm	29.50	A

7381-T21	MEASURING TIPS FOR SCREW THREAD MICROMETER, 60-48TPI	29.50	A
7381-T210	MEASURING TIPS FOR SCREW THREAD MICROMETER, 4.5-3.5TPI	29.50	A
7381-T22	MEASURING TIPS FOR SCREW THREAD MICROMETER, 48-40TPI	29.50	A
7381-T23	MEASURING TIPS FOR SCREW THREAD MICROMETER, 40-32TPI	29.50	A
7381-T24	MEASURING TIPS FOR SCREW THREAD MICROMETER, 32-24TPI	29.50	A
7381-T25	MEASURING TIPS FOR SCREW THREAD MICROMETER, 24-18TPI	29.50	A
7381-T26	MEASURING TIPS FOR SCREW THREAD MICROMETER, 18-14TPI	29.50	A
7381-T27	MEASURING TIPS FOR SCREW THREAD MICROMETER, 14-10TPI	29.50	A
7381-T28	MEASURING TIPS FOR SCREW THREAD MICROMETER, 10-7TPI	29.50	A
7381-T29	MEASURING TIPS FOR SCREW THREAD MICROMETER, 7-4.5TPI	29.50	A
7381-T2S	MEASURING TIPS FOR SCREW THREAD MICROMETER, 10 pairs/set	289.00	A
7381-TS	MEASURING TIPS FOR SCREW THREAD MICROMETER, 6 pairs/set	186.00	A
7382-11	3-WIRES, .0067"/0.170mm	348.00	A
7382-110	3-WIRES, .0244"/0.620mm	348.00	A
7382-111	3-WIRES, .0285"/0.725mm	348.00	A
7382-112	3-WIRES, .0352"/0.895mm	348.00	A
7382-113	3-WIRES, .0433"/1.100mm	348.00	A
7382-114	3-WIRES, .0531"/1.350mm	348.00	A
7382-115	3-WIRES, .0650"/1.650mm	348.00	A
7382-116	3-WIRES, .0807"/2.050mm	348.00	A
7382-117	3-WIRES, .1004"/2.550mm	348.00	A
7382-118	3-WIRES, .1260"/3.200mm	348.00	A
7382-12	3-WIRES, .0077"/0.195mm	348.00	A
7382-13	3-WIRES, .0087"/0.220mm	348.00	A
7382-14	3-WIRES, .0098"/0.250mm	348.00	A
7382-15	3-WIRES, .0114"/0.290mm	348.00	A
7382-16	3-WIRES, .0132"/0.335mm	348.00	A
7382-17	3-WIRES, .0154"/0.390mm	348.00	A
7382-18	3-WIRES, .0179"/0.455mm	348.00	A
7382-19	3-WIRES, .0209"/0.530mm	348.00	A
7382-1S	3-WIRES, 18 pairs/set	4384.00	A
7382-21	3-WIRES, .0067"/0.170mm	348.00	A
7382-210	3-WIRES, .0244"/0.620mm	348.00	A
7382-211	3-WIRES, .0285"/0.725mm	348.00	A
7382-212	3-WIRES, .0352"/0.895mm	348.00	A
7382-213	3-WIRES, .0433"/1.100mm	348.00	A
7382-214	3-WIRES, .0531"/1.350mm	348.00	A
7382-215	3-WIRES, .0650"/1.650mm	348.00	A
7382-216	3-WIRES, .0807"/2.050mm	348.00	A
7382-217	3-WIRES, .1004"/2.550mm	348.00	A
7382-218	3-WIRES, .1260"/3.200mm	348.00	A
7382-22	3-WIRES, .0077"/0.195mm	348.00	A
7382-23	3-WIRES, .0087"/0.220mm	348.00	A
7382-24	3-WIRES, .0098"/0.250mm	348.00	A
7382-25	3-WIRES, .0114"/0.290mm	348.00	A
7382-26	3-WIRES, .0132"/0.335mm	348.00	A
7382-27	3-WIRES, .0154"/0.390mm	348.00	A
7382-28	3-WIRES, .0179"/0.455mm	348.00	A
7382-29	3-WIRES, .0209"/0.530mm	348.00	A
7382-2S	3-WIRES, 18 pairs/set	4384.00	A
7391-T10	BALL POINT, .236" dia, pair	134.00	A
7391-T3	BALL POINT, .079" dia, pair	134.00	A
7391-T4	BALL POINT, .098" dia, pair	134.00	A
7391-T5	BALL POINT, .118" dia, pair	134.00	A
7391-T6	BALL POINT, .138" dia, pair	134.00	A
7391-T7	BALL POINT, .157" dia, pair	134.00	A
7391-T8	BALL POINT, .177" dia, pair	134.00	A
7391-T9	BALL POINT, .197" dia, pair	134.00	A
7392-T1	MULTIFUNCTIONAL POINTS, flat, pair	35.50	A
7392-T2	MULTIFUNCTIONAL POINTS, spherical, pair	42.80	A
7392-T3	MULTIFUNCTIONAL POINTS, spline, pair	62.10	A
7392-T4	MULTIFUNCTIONAL POINTS, disk, pair	62.10	A
7392-T5	MULTIFUNCTIONAL POINTS, blade, pair	83.00	A
7392-T6	MULTIFUNCTIONAL POINTS, knife-edge, pair	104.00	A
7392-T7	MULTIFUNCTIONAL POINTS, point, pair	62.10	A
7392-T8	MULTIFUNCTIONAL POINTS, knife-edge, pair	104.00	A
7392-T9	MULTIFUNCTIONAL POINTS, point, pair	62.90	A
7511-8	FOLDING MAGNIFIER, 8X, .827" DIA	5.31	A
7512-1	THREE WAYS MAGNIFIER WITH ILLUMINATION, Magnification 2X/4X	39.80	A
7513-2	MAGNIFIER WITH ILLUMINATION, Magnification 2X	14.60	A
7513-4	MAGNIFIER WITH ILLUMINATION, Magnification 4X	12.80	A
7514-1	FOLDING MAGNIFIER WITH ILLUMINATION, Magnification 2.5X	11.30	A
7515-10	FOLDING MAGNIFIER WITH ILLUMINATION, Magnification 10X	15.50	A

7516-5D-U	TABLE MAGNIFIER WITH ILLUMINATION, 2.25X	199.00	A
7517-3D	TABLE MAGNIFIER WITH ILLUMINATION, 1.75X	124.00	A
7518-26	MAGNIFIER WITH ILLUMINATION, 2X/6X	22.80	A
7519-26	MAGNIFIER WITH ILLUMINATION, 2X/6X	19.90	A
7520-320D	TABLE MAGNIFIERS WITH ILLUMINATION, 1.75X/6X	241.00	A
7521-3D	TABLE MAGNIFIERS WITH ILLUMINATION, 1.75X	222.00	A
7522-610	MAGNIFIER WITH TWO LENSES, 6X/10X	23.90	A
7523-3D5	MAGNIFICATION GLASSES, 1X/1.5X/2X/2.5X/3.5X	33.90	A
7524-10	MAGNIFIER WITH ILLUMINATION, 10X	38.70	A
7525-D4	DIGITAL MAGNIFIER	648	A
7526-D5	DIGITAL MAGNIFIER	923	B
7600-6	STROKE COUNTER, 0-999999	16.20	B
7901-10	TABLE, 1084×474×1515mm	3336.00	A
7911-18	TABLE, 1800×750×1736mm	2580.00	A
7911-BP18	BOARD	273.00	A
7921-15	WORKBENCH, 1500×750×1736cm	4008.00	A
7921-18	WORKBENCH, 1800×750×1736cm	4650.00	A
7921-21	WORKBENCH, 2100×750×1736cm	5356.00	A
7931-90	TOOL CABINET	3389.00	A
7932-58A	TOOL CABINET, 690×525×665mm	1713.00	A
7939-S100	STAND	207.00	A
8001-15	WEIGHING SCALES(HIGH PRECISION), .022lb/10g~30lb/15kg	448.00	A
8001-15D	WEIGHING SCALES(HIGH PRECISION), 10g~15kg	453.00	A
8001-30	WEIGHING SCALES(HIGH PRECISION), .044lb/20g~60lb/30kg	448.00	A
8001-30D	WEIGHING SCALES(HIGH PRECISION), 20g~30kg	453.00	A
8001-6	WEIGHING SCALES(HIGH PRECISION), .0090lb/4g~12lb/6kg	448.00	A
8001-6D	WEIGHING SCALES(HIGH PRECISION), 4g~6kg	453.00	A
8002-15M	WEIGHING SCALES(OIML CERTIFICATE), 40g~6/15kg	448.00	A
8002-15MD	WEIGHING SCALES(OIML CERTIFICATE), 40g~6/15kg	453.00	A
8002-30M	WEIGHING SCALES(OIML CERTIFICATE), 100g~15/30kg	448.00	A
8002-30MD	WEIGHING SCALES(OIML CERTIFICATE), 100g~15/30kg	453.00	A
8002-6M	WEIGHING SCALES(OIML CERTIFICATE), 20g~3/6kg	448.00	A
8002-6MD	WEIGHING SCALES(OIML CERTIFICATE), 20g~3/6kg	453.00	A
8003-3	WEIGHING SCALE (ECONOMIC TYPE),6.61lb~0.02lb	50.80	B
8003-6	WEIGHING SCALE (ECONOMIC TYPE),13.23lb~0.02lb	50.80	B
8003-10	WEIGHING SCALE (ECONOMIC TYPE),22.05lb~0.04lb	50.80	B
8101-15	COUNTING SCALES, .022lb/10g~30lb/15kg	448.00	A
8101-15D	COUNTING SCALES, 10g~15kg	453.00	A
8101-30	COUNTING SCALES, .044lb/20g~60lb/30kg	448.00	A
8101-30D	COUNTING SCALES, 20g~30kg	453.00	A
8101-6	COUNTING SCALES, .0090lb/4g~12lb/6kg	448.00	A
8101-6D	COUNTING SCALES, 4g~6kg	453.00	A
8201-50KG	DIGITAL CRANE SCALE, 1lb~110lb	400.00	B
8201-150KG	DIGITAL CRANE SCALE, 2lb~330lb	401.00	B
8201-300KG	DIGITAL CRANE SCALE, 4lb~660lb	402.00	B
8202-50KG	DIGITAL CRANE SCALE (ECONOMIC TYPE), 110lb~1lb	222	B
8202-150KG	DIGITAL CRANE SCALE (ECONOMIC TYPE), 330lb~2lb	223	B
8202-300KG	DIGITAL CRANE SCALE (ECONOMIC TYPE), 660lb~4lb	223	B
8501-AL60	PLATFORM SCALE, .20lb~130lb	1315.00	B
8501-AL150	PLATFORM SCALE, .40lb~330lb	1341.00	B
8501-AL300	PLATFORM SCALE, .80lb~660lb	1341.00	B
8601-100	ELECTRONIC POCKET SCALE (ECONOMIC TYPE), 3.5oz~0.005oz	24.40	B
8602-200	ELECTRONIC POCKET SCALE (ECONOMIC TYPE), 7oz~0.01oz	25.10	B
8701-RM20-U	MOISTURE ANALYZER, 120g	1352.00	B
8701-RM30-U	MOISTURE ANALYZER, 120g	2351.00	B
8701-RM40-U	MOISTURE ANALYZER, 120g	3184.00	B
8910-100GE2	WEIGHT SETS, 1mg~100g	1362.00	A
8910-100GF1	WEIGHT SETS, 1mg~100g	724.00	A
8910-100GF1S	WEIGHT SETS, 1mg~100g	310.00	A
8910-100GF2	WEIGHT SETS, 1mg~100g	228.00	A
8910-100GM1	WEIGHT SETS, 1mg~100g	183.00	A
8910-1KGE2	WEIGHT SETS, 1mg~1kg	2705.00	A
8910-1KGF1	WEIGHT SETS, 1mg~1kg	1517.00	A
8910-1KGF1S	WEIGHT SETS, 1mg~1kg	756.00	A
8910-1KGF2	WEIGHT SETS, 1mg~1kg	552.00	A
8910-1KGM1	WEIGHT SETS, 1mg~1kg	468.00	A
8910-200GE2	WEIGHT SETS, 1mg~200g	1707.00	A
8910-200GF1	WEIGHT SETS, 1mg~200g	987.00	A
8910-200GF1S	WEIGHT SETS, 1mg~200g	454.00	A
8910-200GF2	WEIGHT SETS, 1mg~200g	313.00	A
8910-200GM1	WEIGHT SETS, 1mg~200g	269.00	A
8910-2KGE2	WEIGHT SETS, 1mg~2kg	4573.00	A
8910-2KGF1	WEIGHT SETS, 1mg~2kg	2402.00	A

8910-2KGF1S	WEIGHT SETS, 1mg~2kg	1233.00	A
8910-2KGF2	WEIGHT SETS, 1mg~2kg	947.00	A
8910-2KGM1	WEIGHT SETS, 1mg~2kg	803.00	A
8910-5KGE2	WEIGHT SETS, 1mg~5kg	6303.00	A
8910-5KGF1	WEIGHT SETS, 1mg~5kg	3313.00	A
8910-5KGF1S	WEIGHT SETS, 1mg~5kg	1778.00	A
8910-5KGF2	WEIGHT SETS, 1mg~5kg	1368.00	A
8910-5KGM1	WEIGHT SETS, 1mg~5kg	1205.00	A
8911-100GE2	WEIGHT, 100g	148.00	A
8911-100GF1	WEIGHT, 100g	106.00	A
8911-100GF1S	WEIGHT, 100g	45.30	A
8911-100GF2	WEIGHT, 100g	35.00	A
8911-100GM1	WEIGHT, 100g	31.20	A
8911-100GM1C	WEIGHT, 100g	10.00	A
8911-100MGE2	WEIGHT, 100mg	42.80	A
8911-100MGF1	WEIGHT, 100mg	22.30	A
8911-100MGF1S	WEIGHT, 100mg	11.10	A
8911-100MGF2	WEIGHT, 100mg	8.95	A
8911-100MGM1	WEIGHT, 100mg	6.70	A
8911-10GE2	WEIGHT, 10g	84.20	A
8911-10GF1	WEIGHT, 10g	43.20	A
8911-10GF1S	WEIGHT, 10g	24.90	A
8911-10GF2	WEIGHT, 10g	20.30	A
8911-10GM1	WEIGHT, 10g	15.90	A
8911-10GM1C	WEIGHT, 10g	5.36	A
8911-10KGE2	WEIGHT, 10kg	5524.00	A
8911-10KGF1	WEIGHT, 10kg	1846.00	A
8911-10KGF1S	WEIGHT, 10kg	946.00	A
8911-10KGF2	WEIGHT, 10kg	864.00	A
8911-10KGM1	WEIGHT, 10kg	783.00	A
8911-10KGM1C	WEIGHT, 10kg	376.00	A
8911-10MGE2	WEIGHT, 10mg	42.80	A
8911-10MGF1	WEIGHT, 10mg	22.30	A
8911-10MGF1S	WEIGHT, 10mg	11.10	A
8911-10MGF2	WEIGHT, 10mg	8.95	A
8911-10MGM1	WEIGHT, 10mg	6.70	A
8911-1GE2	WEIGHT, 1g	75.80	A
8911-1GF1	WEIGHT, 1g	34.90	A
8911-1GF1S	WEIGHT, 1g	18.10	A
8911-1GF2	WEIGHT, 1g	13.50	A
8911-1GM1	WEIGHT, 1g	11.20	A
8911-1KGE2	WEIGHT, 1kg	639.00	A
8911-1KGF1	WEIGHT, 1kg	353.00	A
8911-1KGF1S	WEIGHT, 1kg	190.00	A
8911-1KGF2	WEIGHT, 1kg	149.00	A
8911-1KGM1	WEIGHT, 1kg	115.00	A
8911-1KGM1C	WEIGHT, 1kg	55.00	A
8911-1MGE2	WEIGHT, 1mg	42.80	A
8911-1MGF1	WEIGHT, 1mg	22.30	A
8911-1MGF1S	WEIGHT, 1mg	11.10	A
8911-1MGF2	WEIGHT, 1mg	8.95	A
8911-1MGM1	WEIGHT, 1mg	6.70	A
8911-200GE2	WEIGHT, 200g	171.00	A
8911-200GF1	WEIGHT, 200g	130.00	A
8911-200GF1S	WEIGHT, 200g	56.90	A
8911-200GF2	WEIGHT, 200g	41.60	A
8911-200GM1	WEIGHT, 200g	35.40	A
8911-200GM1C	WEIGHT, 200g	14.80	A
8911-200MGE2	WEIGHT, 200mg	42.80	A
8911-200MGF1	WEIGHT, 200mg	22.30	A
8911-200MGF1S	WEIGHT, 200mg	11.10	A
8911-200MGF2	WEIGHT, 200mg	8.95	A
8911-200MGM1	WEIGHT, 200mg	6.70	A
8911-20GE2	WEIGHT, 20g	105.00	A
8911-20GF1	WEIGHT, 20g	63.90	A
8911-20GF1S	WEIGHT, 20g	29.10	A
8911-20GF2	WEIGHT, 20g	22.80	A
8911-20GM1	WEIGHT, 20g	17.10	A
8911-20GM1C	WEIGHT, 20g	6.10	A
8911-20KGE2	WEIGHT, 20kg	8144.00	A
8911-20KGF1	WEIGHT, 20kg	3645.00	A
8911-20KGF1S	WEIGHT, 20kg	1603.00	A
8911-20KGF2	WEIGHT, 20kg	1487.00	A

8911-20KGM1	WEIGHT , 20kg	1405.00	A
8911-20KGM1C	WEIGHT , 20kg	824.00	A
8911-20MGE2	WEIGHT , 20mg	42.80	A
8911-20MGF1	WEIGHT , 20mg	22.30	A
8911-20MGF1S	WEIGHT , 20mg	11.10	A
8911-20MGF2	WEIGHT , 20mg	8.95	A
8911-20MGM1	WEIGHT , 20mg	6.70	A
8911-2GE2	WEIGHT , 2g	75.80	A
8911-2GF1	WEIGHT , 2g	34.90	A
8911-2GF1S	WEIGHT , 2g	18.10	A
8911-2GF2	WEIGHT , 2g	14.00	A
8911-2GM1	WEIGHT , 2g	12.10	A
8911-2KGE2	WEIGHT , 2kg	950.00	A
8911-2KGF1	WEIGHT , 2kg	460.00	A
8911-2KGF1S	WEIGHT , 2kg	256.00	A
8911-2KGF2	WEIGHT , 2kg	214.00	A
8911-2KGM1	WEIGHT , 2kg	194.00	A
8911-2KGM1C	WEIGHT , 2kg	91.80	A
8911-2MGE2	WEIGHT , 2mg	42.80	A
8911-2MGF1	WEIGHT , 2mg	22.30	A
8911-2MGF1S	WEIGHT , 2mg	11.10	A
8911-2MGF2	WEIGHT , 2mg	8.95	A
8911-2MGM1	WEIGHT , 2mg	6.70	A
8911-500GE2	WEIGHT , 500g	341.00	A
8911-500GF1	WEIGHT , 500g	159.00	A
8911-500GF1S	WEIGHT , 500g	83.50	A
8911-500GF2	WEIGHT , 500g	71.20	A
8911-500GM1	WEIGHT , 500g	63.20	A
8911-500GM1C	WEIGHT , 500g	30.50	A
8911-500MGE2	WEIGHT , 500mg	42.80	A
8911-500MGF1	WEIGHT , 500mg	22.30	A
8911-500MGF1S	WEIGHT , 500mg	11.10	A
8911-500MGF2	WEIGHT , 500mg	8.95	A
8911-500MGM1	WEIGHT , 500mg	6.70	A
8911-50GE2	WEIGHT , 50g	126.00	A
8911-50GF1	WEIGHT , 50g	85.00	A
8911-50GF1S	WEIGHT , 50g	40.00	A
8911-50GF2	WEIGHT , 50g	27.90	A
8911-50GM1	WEIGHT , 50g	21.20	A
8911-50GM1C	WEIGHT , 50g	7.77	A
8911-50MGE2	WEIGHT , 50mg	42.80	A
8911-50MGF1	WEIGHT , 50mg	22.30	A
8911-50MGF1S	WEIGHT , 50mg	11.10	A
8911-50MGF2	WEIGHT , 50mg	8.95	A
8911-50MGM1	WEIGHT , 50mg	6.70	A
8911-5GE2	WEIGHT , 5g	75.80	A
8911-5GF1	WEIGHT , 5g	35.00	A
8911-5GF1S	WEIGHT , 5g	20.20	A
8911-5GF2	WEIGHT , 5g	15.80	A
8911-5GM1	WEIGHT , 5g	13.60	A
8911-5KGE2	WEIGHT , 5kg	1744.00	A
8911-5KGF1	WEIGHT , 5kg	925.00	A
8911-5KGF1S	WEIGHT , 5kg	477.00	A
8911-5KGF2	WEIGHT , 5kg	435.00	A
8911-5KGM1	WEIGHT , 5kg	416.00	A
8911-5KGM1C	WEIGHT , 5kg	214.00	A
8911-5MGE2	WEIGHT , 5mg	42.80	A
8911-5MGF1	WEIGHT , 5mg	22.30	A
8911-5MGF1S	WEIGHT , 5mg	11.10	A
8911-5MGF2	WEIGHT , 5mg	8.95	A
8911-5MGM1	WEIGHT , 5mg	6.70	A
9131-B350	INFRARED THERMAL CAMERA (BASIC TYPE)	3720.00	B
9132-T400	INFRARED THERMAL IMAGING CAMERA (BASIC TYPE)	1215.00	B
9216-F520	DIGITAL MULTIMETER	82.90	B
9222-199	CONTACT DIGITAL TACHOMETER, 50 ~ 19999RPM	123.00	A
9223-120	NON-CONTACT TACHOMETER, 2.5~99999RPM	77.90	A
9224-213	CONTACT TACHOMETER, 0.5~19999RPM/0.05~500m/min, 0.05~99999in	103.00	A
9225-405	CONTACT/NON-CONTACT TACHOMETER, 2.5~99999RPM/0.5~19999RPM	117.00	A
9241-ML200	PEN-TYPE DIGITAL MULTIMETER	68.70	B
9242-ML100	DIGITAL MULTIMETER	37.70	B
9243-CA600	AC DIGITAL CLAMP METER	78.40	B
9246-180	DIGITAL MULTIMETER (WITH JACK INDICATOR LIGHT)	90.10	B
9247-190	SMART DIGITAL MULTIMETER	89.80	B

9315-CF210	DIGITAL AC/DC CLAMP METER	143.00	B
9331-40	DIGITAL ANEMOMETER, Measuring range .9~67.2mil/h, 1.3~98.5ft/s, 78~5900ft/m, .8~30m/s, 1.4~108km/h, .8~58.3knots	196.00	A
9341-50	DIGITAL MOISTURE METER, Measuring depth 0~1.97"	129.00	A
9351-130	DIGITAL SOUND LEVEL METER, Measuring range 30~130dB, Resolution 0.1dB	301.00	A
9353-413	DIGITAL SOUND LEVEL METER (ADVANCED TYPE), 40dB~130dB(ref.20uPa)	421.00	B
9362-TH27	DIGITAL THERMOHYGROMETER, -4°F~-158°F/-20°C~70°C	175.00	B
9407-1	OPTICAL TRANSMISSION PROBES FOR CNC MACHINE TOOL, probe length 5.748"	4426	B
9407-2	OPTICAL TRANSMISSION PROBES FOR CNC MACHINE TOOL, probe length 8.976"	5061	B
9407-3	OPTICAL TRANSMISSION PROBE FOR CNC MACHINE TOOL, probe length 7.087"	4191	B
9407-4	OPTICAL TRANSMISSION PROBE FOR CNC MACHINE TOOL, probe length 7.087"	4173	B
9407-5	OPTICAL TRANSMISSION PROBE FOR CNC MACHINE TOOL, probe length 5.866"	4231	B
9407-1A	OPTICAL TRANSMISSION RECEIVER FOR CNC MACHINE TOOL	1309	B
9407-P1	STYLI FOR 9407, H-.787", d-.039" DIA	23.2	B
9407-P2	STYLI FOR 9407, H-.768", d-.028"DIA, d1-.039"	113	B
9407-P3	STYLI FOR 9407, H-.748", d-.055"DIA, d1-.079"DIA	92.6	B
9407-P4	STYLI FOR 9407, H-.787", d-.028"DIA, d1-.039"DIA	113	B
9407-P5	STYLI FOR 9407, H-.787", d-.059"DIA, d1-.079"DIA	92.6	B
9407-P6	STYLI FOR 9407, H-.787", d-.079"DIA, d1-.118"DIA	126	B
9407-P7	STYLI FOR 9407, H-.787", d-.079"DIA, d1-.157"DIA	126	B
9407-P8	STYLI FOR 9407, H-1.969", d-.118"DIA, d1-.157"DIA	126	B
9407-P9	STYLI FOR 9407, H-1.969", d-.150"DIA, d1-.197"DIA	126	B
9407-P10	STYLI FOR 9407, H-1.969", d-.117"DIA, d1-.236"DIA	147	B
9407-P11	STYLI FOR 9407, H-2.953", d-.150"DIA, d1-.197"DIA	160	B
9407-R1	BROKEN PROTECTION ROD, H-.472"	26.4	B
9407-R2	BROKEN PROTECTION ROD, H-.787"	26.4	B
9501-1200	COATING THICKNESS GAGE, probe type Fe, 0~50mils	605.00	B
9501-1200-SPC	DATA TRANSMISSION CABLE	67.70	B
9561-40A	LASER DISTANCE METERS, 1.2~131ft	85.30	B
9561-50B	LASER DISTANCE METER, 8"~164ft	57.70	B
9561-70B	LASER DISTANCE METER, 8"~229ft	74.8	A
9561-80A	LASER DISTANCE METERS, .2~262ft	111.00	B
9631-130	VICKERS HARDNESS MEASURING SYSTEM, 1/2" CMOS	3706.00	A
9643-4	FRUIT HARDNESS TESTER, 0.5-4×105Pa(0.5-4kg/cm2), graduation 0.02×105Pa(0.02kg/cm2)	286.00	B
9710-30	COLORIMETER	13590.00	B
9720-199	VIBRATION PEN, 0in/s~78.74in/s	962.00	B
9721-250	DIGITAL VOLTAGE TESTER, AC:12-250V; DC:6-36V	9.79	B
9722-250	VOLTAGE TESTER,AC:100-250V	5.37	B
9723-400	AC PHASE AND VOLTAGE DETECTOR	28.60	B
CMM-MN432-U	MINI CNC CMM (SHOP FLOOR TYPE), 1.57×11.81×7.87"	61529.00	B
DSW-A010	DIGITAL STOPWATCH, 0~9 hour, 59 minutes, 59.99 seconds	62.30	B
HDT-A410-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER	21168.00	B
HDT-A510-U	AUTOMATIC DIGITAL SUPERFICIAL ROCKWELL HARDNESS TESTER	21457.00	B
HDT-A610-U	AUTOMATIC DIGITAL ROCKWELL AND SUPERFICIAL ROCKWELL HARDNESS TESTER	22062.00	B
HDT-B-SA	SHORE HARDNESS TEST BLOCK, SA	266.00	B
HDT-B-SD	SHORE HARDNESS TEST BLOCK, SD	202.00	B
HDT-B-HB10A2	BRINELL HARDNESS TEST BLOCK	106.00	B
HDT-B-HB10C1	BRINELL HARDNESS TEST BLOCK	124.00	B
HDT-B-HR15N2	ROCKWELL SUPERFICIAL HARDNESS TEST BLOCK	49.30	B
HDT-B-HR30N2	ROCKWELL SUPERFICIAL HARDNESS TEST BLOCK	50.40	B
HDT-B-HR30T	ROCKWELL SUPERFICIAL HARDNESS TEST BLOCK	49.90	B
HDT-B-HRA	ROCKWELL HARDNESS TEST BLOCK, 80-84 HRA	38.40	B
HDT-B-HRC2	ROCKWELL HARDNESS TEST BLOCK	38.10	B
HDT-B-HV5F	VICKERS HARDNESS TEST BLOCK	85.60	B
HDT-BRV130-U	DIGITAL BRINELL/ROCKWELL/VICKERS HARDNESS TESTER	15884.00	B
HDT-L410	PORTABLE LEEB HARDNESS TESTER	3278.00	B
HDT-L411	PORTABLE LEEB HARDNESS TESTER	604.00	B
HDT-LP200	PORTABLE LEEB HARDNESS TESTER, not include printer	590.00	B
HDT-LP200B	PORTABLE LEEB HARDNESS TESTER, include printer, with bluetooth	1063.00	B
HDT-LP200-C	IMPACT DEVICE C for HDT-LP200	597.00	B
HDT-LP200-D15	IMPACT DEVICE D+15	597.00	B
HDT-LP200-DC	IMPACT DEVICE DC for HDT-LP200	594.00	B
HDT-LP200-DL	IMPACT DEVICE DL	662.00	B
HDT-LP200-E	IMPACT DEVICE E for HDT-LP200	2605.00	B
HDT-LP200-G	IMPACT DEVICE G for HDT-LP200	1315.00	B

ISH-LP200-PRINTER	PRINTER	286.00	B
HDT-MV290-U	DIGITAL MICRO-VICKERS HARDNESS TESTER, 8HV~2900HV	13766.00	B
HDT-PB350	HAMMER IMPACT BRINELL HARDNESS TESTER	1898.00	B
HDT-RSR100	MANUAL ROCKWELL AND SUPERFICIAL ROCKWELL HARDNESS TESTER	7125.00	B
HDT-RW160	MANUAL ROCKWELL HARDNESS TESTER	2393.00	B
HDT-VD10A-U	DIGITAL VICKERS HARDNESS TESTER	13753.00	B
HDT-VD30A-U	DIGITAL VICKERS HARDNESS TESTER	13753.00	B
HDT-VD100A-U	DIGITAL VICKERS HARDNESS TESTER	26411.00	B
HDT-VD120A-U	DIGITAL VICKERS HARDNESS TESTER	26411.00	B
HDT-VD-OB2X	OBJECTIVE, 2.5X	263.00	B
HDT-VD-OB40X	OBJECTIVE, 40X	326.00	B
HDT-VD-OB5X	OBJECTIVE, 5X	200.00	B
HDT-VS1D-U	AUTOMATIC MICRO-VICKERS HARDNESS TESTER	35346.00	B
ISC-7107	COORDINATE MEASURING MACHINE, 700×1000×700mm	157263.00	B
ISD-E320-U	ALL-IN-ONE CNC VISION MEASURING SYSTEM, 300×200×200mm	39112.00	B
ISD-E430-U	ALL-IN-ONE CNC VISION MEASURING SYSTEM, 400×300×200mm	45458.00	B
ISD-H210	HIGH-DEFINITION VISION MEASURING SYSTEM (computer is included), measuring range 8×4×6"	18642.00	B
ISD-H320	HIGH-DEFINITION VISION MEASURING SYSTEM (computer is included), measuring range 12×8×6"	20733.00	B
ISD-H430	HIGH-DEFINITION VISION MEASURING SYSTEM (computer is included), measuring range 16×12×6"	28775.00	B
ISD-V150A	VISION MEASURING SYSTEM,With Computer, 6×4×8"	14230.00	B
ISD-V220CNCA-U	CNC VISION MEASURING SYSTEM,With Computer, measuring range 8.66x4.72x5.90"	34600.00	B
ISD-V220ZA-U	CNC VISION MEASURING SYSTEM (with computer), 8.66x4.72x5.90", motorized zoom lens	41984.00	B
ISD-V220HN-U	CNC VISION MEASURING SYSTEM (with computer)8.66x4.72x11.81", manual zoom lens	39384.00	B
ISD-V220ZHN-U	CNC VISION MEASURING SYSTEM (with computer), 8.66x4.72x11.81", motorized zoom lens	45079.00	B
ISD-V250A	VISION MEASURING SYSTEM,With Computer, 10×6×8"	14617.00	B
ISD-V270ZA-U	CNC VISION MEASURING SYSTEM (with computer),10.63x6.69x5.90", motorized zoom lens	44809.00	B
ISD-V270CNCA-U	CNC VISION MEASURING SYSTEM,With Computer, measuring range 10.63x6.69x5.90"	37413.00	B
ISD-V270HN-U	CNC VISION MEASURING SYSTEM (with computer)10.63x6.69x11.81", manual zoom lens	41477.00	B
ISD-V270ZHN-U	CNC VISION MEASURING SYSTEM (with computer), 10.63x6.69x11.81", motorized zoom lens	47245.00	B
ISD-V300A	VISION MEASURING SYSTEM,With Computer, 12×8×8"	17098.00	B
ISD-V370CNCA-U	CNC VISION MEASURING SYSTEM,With Computer, measuring range 14.57x10.63x5.90"	45118.00	B
ISD-V370HN-U	CNC VISION MEASURING SYSTEM (with computer), 14.57x10.63x11.81", manual zoom lens	49261.00	B
ISD-V370ZA-U	CNC VISION MEASURING SYSTEM (with computer), 14.57x10.63x5.90", motorized zoom lens	52373.00	B
ISD-V370ZHN-U	CNC VISION MEASURING SYSTEM (with computer), 14.57x10.63x11.81", motorized zoom lens	54956.00	B
ISD-V400A	VISION MEASURING SYSTEM,With Computer, 16×12×8"	27153.00	B
ISD-V500N	CNC VISION MEASURING SYSTEMS, 18.5×14.57×7.87"	56600.00	B
ISD-V500HN	CNC VISION MEASURING SYSTEMS, 18.5×14.57×15.75"	62655.00	B
ISD-V-LENS	Lens with coaxial light(must be mounted in factory)	1806.00	B
ISD-VMM205	TOOLMAKER MICROSCOPES, binocular	27812.00	B
ISD-VMM205D	TOOLMAKER MICROSCOPES, monocular	25210.00	B
ISD-VMM215	TOOLMAKER MICROSCOPES, binocular	29983.00	B
ISD-VMM215D	TOOLMAKER MICROSCOPES, monocular	27380.00	B
ISD-VMM225	TOOLMAKER MICROSCOPES, binocular	32846.00	B
ISD-VMM225D	TOOLMAKER MICROSCOPES, monocular	29285.00	B
ISD-VMM235	TOOLMAKER MICROSCOPES, binocular	33409.00	B
ISD-VMM235D	TOOLMAKER MICROSCOPES, monocular	30804.00	B
ISD-V-OB05X	0.5X auxiliary objective	486.00	B
ISD-V-OB2X	2X auxiliary objective	486.00	B
ISD-V-PROBE	PROBE (including standard ball)	5907.00	B
ISE-2DT	DIGITAL LEVEL	1066.00	A
ISE-2DT-SOFTWARE	SOFTWARE	84.60	A
ISF-1DF10	DIGITAL FORCE GAGE, 2.2lbf	715.00	B
ISF-1DF100	DIGITAL FORCE GAGE, 22lbf	715.00	B
ISF-1DF1000	DIGITAL FORCE GAGE, 220lbf	736.00	B
ISF-1DF50	DIGITAL FORCE GAGE, 11lbf	715.00	B
ISF-1DF500	DIGITAL FORCE GAGE, 110lbf	736.00	B

ISF-DF100A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 22lbf	942.00	B
ISF-DF10A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 2.2lbf	942.00	B
ISF-DF10KA	DIGITAL FORCE GAGE (HIGH RESOLUTION), 2250lbf	2782.00	B
ISF-DF1KA	DIGITAL FORCE GAGE (HIGH RESOLUTION), 220lbf	942.00	B
ISF-DF200A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 44lbf	942.00	B
ISF-DF20A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 4.4lbf	942.00	B
ISF-DF20KA	DIGITAL FORCE GAGE (HIGH RESOLUTION), 4500lbf	3244.00	B
ISF-DF2KA	DIGITAL FORCE GAGE (HIGH RESOLUTION), 450lbf	2234.00	B
ISF-DF500A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 110lbf	942.00	B
ISF-DF50A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 11lbf	942.00	B
ISF-DF5A	DIGITAL FORCE GAGE (HIGH RESOLUTION), 1.1lbf	942.00	B
ISF-DF5KA	DIGITAL FORCE GAGE (HIGH RESOLUTION), 1100lbf	2570.00	B
ISF-DF-PRINTER	PRINTER	539.00	B
ISF-F10	FORCE GAGE, 10N/1kgf	270.00	B
ISF-F100	FORCE GAGE, 100N/10kgf	251.00	B
ISF-F20	FORCE GAGE, 20N/2kgf	270.00	B
ISF-F200	FORCE GAGE, 200N/20kgf	252.00	B
ISF-F30	FORCE GAGE, 30N/3kgf	271.00	B
ISF-F300	FORCE GAGE, 300N/30kgf	273.00	B
ISF-F50	FORCE GAGE, 50N/5kgf	273.00	B
ISF-F500	FORCE GAGE, 500N/50kgf	273.00	B
ISF-H20A	MANUAL HORIZONTAL TEST STAND FOR FORCE GAGE	835.00	B
ISF-H20D	MANUAL HORIZONTAL TEST STAND FOR FORCE GAGE	906.00	B
ISF-MT1K	TESTING STAND FOR DIGITAL FORCE GAGE, 220lbf	1214.00	B
ISF-MT1K-SCALE	DIGITAL SCALE, 8"	185.00	B
ISF-MT500	TEST STAND FOR FORCE GAGE	483.00	B
ISF-P30A	MANUAL STRIPPING FORCE TEST STAND	1310.00	B
ISF-P30D	MANUAL STRIPPING FORCE TEST STAND	1381.00	B
ISF-S10-U	DIGITAL SPRING TESTERS, 2.2lbf	3768.00	B
ISF-S20-U	DIGITAL SPRING TESTERS, 4.4lbf	3769.00	B
ISF-S30-U	DIGITAL SPRING TESTERS, 6lbf	3770.00	B
ISF-S50-U	DIGITAL SPRING TESTERS, 11lbf	3869.00	B
ISF-S100-U	DIGITAL SPRING TESTERS, 22lbf	3932.00	B
ISF-S200-U	DIGITAL SPRING TESTERS, 44lbf	3933.00	B
ISF-S300-U	DIGITAL SPRING TESTERS, 67lbf	3933.00	B
ISF-S500-U	DIGITAL SPRING TESTERS, 112lbf	3981.00	B
ISF-S1000-U	DIGITAL SPRING TESTERS, 224lbf	4479.00	B
ISF-S2000-U	DIGITAL SPRING TESTERS, 450lbf	4479.00	B
ISF-S5000-U	DIGITAL SPRING TESTERS, 1124lbf	5399.00	B
ISF-TG1	DIAL TENSION GAGE, Capacity (N) 1N, Graduation (N) 0.02N	102.00	B
ISF-TG1D5	DIAL TENSION GAGE, Capacity (N) 1.5N, Graduation (N) 0.025N	102.00	B
ISF-TG3	DIAL TENSION GAGE, Capacity (N) 3N, Graduation (N) 0.05N	102.00	B
ISF-TG5	DIAL TENSION GAGE, Capacity (N) 5N, Graduation (N) 0.1N	102.00	B
ISF-TGD1	DIAL TENSION GAGE, Capacity (N) 0.1N, Graduation (N) 0.002N	102.00	B
ISF-TGD3	DIAL TENSION GAGE, Capacity (N) 0.3N, Graduation (N) 0.005N	102.00	B
ISF-TGD5	DIAL TENSION GAGE, Capacity (N) 0.5N, Graduation (N) 0.01N	102.00	B
ISF-V10A	MANUAL VERTICAL TEST STAND FOR FORCE GAGE	777.00	B
ISF-V10D	MANUAL VERTICAL TEST STAND FOR FORCE GAGE	848.00	B
ISGF-0901	PRECISION SCREWDRIVE SET	10.80	B
ISHB-B300	BARCOL HARDNESS TESTER	2478.00	B
ISHB-C161	CHAIN TYPE HYDRAULIC BRINELL HARDNESS TESTER, 32 ~ 650HBW	14338.00	B
ISHB-D200-U	AUTOMATIC DIGITAL BRINELL HARDNESS TESTER, manual turret rotation	20157.00	B
ISHB-D300-U	AUTOMATIC DIGITAL BRINELL HARDNESS TESTER, automatic turret rotation	23048.00	B
ISHB-H131	HYDRAULIC BRINELL HARDNESS TESTER	13538.00	B
ISHB-M100	AUTOMATIC BRINELL HARDNESS TESTER, 8 ~ 650HBW	7379.00	B
ISH-BRV-U	BRINELL/ROCKWELL/VICKERS HARDNESS TESTER	9334.00	B
ISHB-TSA	BRINELL INDENTATION MEASURING SYSTEM, 8 ~ 650HB	8502.00	B
ISHB-TSB	BRINELL INDENTATION MEASURING SYSTEM, 8 ~ 650HB	8502.00	B
ISH-COUPPLANT	COUPPLANT	20.50	B
ISH-DSA	DIGITAL SHORE DUROMETER, shore A	889.00	A
ISH-DSA-W1	2.2lb weight (for ISH-DSA)	145.00	A
ISH-DSD	DIGITAL SHORE DUROMETER, shore D	1059.00	A
ISH-DS-PRINTER	WIRELESS PRINTER	495.00	B
ISH-DS-STANDA	TEST STAND FOR DIGITAL SHORE DUROMETER	1709.00	B
ISH-EHK-INDENTER	1/8" DIA carbide ball indenter	198.00	B
ISH-KNOOP	Knoop indenter	479.00	B
ISR-LS601E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 3.9µin	259.00	B
ISR-LS602E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 7.9µin	259.00	B
ISR-LS603E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 15.7µin	259.00	B
ISR-LS604E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 31.5µin	259.00	B
ISR-LS605E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 63.0µin	259.00	B
ISR-LS606E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 126.0µin	259.00	B

ISR-LS607E	SURFACE ROUGHNESS REFERENCE SPECIMENS, 252.0µin	441.00	B
ISH-MR150-U	AUTOMATIC ROCKWELL HARDNESS TESTER	5014.00	B
ISH-MRD200-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER	5723.00	B
ISH-PHB	PORTABLE LEEB HARDNESS TESTER	1309.00	B
ISH-PHB-B	PORTABLE LEED HARDNESS TESTER (BUILT-IN BULETOOTH), 1HLD, 1HV, 1HB, 0.1HRC, 0.1HRB, 1HS, 1MPa	1025	B
ISH-PH-SP9	SUPPORT RING SET FOR PORTABLE LEEB HARDNESS TESTER, 12pcs	569.00	B
ISH-R150	MANUAL ROCKWELL HARDNESS TESTER	3546.00	B
ISHR-B141	MAGNETIC BRINELL/ROCKWELL HARDNESS TESTER	9443.00	B
ISHR-D121	DIGITAL MAGNETIC ROCKWELL HARDNESS TESTER	16034.00	B
ISH-RD200	MANUAL DIGITAL ROCKWELL HARDNESS TESTER	4731.00	B
ISHR-M111	MAGNETIC ROCKWELL HARDNESS TESTER	7444.00	B
ISHR-P151	PORTABLE ROCKWELL HARDNESS TESTER	2928.00	B
ISH-RSR400-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER	9377.00	B
ISH-RSR500-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER	13572.00	B
ISH-RSR600-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER	15951.00	B
ISH-RSR700-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER	43969.00	B
ISHR-T100-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER (DOLPHIN-NOSE MODEL)	14351.00	B
ISHR-T200-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER (DOLPHIN-NOSE MODEL)	16716.00	B
ISHR-T300-U	AUTOMATIC DIGITAL ROCKWELL HARDNESS TESTER (DOLPHIN-NOSE MODEL)	22104.00	B
ISHR-T500	DIGITAL ROCKWELL AND SUPERFICIAL ROCKWELL HARDNESS TESTER, Superficial Rockwell	20345.00	B
ISHR-T600	DIGITAL ROCKWELL AND SUPERFICIAL ROCKWELL HARDNESS TESTER, Rockwell and Superficial Rockwell	23832.00	B
ISH-SAM	SHORE DUROMETER, shore A	231.00	B
ISH-SDM	SHORE DUROMETER, shore D	411.00	B
ISH-SMALL ANVIL	SMALL V-TYPE ANVIL	271.00	B
ISH-SPHA	PORTABLE LEEB HARDNESS TESTER	3871.00	B
ISH-SPHA-C	IMPACT DEVICE C	1422.00	B
ISH-SPHA-D15	IMPACT DEVICE D+15	3942.00	B
ISH-SPHA-DC	IMPACT DEVICE DC	1252.00	B
ISH-SPHA-DL	IMPACT DEVICE DL	3942.00	B
ISH-SPHA-G	IMPACT DEVICE G	3942.00	B
ISH-SPHD	PORTABLE LEEB HARDNESS TESTER	1814.00	B
ISH-STAC	TESTING STAND FOR SHORE DUROMETER	442.00	B
ISH-STD	TESTING STAND FOR SHORE DUROMETER	576.00	B
ISH-TDV1000A-B	DIGITAL MICRO-VICKERS HARDNESS TESTER	20832.00	B
ISH-TDV-ADAPTER	Camera adapter	80.00	B
ISHB-M100-U	AUTOMATIC BRINELL HARDNESS TESTER	9140.00	B
ISHV-D120-ADAPTER	CAMERA ADAPTER	231.00	B
ISHV-D120-KNOOP	KNOOP INDENTER	492.00	B
ISHW-B70	WEBSTER HARDNESS TESTER	3453.00	B
ISHW-B75	WEBSTER HARDNESS TESTER	3453.00	B
ISHW-B92	WEBSTER HARDNESS TESTER	3453.00	B
ISHW-L20	WEBSTER HARDNESS TESTER	3064.00	B
ISHW-L20A	WEBSTER HARDNESS TESTER	4149.00	B
ISHW-L20B	WEBSTER HARDNESS TESTER	4149.00	B
ISL-A1-100	LINEAR SCALE, 4"/100mm	422.00	A
ISL-A1-1000	LINEAR SCALE, 40"/1000mm	788.00	A
ISL-A1-150	LINEAR SCALE, 6"/150mm	466.00	A
ISL-A1-200	LINEAR SCALE, 8"/200mm	453.00	A
ISL-A1-250	LINEAR SCALE, 10"/250mm	475.00	A
ISL-A1-300	LINEAR SCALE, 12"/300mm	466.00	A
ISL-A1-350	LINEAR SCALE, 14"/350mm	475.00	A
ISL-A1-400	LINEAR SCALE, 16"/400mm	475.00	A
ISL-A1-450	LINEAR SCALE, 18"/450mm	475.00	A
ISL-A1-50	LINEAR SCALE, 2"/50mm	453.00	A
ISL-A1-500	LINEAR SCALE, 20"/500mm	475.00	A
ISL-A1-550	LINEAR SCALE, 22"/550mm	480.00	A
ISL-A1-600	LINEAR SCALE, 24"/600mm	651.00	A
ISL-A1-650	LINEAR SCALE, 26"/650mm	668.00	A
ISL-A1-700	LINEAR SCALE, 28"/700mm	686.00	A
ISL-A1-750	LINEAR SCALE, 30"/750mm	703.00	A
ISL-A1-800	LINEAR SCALE, 32"/800mm	721.00	A
ISL-A1-850	LINEAR SCALE, 34"/850mm	728.00	A
ISL-A1-900	LINEAR SCALE, 36"/900mm	737.00	A
ISL-A1-950	LINEAR SCALE, 38"/950mm	763.00	A

ISL-A5-100	LINEAR SCALE, 4"/100mm	388.00	A
ISL-A5-1000	LINEAR SCALE, 40"/1000mm	613.00	A
ISL-A5-150	LINEAR SCALE, 6"/150mm	399.00	A
ISL-A5-200	LINEAR SCALE, 8"/200mm	399.00	A
ISL-A5-250	LINEAR SCALE, 10"/250mm	399.00	A
ISL-A5-300	LINEAR SCALE, 12"/300mm	399.00	A
ISL-A5-350	LINEAR SCALE, 14"/350mm	399.00	A
ISL-A5-400	LINEAR SCALE, 16"/400mm	399.00	A
ISL-A5-450	LINEAR SCALE, 18"/450mm	399.00	A
ISL-A5-50	LINEAR SCALE, 2"/50mm	388.00	A
ISL-A5-500	LINEAR SCALE, 20"/500mm	399.00	A
ISL-A5-550	LINEAR SCALE, 22"/550mm	399.00	A
ISL-A5-600	LINEAR SCALE, 24"/600mm	399.00	A
ISL-A5-650	LINEAR SCALE, 26"/650mm	427.00	A
ISL-A5-700	LINEAR SCALE, 28"/700mm	427.00	A
ISL-A5-750	LINEAR SCALE, 30"/750mm	427.00	A
ISL-A5-800	LINEAR SCALE, 32"/800mm	427.00	A
ISL-A5-850	LINEAR SCALE, 34"/850mm	460.00	A
ISL-A5-900	LINEAR SCALE, 36"/900mm	493.00	A
ISL-A5-950	LINEAR SCALE, 38"/950mm	546.00	A
ISL-B5-100	LINEAR SCALE, 4"/100mm	399.00	A
ISL-B5-1000	LINEAR SCALE, 40"/1000mm	697.00	A
ISL-B5-1100	LINEAR SCALE, 44"/1100mm	809.00	A
ISL-B5-1200	LINEAR SCALE, 48"/1200mm	901.00	A
ISL-B5-1300	LINEAR SCALE, 52"/1300mm	990.00	A
ISL-B5-1400	LINEAR SCALE, 56"/1400mm	1084.00	A
ISL-B5-150	LINEAR SCALE, 6"/150mm	415.00	A
ISL-B5-1500	LINEAR SCALE, 60"/1500mm	1175.00	A
ISL-B5-1600	LINEAR SCALE, 64"/1600mm	1266.00	A
ISL-B5-1700	LINEAR SCALE, 68"/1700mm	1360.00	A
ISL-B5-1800	LINEAR SCALE, 72"/1800mm	1448.00	A
ISL-B5-1900	LINEAR SCALE, 76"/1900mm	1542.00	A
ISL-B5-200	LINEAR SCALE, 8"/200mm	427.00	A
ISL-B5-2000	LINEAR SCALE, 80"/2000mm	1885.00	A
ISL-B5-2100	LINEAR SCALE, 84"/2100mm	2355.00	A
ISL-B5-2200	LINEAR SCALE, 88"/2200mm	2806.00	A
ISL-B5-2300	LINEAR SCALE, 92"/2300mm	2917.00	A
ISL-B5-2400	LINEAR SCALE, 96"/2400mm	3024.00	A
ISL-B5-250	LINEAR SCALE, 10"/250mm	427.00	A
ISL-B5-2500	LINEAR SCALE, 100"/2500mm	3132.00	A
ISL-B5-2600	LINEAR SCALE, 104"/2600mm	3241.00	A
ISL-B5-2700	LINEAR SCALE, 108"/2700mm	3338.00	A
ISL-B5-2800	LINEAR SCALE, 112"/2800mm	3457.00	A
ISL-B5-2900	LINEAR SCALE, 116"/2900mm	3545.00	A
ISL-B5-300	LINEAR SCALE, 12"/300mm	427.00	A
ISL-B5-3000	LINEAR SCALE, 120"/3000mm	3671.00	A
ISL-B5-3100	LINEAR SCALE, 124"/3100mm	3750.00	A
ISL-B5-3200	LINEAR SCALE, 128"/3200mm	3854.00	A
ISL-B5-350	LINEAR SCALE, 14"/350mm	427.00	A
ISL-B5-400	LINEAR SCALE, 16"/400mm	427.00	A
ISL-B5-450	LINEAR SCALE, 18"/450mm	427.00	A
ISL-B5-50	LINEAR SCALE, 2"/50mm	415.00	A
ISL-B5-500	LINEAR SCALE, 20"/500mm	427.00	A
ISL-B5-550	LINEAR SCALE, 22"/550mm	427.00	A
ISL-B5-600	LINEAR SCALE, 24"/600mm	427.00	A
ISL-B5-650	LINEAR SCALE, 26"/650mm	560.00	A
ISL-B5-700	LINEAR SCALE, 28"/700mm	514.00	A
ISL-B5-750	LINEAR SCALE, 30"/750mm	560.00	A
ISL-B5-800	LINEAR SCALE, 32"/800mm	560.00	A
ISL-B5-850	LINEAR SCALE, 34"/850mm	570.00	A
ISL-B5-900	LINEAR SCALE, 36"/900mm	525.00	A
ISL-B5-950	LINEAR SCALE, 38"/950mm	597.00	A
ISL-DR2	COUNTER	576.00	A
ISL-DR3	COUNTER	707.00	A
ISL-SET1	2-AXIS DIGITAL READOUT SYSTEM FOR LATHE, two-axis	1430.00	B
ISM-AD-0D5	CAMERA ADAPTERS, 0.5X	138.00	B
ISM-AD-0D75	CAMERA ADAPTERS, 0.75X	138.00	B
ISM-AD-A0D5	CAMERA ADAPTERS, 0.41X~0.58X	177.00	B
ISM-AD-A0D75	CAMERA ADAPTERS, 0.64X~0.86X	177.00	B
ISM-CM20	DIGITAL CAMERA FOR MICROSCOPE	2223.00	B
ISM-CM63	USB CAMERA AND SOFTWARE	1190.00	B
ISM-DCA-CON	Connector .91" dia/1.20" dia	31.60	B

ISM-DL300	DIGITAL MEASURING MICROSCOPE (WITH DISPLAY), without contour illumination	3634.00	B
ISM-DL301	DIGITAL MEASURING MICROSCOPE (WITH DISPLAY), with contour illumination	3825.00	B
ISM-DL302	HIGH MAGNIFICATION MEASURING MICROSCOPE (WITH DISPLAY)	5545.00	B
ISM-DL400	DIGITAL MEASURING MICROSCOPE (WITH DISPLAY)	8363.00	B
ISM-DL500	HIGH-DEFINITION MEASURING MICROSCOPE	3837.00	B
ISM-DL520	MOTORIZED FOCUS STACKING MICROSCOPE (WITH DISPLAY),	6903.00	B
ISM-DL-CA1X	1X CAMERA ADAPTER	154.00	B
ISM-DL-LED	LED AUXILIARY ILLUMINATION	210.00	B
ISM-DL-OB03X	0.3X AUXILLIARY OBJECTIVE	137.00	B
ISM-DL-OB2X	2X AUXILLIARY OBJECTIVE	238.00	B
ISM-DL-STAGE	X-Y GLASS STAGE(TRAVEL 2.91×2.36")	268.00	B
ISM-M2000	METALLURGICAL MICROSCOPE	15855.00	B
ISM-M2000-15X	15X EYEPIECE (view field: .63" dia)	365.00	B
ISM-M2000-20X	20X EYEPIECE (view field: .47" dia)	400.00	B
ISM-M2000-DIC	DIC	7181.00	B
ISM-MV10	SMART CAMERA	4441.00	B
ISM-PM100	PORTABLE MEASURING MICROSCOPE, 100X	315.00	B
ISM-PM20	PORTABLE MEASURING MICROSCOPE, 20X	325.00	B
ISM-PM200SA	DIGITAL MEASURING MICROSCOPE	453.00	B
ISM-PM200SB	DIGITAL MEASURING MICROSCOPE	462.00	B
ISM-PM40	PORTABLE MEASURING MICROSCOPE, 40X	302.00	B
ISM-PM50	PORTABLE MEASURING MICROSCOPE, 50X	354.00	B
ISM-PM-BLUE	Blue filter	17.10	B
ISM-PM-GREEN	Green filter	17.10	B
ISM-PM-STAND	STAND FOR DIGITAL MICROSCOPE	155.00	B
ISM-PM-YELLOW	Yellow filter	17.10	B
ISM-POL1000	POLARIZING MICROSCOPE	8492.00	B
ISM-WF200	WiFi DIGITAL MEASURING MICROSCOPE	466.00	B
ISM-WSTD	UNIVERSAL STAND FOR DIGITAL MICROSCOPE	158.00	B
ISM-ZS100	ZOOM STEREO MICROSCOPE (ADVANCED)	2196.00	B
ISM-ZS100T	ZOOM STEREO MICROSCOPE (ADVANCED)	2899.00	B
ISM-ZS200	PARALLET LIGHT STEREO MICROSCOPE	5547.00	B
ISM-ZS30	ZOOM STEREO MICROSCOPE	1024.00	B
ISM-ZS30-EPD10X	EYEPIECE, 10X dividing eyepiece (0.1mm/.004")	182.00	B
ISM-ZS30-OB05X	AUXILIARY OBJECTIVE, 0.5X	158.00	B
ISM-ZS30-OB06X	AUXILIARY OBJECTIVE, 0.63X	158.00	B
ISM-ZS30-OB07X	AUXILIARY OBJECTIVE, 0.75X	158.00	B
ISM-ZS30-OB2X	AUXILIARY OBJECTIVE, 2X	158.00	B
ISM-ZS50	ZOOM STEREO MICROSCOPE, binocular	2117.00	B
ISM-ZS50-EP15X	EYEPIECE, WF15X (view field: .63" DIA)	406.00	B
ISM-ZS50-EP20X	EYEPIECE, WF20X (view field: .47" DIA)	454.00	B
ISM-ZS50-EPD10X	EYEPIECE, 10X dividing eyepiece (0.1mm/.004")	189.00	B
ISM-ZS50-OB05X	AUXILIARY OBJECTIVE, 0.5X	266.00	B
ISM-ZS50-OB2X	AUXILIARY OBJECTIVE, 2X	266.00	B
ISM-ZS50T	ZOOM STEREO MICROSCOPE, trinocular	2494.00	B
ISM-ZS70-S	DIGITAL CAMERA (WITH PAD)	1790.00	B
ISO-1000FN	COATING THICKNESS GAGE(BASIC TYPE), 0~78.5mil	395.00	B
ISO-1200FN	COATING THICKNESS GAGE(BASIC TYPE), 0~78.5mil	477	B
ISO-2000FN	COATING THICKNESS GAGE, main unit	1494.00	B
ISO-2000FN-FE	MAGNETIC INDUCTION PROBE Fe	1436.00	B
ISO-2000FN-NFE	EDDY CURRENT PROBE Nfe	2120.00	B
ISO-8000FN	COATING THICKNESS GAGE(HIGH PERCISION), 0~19.6mils/0~59.0mils	1517.00	B
ISO-8000FN-	EDDY CURRENT PROBE (with zero alibration plate)	973	B
ISO-8000FN- STAND	STAND	1015	B
ISP-A6000	PROFILE PROJECTOR (with edge detector)	61792.00	B
ISP-A6000E	PROFILE PROJECTOR (with edge detector)	63369.00	B
ISP-Z3015	PROFILE PROJECTOR	12653.00	B
ISP-Z3015-CHART	Overlay chart	219.00	B
ISP-Z3015-DEMO	DEMO SAMPLE	102.00	B
ISP-Z3015-FILTER	Blue filter	164.00	B
ISP-Z3015- HOLDER	Holder with clamp	443.00	B
ISP-Z3015- LENS100X	100X lens with half-reflection mirror	1324.00	B
ISP-Z3015- LENS20X	20X lens with half-reflection mirror and oblique illuminator mirror	1526.00	B
ISP-Z3015- LENS50X	50X lens with half-reflection mirror	1426.00	B
ISP-Z3015-RULE	300mm/11.81" CALIBRATION SCALE	1780.00	B
ISP-Z3015- SCALE50	50mm/1.97" reading scale	414.00	B

ISP-Z3015-SUPPORT	Swivel center support	1277.00	B
ISP-Z3015-TABLE	Rotary table	845.00	B
ISP-Z3015-VBLOCK	V-block with clamp	723.00	B
ISQ-DG6	60° GLOSS METER, 0 ~ 150GU(60°)	1454.00	B
ISQ-DG8	20°/60°/85° GLOSS METER, 0 ~ 2000GU(20°), 0 ~ 1000GU(60°), 0 ~ 160GU(85°)	3895.00	B
ISQ-DRM31	DIGITAL REFRACTOMETER, 0~50%(1.3330~1.4200RI)	468.00	B
ISQ-RM30	PORTABLE REFRACTOMETER, 0 ~ 32%	124.00	B
ISQ-TE100	EXTERNAL THREAD MEASURING DEVICE, 0-3.937"	17745.00	B
ISQ-TE100-A	Measuring pin, 21 pairs	4522.00	B
ISQ-TE100-B	Measuring prism, 4 pairs	4887.00	B
ISQ-TE100-C	Female center, 1 pair	853.00	B
ISQ-TE100-D	Clamp, 3 pcs	986.00	B
ISQ-TE100-E	Setting disc, 22 pcs	5667.00	B
ISQ-TE100-F	60° find pointer	815.00	B
ISQ-TE100-G	55° find pointer	815.00	B
ISQ-TS120K	DIGITAL LED TACHOMETER/STROBOSCOPE	1772.00	B
ISR-C002	ROUGHNESS TESTER, Range 6299µin, Resolution (Ra) 0.01µin	2616.00	B
ISR-C002-DGP	Deep groove probe	1803.00	B
ISR-C002-DGP1	DEEP GROOVE PROBE (need to be delivered with ISR-C002)	1862	B
ISR-C002-ER	Extension rod	315.00	B
ISR-C002-PRINTER	Wireless printer	801.00	B
ISR-C002-PROBE	The probe for ISR-C002	906	B
ISR-C002-SBP	Small hole probe	1932.00	B
ISR-C002-SPC	DATA TRANSMISSION CABLE	69.9	B
ISR-C002-STAND	Test stand	1386.00	B
ISR-C002-STAND1	Light duty test stand	830.00	B
ISR-C002-TR	Transverse rod	563.00	B
ISR-C003	ROUGHNESS TESTER, Range Ra, Rq: 2~590µin, Rz, Rt: 4~1968µin	1972.00	B
ISR-C200	ROUGHNESS TESTER, X axis .689"/Z axis 9842µin	4171.00	B
ISR-C300	ROUGHNESS TESTER(SEPARABLE TYPE)	2679.00	B
ISR-C300-COVER2	Support for cylindrical surface	14	B
ISR-C300-LB1	Height gage adapter	69.3	B
ISR-C300-P2UM	PROBE	1089	B
ISR-C300-RECEIVER	Bluetooth receiver	67	B
ISR-CSE017	SHOT AND GRIT BLASTING SURFACE ROUGHNESS SPECIMEN	388.00	A
ISR-CSE018	SHOT AND GRIT BLASTING SURFACE ROUGHNESS SPECIMEN	388.00	A
ISR-CSE130	SURFACE ROUGHNESS SPECIMEN SET, 30pcs per set	390.00	A
ISR-CSE315	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	299.00	A
ISR-CSE316	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	299.00	A
ISR-CSE317	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	299.00	A
ISR-CSE318	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	299.00	A
ISR-CSE319	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	299.00	A
ISR-CSE320	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	299.00	A
ISR-CSE321	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	299.00	A
ISR-CSE322	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	299.00	A
ISR-CSE323	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	299.00	A
ISR-CSE325	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	299.00	A
ISR-CSE326	SURFACE ROUGHNESS SPECIMEN, 6pcs per set	299.00	A
ISR-CSE328	SURFACE ROUGHNESS SPECIMEN, 6pcs per set	299.00	A
ISR-CSE329	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	299.00	A
ISR-CSE331	SURFACE ROUGHNESS SPECIMEN, 8pcs per set	299.00	A
ISR-CSE333	SURFACE ROUGHNESS SPECIMEN, 5pcs per set	299.00	A
ISR-CSE334	SURFACE ROUGHNESS SPECIMEN, 7pcs per set	299.00	A
ISR-CSE335	SURFACE ROUGHNESS SPECIMEN, 6pcs per set	299.00	A
ISR-CSE336	SURFACE ROUGHNESS SPECIMEN, 5pcs per set	299.00	A
ISR-RS525X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 250µin/6.25µm	1119.00	A
ISR-RS526X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 124µin/3.15µm	899.00	A
ISR-RS527X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 120µin/3.0µm	899.00	A
ISR-RS528X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 20µin/0.5µm	899.00	A
ISR-RS529X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 4µin/0.1µm	1175.00	A
ISR-RS530X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 40µin/1.0µm	757.00	A
ISR-RS531X	SURFACE ROUGHNESS REFERENCE SPECIMEN, 14µin/0.3µm	1175.00	A
ISR-S1000B	SURFACE ROUGHNESS TESTER	20275.00	B
ISR-S1000B-STAND	TEST STAND FOR ISR-S1000B	4180.00	B
ISR-S400	ROUGHNESS TESTER	5658.00	B
ISR-S400-DK	HEAVY DUTY TEST STAND	2232.00	B
ISR-S400-ER100	EXTENSION ROD	848.00	B

ISR-S400-SB10R2	SMALL ROUGHNESS PROBE	2843.00	B
ISR-S400-SB110	CYLINDER/HOLE PROBE	2843.00	B
ISR-S400-SB120	DEEP GROOVE PROBE	2843.00	B
ISR-S400-SB140	INTERNAL ANGLE PROBE	2843.00	B
ISR-S400-SB20	GROOVE PROBE	2435.00	B
ISR-S400-SB30	SMALL HOLE PROBE	2435.00	B
ISR-S400-SB40	SMALL ROD PROBE	2435.00	B
ISR-S400-SB50	TRANSVERSE PROBE	2435.00	B
ISR-S400-SB80	DEEP HOLE PROBE	2435.00	B
ISR-S400-STAND	TEST STAND	1315.00	B
ISR-SB10B	Standard probe (included)	2934.00	B
ISR-SB110B	CYLINDER/HOLE PROBE	3540.00	B
ISR-SB120B	DEEP GROOVE PROBE	3540.00	B
ISR-SB130B	KNIFE EDGE PROBE	3540.00	B
ISR-SB150B	DEEP GROOVE PROBE	3540.00	B
ISR-SB20B	GROOVE PROBE	2934.00	B
ISR-SB30B	HOLE PROBE	2934.00	B
ISR-SB40B	SMALL ROD PROBE	2934.00	B
ISR-SB50B	TRANSVERSE PROBE	2934.00	B
ISR-SB60B	SMALL HOLE PROBE	2496.00	B
ISR-SB70B	INTERNAL ANGLE PROBE	2934.00	B
ISR-SB80B	DEEP HOLE PROBE	2934.00	B
IST-04TT5	DIGITAL TORQUE TESTER, 4.42~44.2in.lb/0.369~3.69ft.lb	1720.00	B
IST-04TT28	DIGITAL TORQUE TESTER, 24.8~247.8in.lb/2.06~20.65ft.lb	1720.00	B
IST-04TT68	DIGITAL TORQUE TESTER, 60.2~602in.lb, 5.01~50.1ft.lb	1547.00	B
IST-04TT350	DIGITAL TORQUE TESTER,310~3097in.lb, 25.8~258.1ft.lb	1547.00	B
IST-04TT815	DIGITAL TORQUE TESTER, 60.1~601ft.lb	1762.00	B
IST-04TT1000	DIGITAL TORQUE TESTER, 74~738ft.lb	1762.00	B
IST-04TT2000	DIGITAL TORQUE TESTER, 148~1475ft.lb	1762.00	B
IST-10WM100	TORQUE WRENCHES, 20~100lb.ft	232.00	A
IST-10WM1000	TORQUE WRENCH, 200~1000lb.ft	1995.00	A
IST-10WM150	TORQUE WRENCHES, 30~150lb.ft	250.00	A
IST-10WM200	TORQUE WRENCHES, 40~200lb.in	212.00	A
IST-10WM2000	TORQUE WRENCH, 400~2000lb.ft	2588.00	A
IST-10WM250	TORQUE WRENCHES, 50~250lb.in	214.00	A
IST-10WM250A	TORQUE WRENCHES, 50~250lb.ft	269.00	A
IST-10WM400	TORQUE WRENCH, 80~400lb. ft	1189.00	B
IST-10WM600	TORQUE WRENCHES, 100~600lb.ft	1347.00	A
IST-11WM-R1	RATCHET HEAD 1/4"	87.10	B
IST-12W135A	BLUETOOTH DIGITAL TORQUE WRENCHES, 239~1195in.lb	2175.00	B
IST-12W200A	BLUETOOTH DIGITAL TORQUE WRENCHES, 354~1770in.lb	2188.00	B
IST-12W30A	BLUETOOTH DIGITAL TORQUE WRENCHES, 53.1~265.5in.lb	2172.00	B
IST-12W340A	BLUETOOTH DIGITAL TORQUE WRENCHES, 602~3009in.lb	2194.00	B
IST-15W06A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL), 10.6~53.09in.lb/0.88~4.424ft.lb	2613.00	B
IST-15W12A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL), 21.2~106.2in.lb/1.77~8.85ft.lb	2613.00	B
IST-15W20A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL), 35.4~177.0in.lb/2.95~14.75ft.lb	2613.00	B
IST-15W30A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL), 53~265.5in.lb/4.4~22.12ft.lb	2541.00	B
IST-15W135A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL), 239~1195in.lb, 19.9-99.95ft.lb	2545.00	B
IST-15W200A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL), 354~1770in.lb, 29.5-147.5ft.lb	2554.00	B
IST-15W340A	BLUETOOTH DIGITAL TORQUE WRENCHES (KEYBOARD SIGNAL), 602~3009in.lb, 50.1-250.7ft.lb	2561.00	B
IST-20WM80	MECHANICAL TORQUE WRENCH (DIGITAL SETTING), 8~80ft.lb	449.00	B
IST-20WM150	MECHANICAL TORQUE WRENCH (DIGITAL SETTING), 15~150ft.lb	533.00	B
IST-20WM250	MECHANICAL TORQUE WRENCH (DIGITAL SETTING), 25~250ft.lb	608.00	B
IST-1W135A	DIGITAL ANGLE TORQUE WRENCH, 239~1195in.lb/19.9 ~ 99.5ft.lb	857.00	A
IST-1W200A	DIGITAL ANGLE TORQUE WRENCH, 354~1770in.lb/29.5 ~ 147.5ft.lb	964.00	A
IST-1W30A	DIGITAL ANGLE TORQUE WRENCH, 53.1~265.5in.lb/4.42 ~ 22.12ft.lb	815.00	A
IST-1W340A	DIGITAL ANGLE TORQUE WRENCH, 602~ 3009in.lb/50.1 ~ 250.7ft.lb	1041.00	A
IST-2W135A	INTERCHANGEABLE HEAD DIGITAL TORQUE WRENCH, 239~1195in.lb/19.9 ~ 99.5ft.lb	632.00	A
IST-2W200A	INTERCHANGEABLE HEAD DIGITAL TORQUE WRENCH, 354~1770in.lb/29.5 ~ 147.5ft.lb	710.00	A
IST-2W30A	INTERCHANGEABLE HEAD DIGITAL TORQUE WRENCH, 53.1~265.5in.lb/4.42 ~ 22.12ft.lb	602.00	A
IST-2W340A	INTERCHANGEABLE HEAD DIGITAL TORQUE WRENCH, 602~ 3009in.lb/50.1 ~ 250.7ft.lb	767.00	A
IST-2W-K1A	OPEN END HEAD	42.10	A

IST-2W-K1B	OPEN END HEAD	42.10	A
IST-2W-K3B	OPEN END HEAD	45.90	A
IST-2W-K3C	OPEN END HEAD	42.10	A
IST-2W-K5C	OPEN END HEAD	43.50	A
IST-2W-K5D	OPEN END HEAD	42.10	A
IST-2W-K7D	OPEN END HEAD	42.10	A
IST-2W-K9D	OPEN END HEAD	43.50	A
IST-2W-M3B	BOX END HEAD	45.90	A
IST-2W-M3C	BOX END HEAD	43.50	A
IST-2W-M5C	BOX END HEAD	45.90	A
IST-2W-M5D	BOX END HEAD	43.50	A
IST-2W-M7C	BOX END HEAD	47.50	A
IST-2W-M7D	BOX END HEAD	43.50	A
IST-2W-M9D	BOX END HEAD	43.50	A
IST-2W-R1	RATCHET HEAD, 1/4"	40.70	A
IST-2W-R2	RATCHET HEAD, 3/8"	47.70	A
IST-2W-R3	RATCHET HEAD, 1/2"	51.00	A
IST-2W-R4	RATCHET HEAD, 1/2"	54.60	A
IST-3W135A	WIRELESS DATA TRANSFER DIGITAL TORQUE WRENCH, 239~1195in.lb/19.9~99.5ft.lb	1729.00	B
IST-3W200A	WIRELESS DATA TRANSFER DIGITAL TORQUE WRENCH, 354~1770in.lb/29.5~147.5ft.lb	1729.00	B
IST-3W30A	WIRELESS DATA TRANSFER DIGITAL TORQUE WRENCH, 53.1~265.5in.lb/4.42~22.12ft.lb	1729.00	B
IST-3W340A	WIRELESS DATA TRANSFER DIGITAL TORQUE WRENCH, 602~3009in.lb/50.1~250.7ft.lb	1729.00	B
IST-3WREC	RECEIVER	2204.00	A
IST-4W135A	QUALITY INSPECTION TORQUE WRENCH, 239 ~ 1195in.lb, Resolution 1in.lb/0.1ft.lb	1244.00	A
IST-4W200A	QUALITY INSPECTION TORQUE WRENCH, 354 ~ 1770in.lb, Resolution 1in.lb/0.1ft.lb	1394.00	A
IST-4W30A	QUALITY INSPECTION TORQUE WRENCH, 53.1 ~ 265.5in.lb, Resolution 0.1in.lb/0.01ft.lb	1201.00	A
IST-4W340A	QUALITY INSPECTION TORQUE WRENCH, 602 ~ 3009in.lb, Resolution 1in.lb/0.1ft.lb	1490.00	A
IST-5W135A	DIGITAL TORQUE ADAPTER, 239~1195in.lb/19.9~99.5ft.lb	646.00	A
IST-5W200A	DIGITAL TORQUE ADAPTER, 354~1770in.lb/29.5~147.5ft.lb	687.00	A
IST-5W30A	DIGITAL TORQUE ADAPTER, 53.1~265.5in.lb/4.42~22.12ft.lb	627.00	A
IST-5W340A	DIGITAL TORQUE ADAPTER, 602~3009in.lb/50.1~250.7ft.lb	703.00	A
IST-DCT10	DIGITAL BOTTLE CAP TORQUE TESTER, 88.5lbf.in/7.4lbf.ft	4520.00	B
IST-DCT2	DIGITAL BOTTLE CAP TORQUE TESTER, 17.7lbf.in	3822.00	B
IST-DCT20	DIGITAL BOTTLE CAP TORQUE TESTER, 177lbf.in/14.7lbf.ft	4954.00	B
IST-DCT5	DIGITAL BOTTLE CAP TORQUE TESTER, 44.3lbf.in/3.68lbf.ft	4085.00	B
IST-DTT1	DIGITAL TORQUE TESTERS, 8.9lbf.in	2809.00	B
IST-DTT10	DIGITAL TORQUE TESTERS, 88.5lbf.in/7.38lbf.ft	3212.00	B
IST-DTT5	DIGITAL TORQUE TESTERS, 44.3lbf.in/3.68lbf.ft	2967.00	B
IST-DW1D8	DIAL TORQUE WRENCH, 0.36~1.8N.m/3~16in.lb	292.00	A
IST-DW3D5	DIAL TORQUE WRENCH, 0.7 ~ 3.5N.m, 6 ~ 30in.lb	275.00	A
IST-DW9	DIAL TORQUE WRENCH, 1.8 ~ 9N.m, 15 ~ 75in.lb	275.00	A
IST-DW18	DIAL TORQUE WRENCH, 3.6 ~ 18N.m, 30 ~ 150in.lb	285.00	A
IST-DW35	DIAL TORQUE WRENCH, 7 ~ 35N.m, 60 ~ 300in.lb	285.00	A
IST-DW70	DIAL TORQUE WRENCH, 14 ~ 70N.m, 120 ~ 600in.lb	322.00	A
IST-DW140	DIAL TORQUE WRENCH, 28 ~ 140N.m, 20 ~ 100ft.lb	380.00	A
IST-DW240	DIAL TORQUE WRENCH, 48 ~ 240N.m, 35 ~ 175ft.lb	380.00	A
IST-DW350	DIAL TORQUE WRENCH, 70 ~ 350N.m, 50 ~ 250ft.lb	380.00	A
IST-DW480	DIAL TORQUE WRENCH, 96~480N.m/70~350ft.lb, 6N.m/5ft.lb	1014.00	A
IST-PW1000A	PRESET TORQUE WRENCH, 150~750lb.in	1355.00	B
IST-PW1000B	PRESET TORQUE WRENCH, 150~750lb.in	1374.00	B
IST-PW12	PRESET TORQUE WRENCH, 20~205lb.in	216.00	B
IST-PW125	PRESET TORQUE WRENCH, 20~90lb.in	254.00	B
IST-PW20	PRESET TORQUE WRENCH, 30~180lb.in	216.00	B
IST-PW200	PRESET TORQUE WRENCH, 30~150lb.in	335.00	B
IST-PW30	PRESET TORQUE WRENCH, 50~250lb.in	217.00	B
IST-PW340	PRESET TORQUE WRENCH, 50~250lb.in	447.00	B
IST-PW500	PRESET TORQUE WRENCH, 80~400lb.in	897.00	B
IST-PW60	PRESET TORQUE WRENCH, 9.1~45lb.in	225.00	B
IST-PW650	PRESET TORQUE WRENCH, 100~500lb.in	1050.00	B
IST-PW800	PRESET TORQUE WRENCH, 120~600lb.in	1214.00	B
IST-SD200	DIGITAL TORQUE SCREWDRIVER, 3.54~17.7in.lb	705.00	A
IST-SD400	DIGITAL TORQUE SCREWDRIVER, 7.08~35.39in.lb	705.00	A
IST-SD50	DIGITAL TORQUE SCREWDRIVER, 0.88~4.42in.lb	705.00	A
IST-SD-CABLE	CALIBRATION CABLE	240.00	A
IST-TM1000	TORQUE MULTIPLIER, 1000N.m	773.00	B

IST-TM10000	TORQUE MULTIPLIER, 10000N.m	2439.00	B
IST-TM10000P	TORQUE MULTIPLIER, 10000N.m	2448.00	B
IST-TM1000P	TORQUE MULTIPLIER, 1000N.m	789.00	B
IST-TM15000P	TORQUE MULTIPLIER, 15000N.m	3574.00	B
IST-TM2000	TORQUE MULTIPLIER, 2000N.m	1295.00	B
IST-TM20000P	TORQUE MULTIPLIER, 20000N.m	5183.00	B
IST-TM2000P	TORQUE MULTIPLIER, 2000N.m	1301.00	B
IST-TM3500	TORQUE MULTIPLIER, 3500N.m	1524.00	B
IST-TM3500P	TORQUE MULTIPLIER, 3500N.m	1524.00	B
IST-TM5500	TORQUE MULTIPLIER, 5500N.m	1839.00	B
IST-TM5500P	TORQUE MULTIPLIER, 5500N.m	1844.00	B
IST-TM7500	TORQUE MULTIPLIER, 7500N.m	2083.00	B
IST-TM7500P	TORQUE MULTIPLIER, 7500N.m	2093.00	B
IST-TS500	TORQUE WRENCH TEST STAND	4199.00	B
IST-TS500-BLOCK	Adapter, necessary for IST-TT5, IST-TT50 and IST-TT220, not needed for IST-TT550	197.00	B
IST-TT05	DIGITAL TORQUE TESTER, 0.885~4.425in.lb/0.0738~3.688ft.lb	2952.00	B
IST-TT1000	DIGITAL TORQUE TESTER, 885~8851in.lb/74~738ft.lb	2693.00	B
IST-TT220	DIGITAL TORQUE TESTER, 195~1946in.lb/16.2~162.2ft.lb	1978.00	B
IST-TT2200	DIGITAL TORQUE TESTER, 1947~19470in.lb/162~1622ft.lb	2353.00	B
IST-TT30	DIGITAL TORQUE TESTER, 26.5-265.2in. Lb/3-30N.m, 0.01in.lb/0.001N.m	2135.00	B
IST-TT5	DIGITAL TORQUE TESTER, 4.42~44.24in.lb/0.369~3.687ft.lb	2327.00	B
IST-TT50	DIGITAL TORQUE TESTER, 44.2~442.4in.lb/3.69~36.87ft.lb	1964.00	B
IST-TT550	DIGITAL TORQUE TESTER, 487~4867in.lb/40.6~405.6ft.lb	1978.00	B
IST-W1200A	DIGITAL TORQUE WRENCH, 177~885ft.lb	3363.00	A
IST-W135A	DIGITAL TORQUE WRENCH, 239~ 1195in.lb/19.9~99.5ft.lb	751.00	A
IST-W1500A	DIGITAL TORQUE WRENCH, 221~1106ft.lb	3767.00	A
IST-W2000A	DIGITAL TORQUE WRENCH, 295~1476ft.lb	4392.00	A
IST-W200A	DIGITAL TORQUE WRENCH, 354~ 1770in.lb/29.5~147.5ft.lb	847.00	A
IST-W30A	DIGITAL TORQUE WRENCH, 53.1~ 265.5in.lb/4.42~22.12ft.lb	711.00	A
IST-W340A	DIGITAL TORQUE WRENCH, 602~ 3009in.lb/50.1~250.7ft.lb	680.00	A
IST-W500A	DIGITAL TORQUE WRENCH, 885~ 4424in.lb/73.7~368.7ft.lb	1644.00	A
IST-W850A	DIGITAL TORQUE WRENCH, 1504~7521in.lb/125.4~626.8ft.lb	2044.00	A
IST-W-CABLE	CALIBRATION CABLE	230.00	A
IST-WP6	SMALL RANGE DIGITAL TORQUE WRENCH, 10.6~53.09in.lb, 0.884~4.424ft.lb	732.00	B
IST-WS30	SHORT HANDLE DIGITAL TORQUE WRENCH, 53.1 ~ 265.5in.lb/4.42 ~ 22.12ft.lb	558.00	A
IST-WS30A	SHORT HANDLE DIGITAL TORQUE WRENCH, 53.1 ~ 265.5in.lb/4.42 ~ 22.12ft.lb	558.00	A
IST-WS60	SHORT HANDLE DIGITAL TORQUE WRENCH, 106.2 ~ 530.9in.lb/8.85 ~ 44.24ft.lb	574.00	A
IST-WS85	SHORT HANDLE DIGITAL TORQUE WRENCH, 150 ~ 752in.lb/12.5 ~ 62.7ft.lb	580.00	A
ISU-100D	ULTRASONIC THICKNESS GAGE, .03 ~ 11.81"	868.00	B
ISU-250C	ULTRASONIC THICKNESS GAGE	2723.00	B
ISU-300D	ULTRASONIC THICKNESS GAGE (THROUGH COATING)	3992.00	B
ISU-700D	ULTRASONIC THICKNESS GAGE (FOR THIN WORKPIECES)	6269.00	B
ISU-710D	ULTRASONIC THICKNESS GAGE (FOR THICK WORKPIECES MADE OF ORGANIC MATERIALS)	6014.00	B
ISU-720D	ULTRASONIC THICKNESS GAGE	5875.00	B
ISU-HT5-COUPPLANT	Couplant (for ISU-T13)	277.00	B
ISU-T04	TRANSDUCER (for small tube)	952.00	B
ISU-T06	TRANSDUCER	402.00	B
ISU-T12	TRANSDUCER	602.00	B
ISU-T13	TRANSDUCER	802.00	B
ISV-1H4170	RIGID BORESCOPE, 6.85"	1127.00	B
ISV-1H4173	RIGID BORESCOPE, 6.85"	1244.00	B
ISV-1H4177	RIGID BORESCOPE, 6.85"	1244.00	B
ISV-1H4300	RIGID BORESCOPE, 11.89"	2328.00	B
ISV-1H4303	RIGID BORESCOPE, 11.89"	2502.00	B
ISV-1H4307	RIGID BORESCOPE, 11.89"	2502.00	B
ISV-1H6207	RIGID BORESCOPE, 8.23"	2000.00	B
ISV-1H6329	RIGID BORESCOPE, 12.99"	2915.00	B
ISV-1HLED	LED LIGHT HANDLE	333.00	B
ISV-1LED1	ADJUSTABLE LED LIGHT SOURCE	4895.00	B
ISV-2CAM	CAMERA (WITH DISPLAY)	3895.00	B
ISV-E10	VIDEOSCOPE	2075.00	B
ISV-E10-C5503	Steel wired weaved cable, ϕ .22", length 9.8FT	1114	B
ISV-E10-C5505	Steel wired weaved cable, ϕ .22", length 16.4FT	1313	B
ISV-E10-C5510	Steel wired weaved cable, ϕ .22", length 32.8FT	1819	B
ISV-E20	VIDEOSCOPE	1937.00	B
ISV-E20-HOOK	HOOK	39.00	B
ISV-E20-MAGNET	MAGNET PICK UP	39.00	B

ISV-E20-MIRROR	45° MIRROR	39.00	B
ISV-E30	VIDEOSCOPE(ECONOMIC TYPE)	313	B
ISV-E40	VIDEOSCOPE (BASIC TYPE)	477	B
ISV-E55-M35	35° MIRROR	116.00	B
ISV-E55-M60	60° MIRROR	116.00	B
ISV-K1810	VIDEOSCOPE, lens diameter .071", cable length 40"	17799.00	B
ISV-K2410	VIDEOSCOPE, lens diameter .094", cable length 40"	13459.00	B
ISV-K2810	VIDEOSCOPE, lens diameter .110", cable length 40"	11851.00	B
ISV-K3915	VIDEOSCOPE, lens diameter .154", cable length 60"	9410.00	B
ISV-K6015	VIDEOSCOPE, lens diameter .236", cable length 60"	7514.00	B
ISV-P6	MOBILE PHONE VIDEOSCOPE	1272.00	B
ISV-RV	SIDE VIEW VIDEOSCOPE (RIGID)	2151.00	B
ISV-T105	360° SWIVEL VIDEOSCOPIES (BASIC TYPE), 40" cable	2771.00	B
ISV-VP280	PIPE VIDEOSCOPE	8724.00	B
ISV-VP280-B150	6" DIA BRUSH	311.00	B
ISV-VP280-R50	2" DIA CENTERING RING	311.00	B
ISY-100	106PCS JIG SET FOR CMM	4387.00	B
ISY-100-1001	STAND, 5PCS	18.70	B
ISY-100-1002	STAND, 5PCS	22.10	B
ISY-100-1003	STAND, 3PCS	28.50	B
ISY-100-1004	STAND, 5PCS	20.20	B
ISY-100-1005	STAND, 5PCS	24.70	B
ISY-100-1006	STAND, 3PCS	33.50	B
ISY-100-1201	CLIP, 2PCS	64.90	B
ISY-100-1301	CLIP, 2PCS	64.80	B
ISY-100-1401	CLIP STAND, 2PCS	15.40	B
ISY-100-1402	CLIP STAND, 2PCS	17.60	B
ISY-100-1901	V SHAPED SUPPORT, 2PCS	43.80	B
ISY-100-1902	V SHAPED SUPPORT, 2PCS	28.20	B
ISY-100-2001	STAND WITH FINE ADJUSTMENT, 2PCS	33.00	B
ISY-100-2003	STAND WITH FINE ADJUSTMENT, 2PCS	37.20	B
ISY-100-3003	VERTICAL SQUARE COLUMN, 2PCS	205.00	B
ISY-100-4001	HORIZONTAL SPRING STAND, 2PCS	30.70	B
ISY-100-5001	HORIZONTAL SCREW STAND, 2PCS	43.40	B
ISY-100-7001	MAGNETIC STAND(MAGNETIC TOP SURFACE)	61.00	B
ISY-100-8001	STAND FOR SLICE PARTS, 2PCS	24.00	B
ISY-100-8002	CLAMPING STAND FOR SLICE PARTS, 1PC	34.50	B
ISY-100-9001	45° STAND, 2PCS	77.30	B
ISY-100-1801	SLIDING SUPPORT PLATE	39.30	B
ISY-100-2301	CLAMPING SCREW	10.10	B
ISY-6100-1501	MARKER	81.40	B
ISY-100-27016	SUPPORT HEAD, aluminum	14.70	B
ISY-100-27018	SUPPORT HEAD, nylon	14.70	B
ISY-100-27026	SUPPORT HEAD, aluminum	14.70	B
ISY-100-27028	SUPPORT HEAD, nylon	14.70	B
ISY-100-27036	SUPPORT HEAD, aluminum	14.50	B
ISY-100-27038	SUPPORT HEAD, nylon	14.50	B
ISY-100-27046	SUPPORT HEAD, aluminum	14.50	B
ISY-100-27048	SUPPORT HEAD, nylon	14.50	B
ISY-100-27056	SUPPORT HEAD, aluminum	14.50	B
ISY-100-27058	SUPPORT HEAD, nylon	14.50	B
ISY-100-27066	SUPPORT HEAD, aluminum	15.80	B
ISY-100-27068	SUPPORT HEAD, nylon	15.80	B
ISY-100-27076	SUPPORT HEAD, aluminum	14.60	B
ISY-100-27078	SUPPORT HEAD, nylon	14.60	B
ISY-600-400200	BASE PLATE, 2PCS/SET	2193.00	B
ISY-200	JIG SET FOR CMM (ANVIL .10DIA)	4031.00	B
ISY-200-1	SPRING ANVIL	737.00	B
ISY-200-2	ADJUSTABLE SPRING ANVIL (range 0-.79")	842.00	B
ISY-200-3	BASE PLATE	937.00	B
ISY-200-4	GUIDE	448.00	B
ISY-200-5	TWO-WAY ADJUSTABLE STAND	686.00	B
ISY-200-6	CLAMP HANDLE	70.40	B
ISY-300	JIG SET FOR CMM (ANVIL .10DIA)	4683.00	B
ISY-300-1	BASE PLATE	794.00	B
ISY-300-2	SPRING ANVIL	802.00	B
ISY-300-3	SPRING ANVIL	676.00	B
ISY-300-4	BLOCK	75.00	B
ISY-300-5	BLOCK	38.60	B
ISY-300-6	CONNECTING PLATE	37.60	B
ISY-300-7	BLOCK	32.50	B
ISY-300-8	BLOCK	39.20	B
ISY-300-9	CONNECTING PLATE	34.50	B

ISY-300-10	CLIP	13.00	B
ISY-300-11	CLIP	13.00	B
ISY-300-12	CONNECTING BLOCK OF CLIP STAND	23.20	B
ISY-300-13	CLIP STAND	15.80	B
ISY-400	JIG SET FOR CMM (ANVIL .24DIA)	6998.00	B
ISY-400-1	SPRING ANVIL	1232.00	B
ISY-400-2	BLOCK	87.80	B
ISY-400-3	BLOCK	96.20	B
ISY-400-4	BASE PLATE	1257.00	B
ISY-400-5	CONNECTING PLATE	108.00	B
ISY-400-6	CLAMP HANDLE	33.20	B
ISY-500	JIG SET FOR CMM (ANVIL .24DIA)	6848.00	B
ISY-500-1	SPRING ANVIL	1301.00	B
ISY-500-2	ADJUST SPRING ANVIL (range 0-1.57")	1598.00	B
ISY-500-3	BASE PLATE	1250.00	B
ISY-500-4	BLOCK	108.00	B
ISY-500-5	CONNECTING PLATE	99.70	B
ISY-500-6	CONNECTING BLOCK OF BASE PLATE	14.10	B
ISY-500-7	CLAMP HANDLE	32.70	B
ISY-600	JIG SET FOR CMM	3108.00	B
ISY-600-80001	STAND	27.00	B
ISY-600-80002	STAND	18.60	B
ISY-600-80003	STAND	26.10	B
ISY-600-80004	STAND	20.50	B
ISY-600-80005	STAND	28.10	B
ISY-600-80006	STAND	23.80	B
ISY-600-80007	STAND	16.20	B
ISY-600-80008	STAND	16.80	B
ISY-600-80009	STAND	20.80	B
ISY-600-800010	SPRING STAND	59.90	B
ISY-600-800012	UNIVERSAL SUPPORT WITH DAMPING	124.00	B
ISY-600-800013	STAND WITH FINE ADJUSTMENT	78.80	B
ISY-600-800014	MAGNETIC STAND (MAGNETIC TOP SURFACE)	16.50	B
ISY-600-800015	STAND FOR SLICE PARTS	18.60	B
ISY-600-800016	ADAPTOR	18.60	B
ISY-600-800017	CLAMPING SCREW FOR BASE PLATE	17.20	B
ISY-600-800018	V SHAPED SUPPORT	31.70	B
ISY-600-800019	CLAMPING SCREW	16.50	B
ISY-600-800020	SLIDING SUPPORT PLATE	23.50	B
ISY-600-800021	CLIP	24.40	B
ISY-600-800022	CHUCK SUPPORT	25.40	B
ISY-600-800023	CLIP STAND	30.30	B
ISY-600-800024	CLIP STAND	23.50	B
ISY-600-800025	ALUMINUM SUPPORT HEAD	17.20	B
ISY-600-800026	NYLON SUPPORT HEAD	17.20	B
ISY-600-800027	WRENCH	15.10	B
ISY-600-800028	BASE PLATE	940.00	B
ISY-700	JIG SET FOR VISION MEASURING SYSTEM	3129.00	B
ISY-700-90001	CLIP	20.00	B
ISY-700-90002	CLIP	11.70	B
ISY-700-90003	CLIP	11.70	B
ISY-700-90004	CLIP STAND	25.50	B
ISY-700-90005	CLIP STAND	41.30	B
ISY-700-90006	SPHERICAL SUPPORT HEAD	23.50	B
ISY-700-90007	STAND	11.70	B
ISY-700-90008	STAND	15.30	B
ISY-700-90009	STAND	11.20	B
ISY-700-90010	STAND	16.90	B
ISY-700-90011	STAND	17.20	B
ISY-700-90012	STAND	20.20	B
ISY-700-90013	STAND	17.30	B
ISY-700-90014	STAND	22.00	B
ISY-700-90015	STAND FOR SLICE PARTS	11.20	B
ISY-700-90016	STAND FOR SLICE PARTS	17.20	B
ISY-700-90017	STAND FOR SLICE PARTS	17.50	B
ISY-700-90018	STAND WITH FINE ADJUSTMENT	27.50	B
ISY-700-90019	STAND	11.20	B
ISY-700-90020	ADAPTOR FOR SQUARE SUPPORT	11.70	B
ISY-700-90021	CLAMPING SCREW	15.80	B
ISY-700-90022	L-SHAPED POSITIONING PLATE	28.40	B
ISY-700-90023	SLIDING SUPPORT PLATE	17.20	B
ISY-700-90024	SQUARE SUPPORT	32.90	B
ISY-700-90025	BASE FOR SQUARE SUPPORT	20.00	B

ISY-700-90026	SPRING STAND	73.50	B
ISY-700-90028	ACRYLIC SLIDING SUPPORT PLATE	22.00	B
ISY-700-90029	WRENCH	17.20	B
ISY-700-90030	ACRYLIC BASE PLATE	1601.00	B
LDM-D090	LASER SCAN MICROMETER, 0.5-90mm, 1µm	15253	B
LDM-030	LASER SCAN MICROMETER, 0.1-30mm	12906	B
LDM-065	LASER SCAN MICROMETER, 0.5-65mm	14365	B
MLP-CM60	CUTTING MACHINE, φ60mm	7182.00	B
MLP-CM60-	CUTTING BLADE CHUCK, 32mm	181.00	B
MLP-CM60-CUT2	CUTTING BLADE, 250×1.5×25.4mm	984.00	B
MLP-CM60-U	CUTTING MACHINE, 60mm	8274.00	B
MLP-CM86	CUTTING MACHINE (BASIC TYPE), 80mm	5605.00	B
MLP-GP260-U	GRINDER AND POLISHER	18954.00	B
MLP-GP270-U	GRINDER AND POLISHER	8152.00	B
MLP-GP280-U	GRINDER AND POLISHER	8152.00	B
MLP-GP305-U	GRINDER AND POLISHER(ADVANCED TYPE), 9.84" DIA(Customizable 11.81" DIA)	28946.00	B
MLP-GP314-U	GRINDER AND POLISHER(BASIC TYPE), 7.99" DIA	5037.00	B
MLP-HCM102	AUTOMATIC TUTTING MACHINE (ADVANCED TYPE), 100mm	19651.00	B
MLP-HCM102-CHUCK	CUTTING BLADE CHUCK, for 1.26" cutting blade	177.00	B
MLP-MP30	MOUNTING PRESS, φ30mm	8309.00	B
MLP-MP43-U	MOUNTING PRESSES (ADVANCED TYPE)	15542.00	B
MLP-MP53-U	MOUNTING PRESSES (ADVANCED TYPE)	28639.00	B
MLP-MP62-U	MOUNTING PRESS(BASIC TYPE), 1.18" DIA (Customizable .87" DIA, 1.77" DIA)	2022.00	B
PHT-C751	PENCIL HARDNESS TESTER	673.00	B
PHT-C751-P	PENCIL(17PCS: 6B-9H)	194.00	B
PHT-C751-S	400 GRADE ABRASIVE PAPER	15.40	B
QMS-A110-U	QUICK MEASUREMENT SYSTEM	18609.00	B
QMS-A200-U	QUICK MEASUREMENT SYSTEM	33164	B
QMS-A220-U	QUICK MEASUREMENT SYSTEM	41476	B
QMS-A320-U	QUICK MEASUREMENT SYSTEM	77021	B
QMS-A315-U	QUICK MEASUREMENT SYSTEM	46191.00	B
QMS-A450-U	LARGE SIZE QUICK MEASUREMENT SYSTEMS	119261.00	B
QMS-CALIBRATION	CALIBRATION PLATE for QMS	1888.00	B
QMY-AP32-U	ROTATIONAL ABRASION TESTER	6828.00	B
SFT-S210R-U	SALT SPRAY TESTER	8062.00	B
SPM-1000-U	SURFACE PROFILE MEASURING MACHINE	46835.00	B
TLP-300H	TOOL PRESETTER (BASIC TYPE)	10840.00	B
TLP-P340	TOOL PRESETTER (projection type)	19340.00	B
TLP-P340-R1	BT30 ROD	1694.00	B
TLP-P340-R2	BT40 ROD	1913.00	B
TLP-400E	TOOL PRESETTER(ROTATING SPINDLE)	24393.00	B
TLP-300H-C1	BT50/BT30 converter	1162.00	B
TLP-300H-C2	BT50/BT40 converter	1162.00	B
THT-A101T-U	TEMPERATURE AND HUMIDITY TESTER, 19.69×23.62×19.69"	21874.00	B
THT-A102T-U	TEMPERATURE AND HUMIDITY TESTER, 19.69×19.69×15.75"	20137.00	B
THT-A103T-U	TEMPERATURE AND HUMIDITY TESTER, 19.69×29.53×23.62"	24497.00	B
THT-A104T-U	TEMPERATURE AND HUMIDITY TESTER, 27.56×33.46×27.56"	33058.00	B
THT-A105T-U	TEMPERATURE AND HUMIDITY TESTER, 39.37×39.37×39.37"	49280.00	B
UFD-T680	DIGITAL ULTRASONIC FLAW DETECTOR	4460.00	B
UTM-E10	DIGITAL UNIVERSAL TESTING MACHINE, 10kN	28224.00	B
UTM-E100	DIGITAL UNIVERSAL TESTING MACHINE, 100kN	68715.00	B
UTM-E300	DIGITAL UNIVERSAL TESTING MACHINE, 300kN	104460.00	B
UTM-E50	DIGITAL UNIVERSAL TESTING MACHINE, 50kN	35240.00	B
VSP-201	MULTIPURPOSE VIDEOSCOPE, MAIN UNIT	5072.00	B
VSP-201D	FOUR DIRECTION CABLE(FRONT VIEW), cable length 120"	3375.00	B
VSP-201H	RIGID CABLE, cable length 9.84"	2755.00	B
VSP-201R	ROTATING LENS CABLE, cable length 1200"	11152.00	B
VSP-201-R200	ADJUSTABLE SUPPORT, diameter , 2.36"~7.87"	1183.00	B
VSP-201W	WIDE-ANGLE LENS CABLE, cable length 1200"	9133.00	B
VSP-231	SPRING CALE VIDEOSCOPE	3331.00	B
1106-302	ELECTRONIC CALIPER (jaw length 150mm), 0-300mm/0-12"	487.00	A
1106-503	ELECTRONIC CALIPER (jaw length 200mm), 0-500mm/0-20"	856.00	A
1120-150A	ELECTRONIC INSIDE GROOVE CALIPER, 22-150mm	173.00	A
1148-100	ELECTRONIC DEPTH GAGE WITH ROUND DEPTH BAR, 0-4"/0-100mm	348.00	A
1148-100S	ELECTRONIC DEPTH GAGE WITH ROUND DEPTH BAR, 0-4"/0-100mm	350.00	A
1148-120	ELECTRONIC DEPTH GAGE WITH ROUND DEPTH BAR, 0-4.7"/0-120mm	418.00	A
1148-200	ELECTRONIC DEPTH GAGE WITH ROUND DEPTH BAR, 0-8"/0-200mm	426.00	A
1148-P101	.0197" DISK POINT	14.50	A
1148-P102	.0276" DISK POINT	14.40	A
1148-P103	.0394" DISK POINT	40.70	A

1150-1000	ELECTRONIC HEIGHT GAGE, 0-40"/0-1000mm	2354.00	A
1150-300	ELECTRONIC HEIGHT GAGE, 0-12"/0-300mm	556.00	A
1150-600	ELECTRONIC HEIGHT GAGE, 0-24"/0-600mm	1071.00	A
1177-200	ELECTRONIC BACK-JAW CENTERLINE CALIPER, .4-8"/10-200mm	476.00	A
1177-300	ELECTRONIC BACK-JAW CENTERLINE CALIPER, .4-12"/10-300mm	596.00	A
1192-150A	ELECTRONIC OFFSET CENTERLINE CALIPER, .4"-6"/10-150mm	400.00	A
1192-200A	ELECTRONIC OFFSET CENTERLINE CALIPER, .4"-8"/10-200mm	492.00	A
1192-300A	ELECTRONIC OFFSET CENTERLINE CALIPER, 4"-12"/10-300mm	572.00	A
1205-300S	VERNIER CALIPER, 0-300mm/0-12", graduation 0.05mm/1/128"	155.00	A
1351-450	DIAL HEIGHT GAGE, 0-450mm, dial indicator graduation 0.01mm	897.00	A
1524-200	ELECTRONIC BACK-JAW EDGE TO CENTER CALIPER, .2-8"/5-200mm	527.00	A
1524-300	ELECTRONIC BACK-JAW EDGE TO CENTER CALIPER, .2-12"/5-300mm	634.00	A
1525-300	ELECTRONIC CENTERLINE/EDGE TO CENTER CALIPER, upper jaw .2-12" /5-300mm, lower jaw .4-12"/10-300mm	635.00	A
2103-10F	ELECTRONIC INDICATOR, 12.7mm/0.5", resolution 0.001mm/0.00005", flat back	370.00	A
2108-101F	ELECTRONIC INDICATOR FOR BORE GAGES, resolution 0.001mm/0.00005", 12.7mm/0.5", flat back	494.00	A
2108-10F	ELECTRONIC INDICATOR FOR BORE GAGES, resolution 0.002mm/0.0001", 12.7mm/0.5", flat back	249.00	A
2112-25	ELECTRONIC INDICATOR, 25.4mm/1", resolution 0.01mm/0.0005", lug back	167.00	A
2134-25	WIRELESS HIGH PRECISION DIGITAL INDICATORS, 25.4mm/1", adjustable resolution 0.0005mm/0.00001", 0.001mm/0.00001", 0.01mm/0.0001"	612.00	A
2173-360	ELECTRONIC LEVEL AND PROTRACTOR, 0-360° (90°x4)	180.00	A
2301-10F	DIAL INDICATOR, 10mm, graduation 0.01mm, flat back	41.20	A
2310-30A	DIAL INDICATOR, 30mm, graduation 0.01mm, lug back	119.00	A
2332-20	EXTERNAL DIAL CALIPER gage (arm length 60mm), 0-20mm	271.00	A
2397-502A	ZERO SETTER, 50mm	307.00	A
2424-E110	BORE GAGE FOR BLIND HOLES, 2.0-4.3"	2597.00	A
2424-E300	BORE GAGE FOR BLIND HOLES, 4.3-11.8"	3618.00	A
2424-E50	BORE GAGE FOR BLIND HOLES, .8-2.0"	2702.00	A
2424-E600	BORE GAGE FOR BLIND HOLES, 11.8-23.6"	8477.00	A
2425-12	BORE GAGE FOR SMALL HOLES, 8-12mm	2232.00	A
2425-20	BORE GAGE FOR SMALL HOLES, 12-20mm	1538.00	A
2426-1	SPLIT TYPE DIAL BORE GAGE, .037-.045"	276.00	A
2426-10	SPLIT TYPE DIAL BORE GAGE, .362-.413"	237.00	A
2426-11	SPLIT TYPE DIAL BORE GAGE, .402-.453"	237.00	A
2426-12	SPLIT TYPE DIAL BORE GAGE, .441-.492"	237.00	A
2426-13	SPLIT TYPE DIAL BORE GAGE, .480-.531"	238.00	A
2426-14	SPLIT TYPE DIAL BORE GAGE, .528-.575"	238.00	A
2426-15	SPLIT TYPE DIAL BORE GAGE, .567-.614"	238.00	A
2426-16	SPLIT TYPE DIAL BORE GAGE, .606-.654"	238.00	A
2426-17	SPLIT TYPE DIAL BORE GAGE, .646-.693"	238.00	A
2426-18	SPLIT TYPE DIAL BORE GAGE, .685-.732"	238.00	A
2426-19	SPLIT TYPE DIAL BORE GAGE, .724-.772"	238.00	A
2426-1D1	SPLIT TYPE DIAL BORE GAGE, .042-.049"	276.00	A
2426-1D2	SPLIT TYPE DIAL BORE GAGE, .046-.053"	276.00	A
2426-1D3	SPLIT TYPE DIAL BORE GAGE, .050-.057"	276.00	A
2426-1D4	SPLIT TYPE DIAL BORE GAGE, .054-.061"	276.00	A
2426-1D75	SPLIT TYPE DIAL BORE GAGE, .059-.075"	210.00	A
2426-2	SPLIT TYPE DIAL BORE GAGE, .071-.087"	210.00	A
2426-20	SPLIT TYPE DIAL BORE GAGE, .764-.811"	238.00	A
2426-2D25	SPLIT TYPE DIAL BORE GAGE, .081-.096"	210.00	A
2426-2D5	SPLIT TYPE DIAL BORE GAGE, .091-.106"	210.00	A
2426-2D75	SPLIT TYPE DIAL BORE GAGE, .100-.116"	210.00	A
2426-3	SPLIT TYPE DIAL BORE GAGE, .110-.126"	210.00	A
2426-3D25	SPLIT TYPE DIAL BORE GAGE, .120-.136"	210.00	A
2426-3D5	SPLIT TYPE DIAL BORE GAGE, .130-.146"	210.00	A
2426-3D75	SPLIT TYPE DIAL BORE GAGE, .140-.156"	210.00	A
2426-4	SPLIT TYPE DIAL BORE GAGE, .150-.165"	210.00	A
2426-4D5	SPLIT TYPE DIAL BORE GAGE, .163-.189"	206.00	A
2426-5	SPLIT TYPE DIAL BORE GAGE, .185-.209"	206.00	A
2426-5D5	SPLIT TYPE DIAL BORE GAGE, .205-.228"	206.00	A
2426-6	SPLIT TYPE DIAL BORE GAGE, .224-.248"	206.00	A
2426-6D5	SPLIT TYPE DIAL BORE GAGE, .244-.268"	206.00	A
2426-7	SPLIT TYPE DIAL BORE GAGE, .264-.287"	206.00	A
2426-7D5	SPLIT TYPE DIAL BORE GAGE, .283-.307"	206.00	A
2426-8	SPLIT TYPE DIAL BORE GAGE, .303-.327"	206.00	A
2426-8D5	SPLIT TYPE DIAL BORE GAGE, .323-.346"	206.00	A
2426-9	SPLIT TYPE DIAL BORE GAGE, .343-.366"	206.00	A
2426-HOLDER1E	HOLDER FOR 2426	279.00	A
2426-HOLDER2E	HOLDER FOR 2426	578.00	A
2427-10	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .362-.413"	332.00	A
2427-11	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .402-.453"	336.00	A

2427-12	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .441-.492"	336.00	A
2427-13	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .480-.531"	337.00	A
2427-14	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .528-.575"	337.00	A
2427-15	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .567-.614"	337.00	A
2427-16	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .606-.654"	337.00	A
2427-17	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .646-.693"	337.00	A
2427-18	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .685-.732"	337.00	A
2427-19	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .724-.772"	337.00	A
2427-1D75	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .059-.075"	393.00	A
2427-2	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .071-.087"	393.00	A
2427-20	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .764-.811"	337.00	A
2427-2D25	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .081-.096"	393.00	A
2427-2D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .091-.106"	393.00	A
2427-2D75	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .100-.116"	393.00	A
2427-3	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .110-.126"	393.00	A
2427-3D25	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .120-.136"	393.00	A
2427-3D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .130-.146"	393.00	A
2427-3D75	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .140-.156"	393.00	A
2427-4	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .150-.165"	396.00	A
2427-4D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .163-.189"	314.00	A
2427-5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .185-.209"	314.00	A
2427-5D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .205-.228"	314.00	A
2427-6	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .224-.248"	314.00	A
2427-6D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .244-.268"	314.00	A
2427-7	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .264-.287"	314.00	A
2427-7D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .283-.307"	314.00	A
2427-8	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .303-.327"	314.00	A
2427-8D5	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .323-.346"	314.00	A
2427-9	SPLIT TYPE DIAL BORE GAGE FOR BLIND HOLES, .343-.366"	314.00	A
2429-E12	SPLIT TYPE DIAL BORE GAGE SET FOR BLIND HOLES, .303-.492"	3166.00	A
2429-E20	SPLIT TYPE DIAL BORE GAGE SET FOR BLIND HOLES, .480-.811"	3707.00	A
2429-E4	SPLIT TYPE DIAL BORE GAGE SET FOR BLIND HOLES, .059-.165"	4986.00	A
2429-E7D5	SPLIT TYPE DIAL BORE GAGE SET FOR BLIND HOLES, .163-.307"	3246.00	A
2841-500	CRANKSHAFT TESTER, 60-500mm, graduation 0.01mm	620.00	A
2491-250	STAND FOR SPLIT TYPE DIAL BORE GAGE	4727.00	A
2889-30	DIAL INDICATOR, 0-30mm, graduation: 0.01mm	284.00	A
2921-E150	ROTARY BORE GAGE, 3.2-5.9"	9061.00	A
3101-25A	ELECTRONIC OUTSIDE MICROMETER (IP65), 0-25mm/0-1", resolution 0.001mm/.00005"	293.00	A
3101-50A	ELECTRONIC OUTSIDE MICROMETER (IP65), 25-50mm/1-2", resolution 0.001mm/.00005"	316.00	A
3108-25FA	ELECTRONIC OUTSIDE MICROMETER SET (WITHOUT DATA OUTPUT), (friction thimble, IP54), 0-25mm	197.00	A
3108-75A	ELECTRONIC OUTSIDE MICROMETER SET (WITHOUT DATA OUTPUT), 50-75mm, resolution 0.001mm/.00005"	257.00	A
3109-75A	ELECTRONIC OUTSIDE MICROMETER (BASIC TYPE, WITHOUT DATA OUTPUT), 50-75mm/ 2-3", resolution 0.001mm/.00005"	196.00	A
3127-4	ELECTRONIC THREE POINTS INTERNAL MICROMETER, 3-4mm/0.12-0.16"	1032.00	A
3206-100A	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-100mm, graduation 0.01mm	274.00	A
3206-200A	OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 100-200mm, graduation 0.01mm	413.00	A
3221-200	TUBULAR INSIDE MICROMETER, 50-200mm, graduation 0.01mm	284.00	A
3232-75A	BLADE MICROMETER (6.5x0.75mm), 50-75mm, graduation 0.01mm	300.00	A
3238-25	CALIPER TYPE MICROMETER, 0-25mm, graduation 0.01mm	253.00	A
3238-50	CALIPER TYPE MICROMETER, 25-50mm, graduation 0.01mm	282.00	A
3241-100	DEPTH MICROMETER, 0-100mm, graduation 0.01mm, base 101.5x17mm	197.00	A
3280-SP1	55° knife-edge anvil/spindle tip	79.10	A
3280-SP2	55° point anvil/spindle tip	47.90	A
3281-25A	SCREW THREAD MICROMETER, 0-25mm, Graduation 0.01mm	167.00	A
3281-75A	SCREW THREAD MICROMETER, 50-75mm, Graduation 0.01mm	221.00	A
3400-25	OUTSIDE MICROMETER WITH COUNTER, 0-25mm, graduation 0.01mm	120.00	A
3506-100A	DIGITAL OUTSIDE MICROMETER WITH INTERCHANGEABLE ANVILS, 0-100mm/0-4"	561.00	A
4110-1D03	INDIVIDUAL PIN GAGE, ϕ 1.03mm	9.51	A
4120-S7	THREAD RING GAGE, Go RING GAGE SET, 6g, ISO 1502, 7pcs	362.00	A
4120-S7N	THREAD RING GAGE, No Go RING GAGE SET, 6g, ISO 1502, 7pcs	333.00	A
4124-20	PLAIN PLUG GAGE, H7, ϕ 20mm	51.80	A
4129-14QN	FINE THREAD RING GAGE, 6g, No Go, ISO 1502, M14x1.25	49.40	A
4130-S7	THREAD PLUG GAGE SET, Go and No Go, 6H, ISO 1502, 7pcs	290.00	A
4139-14Q	FINE THREAD PLUG GAGE, 6H, Go and No Go, ISO 1502, M14x1.25	62.50	A
4602-20	FEELER GAGE (length 100mm), 0.05-1.00mm, 20 leaves	12.10	A
4602-32	FEELER GAGE (length 100mm), 0.03-1.00mm, 32leaves	14.50	A

4630-1	TAPER GAGE, 0.5-10mm, graduation 0.05mm	62.20	A
4634-112	NPT THREAD RING GAGE, 1x11.5NPT	689.00	A
4634-1A14	NPT THREAD RING GAGE, 1/2x14NPT	520.00	A
4634-1B18	NPT THREAD RING GAGE, 1/4x18NPT	544.00	A
4634-1C27	NPT THREAD RING GAGE, 1/8x27NPT	597.00	A
4634-1D27	NPT THREAD RING GAGE, 1/16x27NPT	597.00	A
4634-1G12	NPT THREAD RING GAGE, 1-1/4x11.5NPT	692.00	A
4634-1H12	NPT THREAD RING GAGE, 1-1/2x11.5NPT	691.00	A
4634-1J8	NPT THREAD RING GAGE, 2-1/2x8NPT	888.00	A
4634-1N8	NPT THREAD RING GAGE, 3-1/2x8NPT	907.00	A
4634-212	NPT THREAD RING GAGE, 2x11.5NPT	859.00	A
4634-38	NPT THREAD RING GAGE, 3x8NPT	897.00	A
4634-3B14	NPT THREAD RING GAGE, 3/4x14NPT	521.00	A
4634-3C18	NPT THREAD RING GAGE, 3/8x18NPT	544.00	A
4634-48	NPT THREAD RING GAGE, 4x8NPT	1329.00	A
4644-112	NPT THREAD PLUG GAGE, 1x11.5NPT	377.00	A
4644-1A14	NPT THREAD PLUG GAGE, 1/2x14NPT	300.00	A
4644-1B18	NPT THREAD PLUG GAGE, 1/4x18NPT	297.00	A
4644-1C27	NPT THREAD PLUG GAGE, 1/8x27NPT	341.00	A
4644-1D27	NPT THREAD PLUG GAGE, 1/16x27NPT	341.00	A
4644-1G12	NPT THREAD PLUG GAGE, 1-1/4x11.5NPT	379.00	A
4644-1H12	NPT THREAD PLUG GAGE, 1-1/2x11.5NPT	382.00	A
4644-1J8	NPT THREAD PLUG GAGE, 2-1/2x8NPT	625.00	A
4644-1N8	NPT THREAD PLUG GAGE, 3-1/2x8NPT	725.00	A
4644-212	NPT THREAD PLUG GAGE, 2x11.5NPT	438.00	A
4644-38	NPT THREAD PLUG GAGE, 3x8NPT	641.00	A
4644-3B14	NPT THREAD PLUG GAGE, 3/4x14NPT	301.00	A
4644-3C18	NPT THREAD PLUG GAGE, 3/8x18NPT	298.00	A
4644-48	NPT THREAD PLUG GAGE, 4x8NPT	946.00	A
4720-300E	BENCH CENTER WITH ROLLER TAILSTOCKS, 11.811"	5491.00	A
4723-300E	BENCH CENTER WITH STRAIGHTNESS MEASUREMENT, 11.811"	10744.00	A
4788-300E	BENCH CENTER	5823.00	A
4788-400E	BENCH CENTER	8013.00	A
4788-600E	BENCH CENTER	12003.00	A
4788-600H2E	BENCH CENTER	16313.00	A
4788-1000E	BENCH CENTER	22559.00	A
4788-1000H2E	BENCH CENTER	25316.00	A
4788-1000H3E	BENCH CENTER	27800.00	A
4801-16	RADIUS GAGE, 1-7mm	21.30	A
4832-1	FILLET WELDING GAGE	20.50	A
4833-1	TAPER GAGE, 1/32"-5/8", graduation 1/64"	25.70	A
4833-2	TAPER GAGE, 5/8"-1-3/16", graduation 1/64"	21.00	A
4833-3	TAPER GAGE, 1-3/16"-1-3/4", graduation 1/64"	26.80	A
4833-4	TAPER GAGE, 1-13/16"-2-3/8", graduation 1/64"	32.60	A
4844-1	CHAMFER GAGE, graduation 0.5mm	12.20	A
6208-80A	UNIVERSAL MAGNETIC STAND, 80kgf	115.00	A
6210-80	UNIVERSAL MAGNETIC STAND, 80kgf	177.00	A
6284-81	STYLI FOR DIAL TESTER INDICATORS	7.20	A
6293-6	DIAL TEST INDICATOR HOLDER	24.90	A
6297-1	DIAL TEST INDICATOR UNIVERSAL HOLDER	25.20	A
6566-2	ELECTRONIC EDGE FINDER, shank 20mm, without Beeper	137.00	A
6566-3	ELECTRONIC EDGE FINDER, shank 20mm, with Beeper	176.00	A
6567-1	EDGE FINDER, shank 10mm	37.70	A
6568-1	CERAMIC EDGE FINDER, shank 10mm	121.00	A
7352-E1000	LONG HANDLE	1408.00	A
7352-E500	LONG HANDLE	959.00	A
7391-T2	BALL TIPS FOR GEAR TOOTH MICROMETER, S Φ 1.5mm	133.00	A
ISH-OS2	TESTING STAND FOR SHORE DUROMETER	6115.00	B
ISH-OS2-W4	8.8lb weight (for ISH-S30D)	800.00	B
ISH-PHA	PORTABLE LEEB HARDNESS TESTER	2274.00	B
ISH-S30A	SHORE DUROMETER, shore A	2255.00	B
ISH-S30A-BLOCK	HARDNESS TEST BLOCK FOR SHORE DUROMETER, shore A	1928.00	B
ISH-S30D	SHORE DUROMETER, shore D	2255.00	B
ISH-S30D-BLOCK	HARDNESS TEST BLOCK FOR SHORE DUROMETER, shore D	1108.00	B
ISH-SR1113	SUPPORT RING FOR PORTABLE LEEB HARDNESS TESTER	63.40	B
ISM-MAS100	METALLURGICAL ANALYSIS SOFTWARE AND CAMERA	4786.00	B
ISM-MAS-ADAPTER	ADAPTER 0.5X	358.00	B
ISM-MAS-SCALE	CALIBRATION RULE (graduation 0.01mm)	103.00	B
ISM-MTM-EP16X	WF16X eyepiece	108.00	B
ISM-MTM-EP20X	WF20X eyepiece	170.00	B
ISM-MTM-EPD10X	10X DIVIDING EYEPIECE (0.1mm/div.)	112.00	B
ISM-MTM-OB100X	OBJECTIVE, PL100X (dry type)	719.00	B

ISM-MTM-OB50X	OBJECTIVE, PL50X	326.00	B
ISM-MTM-OB60X	OBJECTIVE, PL60X	324.00	B
ISM-MTM-OB80X	OBJECTIVE, PL80X	416.00	B
ISP-AZ3020	PROFILE PROJECTOR, 12" DIA, without edge detector	19122.00	B
ISP-W3020	HORIZONTAL PROFILE PROJECTOR, 12" DIA, without edge detector	18911.00	B
ISP-W4025	HORIZONTAL PROFILE PROJECTOR, 16" DIA, without edge detector	21875	B
ISP-W4025-LENS100X	100X LENS	1548.00	B
ISP-W4025-LENS20X	20X LENS	1811.00	B
ISP-W4025-LENS50X	50X LENS	1706.00	B
ISP-W4025-LENS5X	5X LENS	2656.00	B
ISR-CS017	SHOT AND GRIT BLASTING SURFACE ROUGHNESS SPECIMEN	402.00	B
ISR-CS018	SHOT AND GRIT BLASTING SURFACE ROUGHNESS SPECIMEN	402.00	B
ISR-CS130	SURFACE ROUGHNESS SPECIMEN SET	411.00	B
ISR-CS315	SURFACE ROUGHNESS SPECIMEN	318.00	B
ISR-CS316	SURFACE ROUGHNESS SPECIMEN	318.00	B
ISR-CS317	SURFACE ROUGHNESS SPECIMEN	317.00	B
ISR-CS318	SURFACE ROUGHNESS SPECIMEN	317.00	B
ISR-CS319	SURFACE ROUGHNESS SPECIMEN	318.00	B
ISR-CS320	SURFACE ROUGHNESS SPECIMEN	317.00	B
ISR-CS321	SURFACE ROUGHNESS SPECIMEN	318.00	B
ISR-CS322	SURFACE ROUGHNESS SPECIMEN	317.00	B
ISR-CS323	SURFACE ROUGHNESS SPECIMEN	317.00	B
ISR-CS325	SURFACE ROUGHNESS SPECIMEN	317.00	B
ISR-CS326	SURFACE ROUGHNESS SPECIMEN	318.00	B
ISR-CS328	SURFACE ROUGHNESS SPECIMEN	318.00	B
ISR-CS329	SURFACE ROUGHNESS SPECIMEN	318.00	B
ISR-CS331	SURFACE ROUGHNESS SPECIMEN	317.00	B
ISR-CS333	SURFACE ROUGHNESS SPECIMEN	317.00	B
ISR-CS334	SURFACE ROUGHNESS SPECIMEN	317.00	B
ISR-CS335	SURFACE ROUGHNESS SPECIMEN	317.00	B
ISR-CS336	SURFACE ROUGHNESS SPECIMEN	317.00	B
ISR-S300	ROUGHNESS TESTER	4963.00	B
ISR-S-SOFTWARE	USB CABLE AND SOFTWARE	2797.00	B
IST-1W-CABLE	CALIBRATION CABLE	279.00	B
IST-3W-CABLE	CALIBRATION CABLE	279.00	B
IST-WS-CABLE	CALIBRATION CABLE	275.00	B
ISU-200D	ULTRASONIC THICKNESS GAGE	1048.00	B
ISU-200D-HT5	TRANSDUCER	510.00	B
ISU-200D-N02	TRANSDUCER	237.00	B
ISU-200D-N05	TRANSDUCER	139.00	B
ISU-200D-N07	TRANSDUCER	225.00	B
ISU-200D-W05	TRANSDUCER	225.00	B
ISU-T07	TRANSDUCER	1757.00	B
ISU-T08	TRANSDUCER	401.00	B
ISV-E55-M45	45° mirror	119.00	B
ISV-HF4030	FRONT VIEW BORESCOPE (RIGID)	5494.00	B
ISV-HM2817	BORESCOPE WITH MIRROR (RIGID)	6317.00	B
ISV-HM4023	BORESCOPE WITH MIRROR (RIGID)	5852.00	B
ISV-HM6025	BORESCOPE WITH MIRROR (RIGID)	6020.00	B
ISV-HM6051	BORESCOPE WITH MIRROR (RIGID)	6612.00	B
ISV-HP1911	OBLIQUE VIEW BORESCOPE (RIGID)	8328.00	B
ISV-HP2811	OBLIQUE VIEW BORESCOPE (RIGID)	6050.00	B
ISV-HP2817	OBLIQUE VIEW BORESCOPE (RIGID)	6292.00	B
ISV-HR6032	ROTARY SIDE VIEW BORESCOPE (RIGID)	6965.00	B
ISV-VP60	VIDEOSCOPE	5447.00	B
ISV-VP60-R45	45° mirror	247.00	B
ISV-VP60-R55	55° mirror	247.00	B
IST-9WM335	TORQUE WRENCH,65~335N.m, 1N.m	257.00	B
ISP-A1000E	PROFILE PROJECTOR, 12" DIA, with edge detector	18118.00	B
ISP-A1000-PRINTER	PRINTER (only for ISP-A1000E)	547.00	B
ISP-A1000-VBLOCK	V-BLOCK WITH CLAMP	490.00	B
ISP-A3000-CHART	11.81" DIA OVERLAY CHART	224.00	B
ISP-A3000-DEMO	DEMO SAMPLE	105.00	B
ISP-A3000E	HORIZONTAL PROFILE PROJECTOR, 12" DIA, with edge detector	27990.00	B
ISP-A3000-LENS100X	100X LENS	1772.00	B

ISP-A3000-LENS20X	20X LENS	1868.00	B
ISP-A3000-LENS50X	50X LENS	1818.00	B
ISP-A3000-PRINTER	PRINTER (for ISP-A3000E/ISP-A7000E)	547.00	B
ISP-A3000-RTABLE	ROTARY TABLE	1330.00	B
ISP-A3000-RULE	300mm/11.81" CALIBRATION SCALE	1831.00	B
ISP-A3000-SCALE50	50mm/1.97" READING SCALE	483.00	B
ISP-A3000-VISE	VICE	352.00	B
ISP-A5000-CHART	OVERLAY CHART	224.00	B
ISP-A5000-DEMO	DEMO SAMPLE	105.00	B
ISP-A5000E	PROFILE PROJECTOR, 12" DIA, with edge detector	24236.00	B
ISP-A5000-LENS100X	100X lens with half-reflection mirror	1344.00	B
ISP-A5000-LENS20X	20X lens with half-reflection mirror and oblique illuminator mirror	1548.00	B
ISP-A5000-LENS50X	50X lens with half-reflection mirror	1447.00	B
ISP-A5000-PRINTER	PRINTER (only for ISP-A5000E)	547.00	B
ISP-A5000-RULE	300mm/11.81" CALIBRATION SCALE	1831.00	B
ISP-A5000-SCALE50	50mm/1.97" READING SCALE	483.00	B
ISP-A7000E	HORIZONTAL PROFILE PROJECTOR, 16" DIA, with edge detector	30301	B
ISR-CS2E	SURFACE ROUGHNESS SPECIMEN SET	255.00	B
1318-6	DIAL CALIPER, 0-6", graduation .001"	110.00	A
1148-P104	.0197" DISK POINT	45.50	A
2433-E120	INTERNAL GROOVE BORE GAGE, 2.4-4.7"	10759.00	A
2433-E180	INTERNAL GROOVE BORE GAGE, 4.7-7.1"	11118.00	A
2433-E300	INTERNAL GROOVE BORE GAGE, 7.1-11.8"	13227.00	A
3661-105	HIGH PRECISION NON-ROTATING SPINDLE ELECTRONIC MICROMETERS, 75-105mm/2.95-4.13"	1652.00	A
3661-130	HIGH PRECISION NON-ROTATING SPINDLE ELECTRONIC MICROMETERS, 100-130mm/3.94-5.12"	1785.00	A
3661-155	HIGH PRECISION NON-ROTATING SPINDLE ELECTRONIC MICROMETERS, 125-155mm/4.92-6.1"	1923.00	A
3661-30	HIGH PRECISION NON-ROTATING SPINDLE ELECTRONIC MICROMETERS, 0-30mm/0-1.18"	1194.00	A
3661-55	HIGH PRECISION NON-ROTATING SPINDLE ELECTRONIC MICROMETERS, 25-55mm/.98-2.17"	1361.00	A
3661-80	HIGH PRECISION NON-ROTATING SPINDLE ELECTRONIC MICROMETERS 50-80mm/1.97-3.15"	1459.00	A
HDT-B-HLD3	LEEB HARDNESS TEST BLOCK	234.00	B
HDT-B-HLG2	LEEB HARDNESS TEST BLOCK	619.00	B
HDT-B-HV02C	MICRO-VICKERS HARDNESS TEST BLOCK	166.00	B
HDT-B-HV1F	MICRO-VICKERS HARDNESS TEST BLOCK	166.00	B
HDT-B-HV10D	VICKERS HARDNESS TEST BLOCK	100.00	B
HDT-B-HV30D	VICKERS HARDNESS TEST BLOCK	100.00	B
HDT-B-HB25A1	BRINELL HARDNESS TEST BLOCK	101.00	B
HDT-B-HRB	ROCKWELL HARDNESS TEST BLOCK, 88-100 HRB	36.90	B
HDT-B-HRC1	ROCKWELL HARDNESS TEST BLOCK	39.50	B
HDT-B-HRC3	ROCKWELL HARDNESS TEST BLOCK	39.70	B
HDT-B-HV5D	VICKERS HARDNESS TEST BLOCK	100.00	B
2386-16A	LARGE RANGE DIAL TEST INDICATOR, 1.6mm, graduation 0.01mm	206	A
3202-1	OUTSIDE MICROMETER, 0-1", graduation .0001"	52.3	A
6377-25W	NON ROTATING SPINDLE MICROMETER HEAD, 0-25mm	97.1	A
2310-30FA	METRIC DIAL INDICATOR, 30mm, graduation 0.01mm, flat back	124	A
3532-25A	DIGITAL BLADE MICROMETER (6.5x0.75mm), 0-25mm/0-1"	518	A
2318-25	DIAL INDICATOR, 25mm, graduation 0.1mm, lug back	111	A
9242-ML100A	MINI DIGITAL MULTIMETER (BASIC TYPE), DC Voltage 200mV/2000mV/20V/200V/600V, AC Voltage 200V/600V	41.00	B
ISU-800D	ULTRASONIC THICKNESS GAGE(ADVANCED TYPE)	4183.00	B
2304-02F	COMPACT TYPE DIAL INDICATOR, flat back	64.00	A
4129-14Q	FINE THREAD RING GAGE, 6g, Go, ISO 1502, M14x1.25	60.60	A
4630-3	TAPER GAGE, 0.4 - 6mm, graduation 0.05mm	80.10	A
6293-2	DIAL TEST INDICATOR HOLDER, Ø8X115mm	25.90	A
ISV-L	VIDEOSCOPE, MAIN UNIT(WITHOUT CABLE)	2443.00	B
ISV-L1810	TWO-DIRECTION CABLE (FRONT VIEW, diameter 1.8mm, length 1m)	15571.00	B
ISV-L2410	TWO-DIRECTION CABLE (FRONT VIEW, diameter 2.4mm, length 1m)	11296.00	B
ISV-L2820	FOUR-DIRECTION CABLE (FRONT VIEW, diameter 2.8mm, length 2m)	13473.00	B

ISV-L3930	FOUR-DIRECTION CABLE (front view, diameter 3.9m, length 3m)	10109.00	B
ISV-L6020	FOUR-DIRECTION CABLE (FRONT VIEW, diameter 6.0mm, length 2m)	6085.00	B
ISV-L6030	FOUR-DIRECTION CABLE (FRONT VIEW, diameter 6.0mm, length 3m)	8100.00	B
ISV-L6010C	FOUR-DIRECTION CABLE (SIDE VIEW, diameter 6.0mm, length 1m)	5557.00	B